

AERONAUTICS.

TECHNICAL REPORT

OF THE

ADVISORY COMMITTEE FOR

AERONAUTICS

FOR THE YEAR 1916-17.

(With APPENDICES.)

VOLUME I.



LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.2, and 28, ABINGDON STREET, LONDON, S.W.1,
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.
or from E. PONSONBY, LTD., 118, GRAFTON STREET, DUBLIN.

1920.

Price 7s. 6d. Net.

CONTENTS.*

VOLUME I.

	Page
Members of the Committee	x.
Report of the Committee for the year 1916-17	1

APPENDICES TO THE REPORT.

General Questions in Aerodynamics :—

Tests on smooth and stranded wires inclined to the wind direction, and a comparison of results on stranded wires in air and water.—By E. F. Relf, A.R.C.Sc., and C. H. Powell, B.Sc.	8
Eddies and the diffusion of momentum.—By A. Mallock, F.R.S.	13

Heat transmission over surfaces :—

(i) Note on the transmission of heat from the surface of a hot body to fluids flowing over it.—By T. E. Stanton, D.Sc., F.R.S.	16
(ii) Experiments on heat transmission in the case of air flowing through a heated pipe.—By J. R. Pannell, A.M.I.M.E.	22
(iii) Preliminary note on the effect of surface roughness on the heat transmitted from hot bodies to fluids flowing over them.—By T. E. Stanton, D.Sc., F.R.S., M.Inst.C.E., and Miss Dorothy Marshall, B.Sc.	31

Wind Channels and Methods of test :—

Methods of support for models during the measurement of their aerodynamic resistance.—By J. R. Pannell, A.M.I.M.E., and N. R. Campbell, M.A.Sc.D.	36
--	----

Experiments on models of airships, airship sheds, &c. :—

An estimation of the variation of the drag coefficient of a rigid airship form, from model size to full scale.—By E. F. Relf, A.R.C.Sc.	44
The variation of the resistance of rigid airship models with the scale and wind speed.—By J. R. Pannell, A.M.I.M.E., and N. R. Campbell, Sc.D.	49

The screening effect of airship screens and docks :—

(i) Experiments on models of airship screens.—By E. A. Griffiths and C. H. Powell, B.Sc.	60
(ii) Report on model airship dock.—By E. A. Griffiths	63

Experiments on Kite Balloons :—

Tests on two models of Caquot kite balloons.—By L. W. Bryant, B.Sc., and H. B. Irving, B.Sc.	65
---	----

Experiments on models of aeroplane wings :—

(i) Tests on two aerofoils for the Aircraft Manufacturing Company, Limited.—By E. A. Griffiths and C. H. Powell, B.Sc.	68
(ii) Tests of R.A.F. 3 wing section under standard conditions.—By E. A. Griffiths and C. H. Powell, B.Sc.	71
(iii) Test of Avro wing section.—By E. A. Griffiths and C. H. Powell, B.Sc.	74

* Printed in two volumes with the pages running consecutively. The Index is at the end of Volume II.

	Page
Experiments on models of aeroplane wings—<i>cont.</i>	
(iv) Tests on a series of aerofoils with varying camber.—By E. A. Griffiths and F. G. Woodford... ..	76
(v) Tests on aerofoils R.A.F.15, 16, 17.—By E. A. Griffiths and C. H. Powell, B.Sc.	83
(vi) Experiments on an aerofoil with flap extending along the whole length.—By E. A. Griffiths	89
(vii) Experiments, at high speeds, on six aerofoils suitable for airscrew design.—By A. Fage, A.R.C.Sc., and H. E. Collins	101
(viii) Tests on model aerofoil of R.A.F. 14 section, to compare an aerofoil of uniform section with one modified to represent the sag in the fabric of an actual wing.—By W. L. Cowley, A.R.C.Sc., and I. F. G. Simmons, B.A., A.R.C.Sc. ...	112
Experiments on complete models of aeroplanes :—	
Tests on the complete model of F.E.5 aeroplane.—By W. L. Cowley, A.R.C.Sc., L. F. G. Simmons, B.A., A.R.C.Sc., and J. D. Coales, D.Sc.	117
Forces and moments on triplanes.—By E. A. Griffiths and C. H. Powell, B.Sc.	143
Experiments on bodies and controls :—	
Tests on aeroplane bodies :—	
(i) Tests for the Air Department of the Admiralty on body of Handley Page aeroplane.—By E. A. Griffiths and C. H. Powell, B.Sc.	151
(ii) Tests on a model B.E.2c body in different wind channels.—By E. F. Relf, A.R.C.Sc., and C. H. Powell, B.Sc. ...	152
The effect of balancing a rudder, by placing the rudder axis behind the leading edge upon the controlling moment on the machine.—By W. L. Cowley, A.R.C.Sc., L. F. G. Simmons, B.A., A.R.C.Sc., and J. D. Coales, D.Sc.... ..	154
Experiments on the effect of altering the position of the hinges of the elevators for the B.E.2c aeroplane.—By L. W. Bryant, B.Sc., A.R.C.Sc., and H. B. Irving, B.Sc.	157
Experiments on aeroplane parts :—	
Model test on fairing for chassis axle.—By E. A. Griffiths and C. H. Powell, B.Sc.	165
Wing forces on aeroplane struts and wires :—	
(i) An investigation to determine the best shape of fairing piece for a cylindrical strut.—By W. L. Cowley, A.R.C.Sc., L. F. G. Simmons, B.A., A.R.C.Sc., and J. D. Coales, D.Sc.	167
(ii) Tests on a series of large struts of varying fineness ratio.—By R. Jones, M.A., and H. Levy, M.A., B.Sc.	176
(iii) Wind forces on aeroplane wires of various sections.—By W. L. Cowley, A.R.C.Sc., and J. D. Coales, D.Sc.... ..	184
Stability :—	
The stability of airships. Mathematical theory and illustrations of its use.—By L. Bairstow, A.R.C.Sc., E. F. Relf, A.R.C.Sc., and J. L. Nayler, B.A.	195

Stability— <i>cont.</i>	Page
General mathematical investigation of the stability of the motion of an aeroplane. (V) Numerical illustrations in the case of side-slipping without turning—By J. L. Naylor, B.A., and R. Jones, M.A.	220
The lateral stability of large kites.—By J. L. Naylor, B.A. ...	227
Graphical solution of stability biquadratic.—By R. G. Harris. Presented by the Superintendent, Royal Aircraft Factory ...	230
Gyroscopic stability of a flying machine.—By Sir G. Greenhill ...	254
Full scale stability experiments on a B.E.2E with R.A.F.15 wing section.—Presented by the Superintendent, Royal Aircraft Factory	256
The lateral stability of an aeroplane over the whole of its speed range.—By E. F. Relf, A.R.C.Sc.	268

Airscrews :—

Experiments on model airscrews :—

(i) Tests on five model airscrews and an experimental investigation of the interferences between these airscrews and a model of the end of the whirling arm at the Royal Aircraft Factory.—By A. Fage, A.R.C.Sc., and H. E. Collins	275
(ii) Test of a propeller with its axis of rotation at right angles to the wind direction.—By E. F. Relf, A.R.C.Sc.	293
The relation between the efficiency of a propeller and its speed of rotation.—By L. Bairstow, A.R.C.Sc., A. Fage, A.R.C.Sc., and H. E. Collins... ..	296
An investigation of the mutual interference of airscrews and bodies of the "Pusher" type.—By A. Fage, A.R.C.Sc., and H. E. Collins... ..	312
An investigation of the mutual interference of airscrew blades.—By A. Fage, A.R.C.Sc., and H. E. Collins	326
A Windmill to drive a wireless set of power one kilowatt.—By A. Fage, A.R.C.Sc., and H. E. Collins	348
An investigation of the magnitude of the inflow velocity of the air in the immediate vicinity of an airscrew, with a view to an improvement in the accuracy of prediction from aerofoil data of the performance of an airscrew.—By A. Fage, A.R.C.Sc., and H. E. Collins... ..	350

VOLUME II.

Investigations relating to aeroplane designs :—

Design or struts exposed to wind forces.—By H. L. Stevens. Presented by the Superintendent, Royal Aircraft Factory ...	372
Notes on the performance of aeroplanes, based on a reduction of the observations made at the Central Flying School during the acceptance tests of aeroplanes.—By L. Bairstow, A.R.C.Sc., F.R.S., E. F. Relf, A.R.C.Sc., and C. H. Powell, B.Sc.... ..	383

Investigations relating to engines, radiators, magnetoes, &c. :—

A device for keeping a constant mixture in the carburetter of an aeroplane as the machine ascends.—Presented by the Superintendent, Royal Aircraft Factory	403
---	-----

	Page
Investigations relating to engines, radiators, magnetos, &c.—cont.	
On the effect of surface roughness on the heat transmitted from hot surfaces to fluids flowing over them, with special reference to the case of the gills of an air-cooled engine.—By T. E. Stanton, D.Sc., F.R.S., H. C. Booth, A.R.C.Sc., and Miss Dorothy Marshall, B.Sc.	407
Report on an oil cooling honeycomb radiator taken from a German Zeppelin.—By L. W. Bryant, B.Sc., A.R.C.Sc., and H. B. Irving, B.Sc.... ..	412
On the shape of fins for the cooling of hot surfaces by a stream of air.—By A. A. Griffith. Presented by the Superintendent of the Royal Aircraft Factory	415
Conditions at the surface of a hot body exposed to the wind.—By G. I. Taylor, M.A. Presented by the Superintendent of the Royal Aircraft Factory	423
Radiators for water-cooled engines.—Presented by the Superintendent, Royal Aircraft Factory	430
Tests on high tension magnetos.—By E. A. Griffiths	454
 Strength of construction, &c. :—	
Tests made at the National Physical Laboratory for the Superintendent of Aircraft Construction on the strength of steel lugs used in connection with the forked ends of aeroplane wires ...	456
Torsional vibrations of the tail of an aeroplane :—	
(i) Torsional vibrations of the tail of an aeroplane.—By F. W. Lanchester, M.Inst.C.E.	458
(ii) Oscillations of the tail plane and body of an aeroplane in flight.—By L. Bairstow, A.R.C.Sc., and A. Fage, A.R.C.Sc.	461
An investigation of the strength of two airscrews for F.E.2B.—By A. Fage, A.R.C.Sc., and H. E. Collins	468
The stresses in the members of aeroplane bodies and fuselages due to the aerodynamical loads on the tail system. Part I.—By W. L. Cowley, A.R.C.Sc.	471
 Full scale work :—	
Experiments on the possible rate at which a pilot can pull back the control column in an aeroplane.—Presented by the Superintendent, Royal Aircraft Factory	479
The R.A.F. Chart.—Presented by the Superintendent, Royal Aircraft Factory	482
Effect of abnormal weather on aeroplane performance.—Presented by the Superintendent, Royal Aircraft Factory... ..	488
The velocity of the wind in front of the wing tips of a biplane in flight.—Presented by the Superintendent, Royal Aircraft Factory	490
Landing run of R.A.F. aeroplanes. Effect of increasing angle of incidence of wings.—Presented by the Superintendent, Royal Aircraft Factory	494
Full scale experiment on the moment about the hinge of the air forces of an elevator. Experiment on R.A.F. Whirling arm.—Presented by the Superintendent, Royal Aircraft Factory ...	497

Full scale work— <i>cont.</i>	Page
Pressure distribution on the wings of a biplane of R.A.F.15 section with raked wing tips.—Presented by the Superintendent, Royal Aircraft Factory	500
Pressure distribution over the wing of an aeroplane in flight.—By G. I. Taylor. Presented by Lieut.-Col. O'Gorman, C.B. ...	504
Seaplane floats and flying boat hulls :—	
Report on the aerodynamic properties of seaplane floats. Part I. The Blackburn Float. Part II. The Air Department main float for the Short seaplane.—By L. F. G. Simmons, B.A., A.R.C.Sc., and W. L. Cowley, A.R.C.Sc.... ..	512
Experiments with models of seaplane floats. Eleventh series. Parts I and II.—By G. S. Baker, late R.C.N.C., M.Inst.N.A., and E. M. Keary	517
Fabrics, &c. :—	
Report on the protection of aeroplane fabric.—By the Chemical Department, Royal Aircraft Factory. Presented by the Superintendent	527
The deterioration of rubbered balloon fabrics under the action of light.—By Guy Barr, B.A., D.Sc.... ..	541
Report on the calendering of aeroplane fabric. Part I.—By C. J. Wilson, F.I.C. ; Parts II and III.—By A. J. Turner, B.A., B.Sc. Presented by the Superintendent, Royal Aircraft Factory	562
A new permeability tester for balloon fabrics.—By Dr. G. A. Shakespear	579
Report on the use of dope and fabric in Egypt.—By Lieut. W. R. G. Atkins, M.A., Sc.D., and Guy Barr, B.A., D.Sc. ...	584
Dopes, varnishes, &c. :—	
Notes on cellulose acetate.—By Guy Barr, B.A., D.Sc., and L. L. Bircumshaw	643
On protective varnishes for use on aeroplanes in hot climates.—By J. E. Ramsbottom, D.Sc., Ph.D., and A. V. Newton, B.Sc. Presented by the Superintendent, Royal Aircraft Factory ...	653
Hydrogen :—	
Report on examination of Short's hydrogen detector.—By W. Rosenhain, B.A., D.Sc., F.R.S., and G. Barr, B.A., D.Sc.	662
Note relative to the weight of hydrogen.—By Guy Barr, B.A., B.Sc., and E. A. Owen, B.A., B.Sc.	664
Instruments :—	
(i) Creep errors in altimeters due to hysteresis.—By Lieut. T. G. Hull, R.N.V.R. Communicated by the Air Department, Admiralty	668
(ii) Behaviour of levels when subject to vibration.—By A. Mallock, F.R.S.	671
(iii) A Baro-Thermograph for use on aeroplanes.—From Aeroplane Testing Squadron, Central Flying School. Communicated by the Director General of Military Aeronautics	673

viii.

Instruments— <i>cont.</i>	Page
(iv) Petrol flow-meter for use on aeroplanes.—By Aeroplane Testing Squadron. Presented by the Director General of Military Aeronautics	675
(v) The northerly turning error of the magnetic compass.—Presented by the Superintendent, Royal Aircraft Factory ...	678
Note on a rate of climb indicator for use on aeroplanes.—Presented by The Officer Commanding, Testing Squadron, Royal Flying Corps... ..	699
 Meteorology :—	
(i) Variation of wind velocity close to the ground.—By Major G. I. Taylor and Captain C. J. P. Cave. Presented by Sir Napier Shaw, F.R.S.	702
(ii) Notes on the winds of Macedonia.—By Sir Napier Shaw, F.R.S.	709
(iii) Memorandum by the Director of the Meteorological Office.—Special enquiry for the Air Service into the conditions for the occurrence of fog	712
(iv) Note on examples of katabatic wind in the valley of the Upper Thames at the Aerological Observatory of the Meteorological Office, at Benson, Oxon.—By E. V. Newnham, B.Sc.	715
(v) Phenomena connected with turbulence in the lower atmosphere.—By G. I. Taylor, M.A.	721
Note on the tail method of observing pilot balloons.—Presented by the Officer Commanding Testing Squadron, Royal Flying Corps	732
Observations of wind structure made at Upavon in 1914.—By Captain G. M. B. Dobson, R.F.C. Presented by the Superintendent, Royal Aircraft Factory	736
 Special matters :—	
A method of measuring the speed of an aeroplane at a height.—By the Commandant, Central Flying School. Presented by the Director-General of Military Aeronautics	744
Best altitude for aerial scouting at sea.—By A. Mallock, F.R.S....	752
Drifting smoke.—By A Mallock, F.R.S.	755
 GENERAL INDEX	 757

INDEX TO SERIAL NUMBERS OF THE TECHNICAL REPORTS.*

Report No.	Page	Report No.	Page
243	16	289	490
244	36	293	664
245	44	295	668
247	65	296	702
248	68	297	254
249	117	298	752
250	143	299	755
251	151	300	517
252	60	302	49
253	154	303 (revised)	643
254	157	304	721
255	165	305	312
256	167	306	412
257	195	307	8
258	220	308	415
259	296	309	732
261	348	310	699
262	230	313	541
263	227	314	13
264	275	315	562
265	293	316	326
266	744	317	579
268	383	318	584
269	403	319	89
271	407	320	471
272	423	322	101
275	454	323	112
276	458	325	736
277	456	326	256
279	468	327	268
280	482	328	350
281	488	329	653
282	479	349	662
283	494	353	500
284	497	406	372
285	512	407	430
287	504	498	527

* N.B.—Volume II commences at Page 372.

MEMBERS OF THE COMMITTEE.

The Right Honourable Lord RAYLEIGH, O.M.,
F.R.S. (President).

Dr. R. T. GLAZEBROOK, C.B., F.R.S. (Chairman).

Dr. DUGALD CLERK, F.R.S.

Mr. HORACE DARWIN, F.R.S.

Sir E. H. TENNYSON D'EYNCOURT, K.C.B.

Mr. HENRY FOWLER, A.M.Inst.C.E., M.I.M.E.

Sir G. GREENHILL, F.R.S.

Lieut.-General Sir D. HENDERSON, K.C.B., D.S.O.

Mr. F. W. LANCHESTER, M.Inst.C.E.

Mr. H. R. A. MALLOCK, F.R.S.

Lieut.-Colonel MERVYN O'GORMAN, C.B.

Commodore GODFREY PAINE, C.B., M.V.O., R.N.

Professor J. E. PETAVEL, F.R.S.

Brigadier-General D. PITCHER.

Sir NAPIER SHAW, F.R.S.

Secretary, Mr. F. J. Selby,
Bushy House,
Teddington,
Middlesex.

REPORT FOR THE YEAR 1916-17.

To the RIGHT HONOURABLE D. LLOYD GEORGE, M.P.,
 FIRST LORD OF THE TREASURY.

SIR,

The experimental investigations carried out under the control of the Advisory Committee for Aeronautics into the many problems affecting the development of aircraft have been continued and extended during the past year.

Some additions to, and changes in, the personnel of the Committee have been made. Dr. Dugald Clerk was appointed a member in June, 1916. Mr. Henry Fowler became a member on taking up the post of Superintendent of the Royal Aircraft Factory. Commodore Murray F. Sueter has lately retired from membership, after serving for seven years, on receiving a new appointment, and has been succeeded by Commodore Godfrey Paine. General Pitcher, Controller of the Technical Department of the Air Board, has recently been nominated an additional member of the Committee. The names of the present members are given on the opposite page.

Owing to the growth of the work of the Committee in certain directions, Sub-Committees have been formed to advise in regard to special matters. An Internal Combustion Engine Sub-Committee has been appointed under the chairmanship of Dr. Dugald Clerk; Mr. Fowler is acting as chairman of a Light Alloys Sub-Committee.* Other Sub-Committees have been constituted from time to time to investigate particular problems.

Many changes and developments in the design and construction of aircraft have taken place as the result of the continued and varied experience gained from their use in warfare under modern conditions. An increasing number of special problems is thus

* The members of these Sub-Committees are as follows:—

Engine Sub-Committee.—Dr. Dugald Clerk (Chairman); Mr. F. W. Lanchester; Lieut.-Colonel Mervyn O'Gorman; Mr. Henry Fowler; Dr. T. E. Stanton, representing the National Physical Laboratory; Wing Commander W. Briggs, R.N., Lieut.-Commander T. B. Barrington, R.N.V.R., and Captain G. W. A. Brown, representing the Air Board; Lieut.-Colonel R. K. Bagnall Wild and Captain R. H. Verney, representing the Aeronautical Inspection Department; with the Chairman of the Advisory Committee for Aeronautics (*ex officio*).

Light Alloys Sub-Committee.—Mr. Henry Fowler (Chairman); Lieut.-Commander C. F. Jenkin and Professor F. C. Lea, representing the Air Board; Captain H. P. Philpot, representing the Aeronautical Inspection Department; Mr. A. W. Johns, Chief Constructor, representing the Director of Naval Construction; Dr. W. Rosenhain, representing the National Physical Laboratory; with the Chairman of the Advisory Committee for Aeronautics (*ex officio*).

constantly presented for investigation, and these have very closely occupied throughout the year the attention of the staffs engaged in experimental work both at the National Physical Laboratory and at the Royal Aircraft Factory. In addition to aerodynamical research, much attention has been given to questions relating to engines, materials of construction, strength of construction and design, instruments and accessories, as well as to methods of attack from aircraft, and other matters.

Equipment for Experimental Work at the National Physical Laboratory.—Reference was made in the report for last year to the additional equipment provided for experimental work. The wind channels now available comprise two 7-foot channels, two 4-foot and one 3-foot. The new 7-foot channel was completed and brought into use early in the year 1916-17. No important departure has been made in its design from that of the earlier 7-foot channel, but some minor modifications have been introduced which experience had indicated as tending to greater convenience in working. An air speed of 85 feet per second can be reached in this channel with an expenditure of 160 h.p. It is doubtful whether further increase in size of channel or in speed of air current would advance existing knowledge to an extent sufficient to outweigh the greatly increased cost and other disadvantages involved. If it should prove necessary, for certain purposes, to conduct experiments on a larger scale and at higher speeds, it would appear, therefore, to be necessary to employ a method in which the model is moved through the air. As is well known, this procedure presents various difficulties, and the securing of even moderately accurate data in this manner is, at the best, extremely laborious. Probably the least troublesome way of applying this method is by installing measuring apparatus on the aeroplane itself, and it seems probable that only in this way can an accurate comparison be obtained between model and full scale conditions. The matter is of importance, and attention is being given, so far as existing circumstances permit, to the devising of suitable measuring apparatus.

Improved methods of supporting the models under test in the channel have been devised for use in special cases. The effect on the measured resistance of the method of holding the model is often surprisingly large, and without the necessary care and experience in avoiding effects due to interference with the air flow, very large errors may result. The difficulty is of course in general greatest in measurements on forms of small head resistance, *e.g.*, aeroplane bodies and airship envelopes. Earlier measurements on airship models of stream-line shape were made to determine the form of least resistance, and were, in the main, comparative; from the cause mentioned, it is probable that little reliance can be placed on the absolute values then obtained. With the new methods of support the possible error has been greatly reduced, and when full scale values have been determined

with accuracy. the prediction of full scale resistance from the model experiments will be established on a satisfactory basis. The new method of support is employed also in tests of models of complete aeroplanes.

Experimental Work in Aerodynamics.—It is not proposed at present to enter in detail into consideration of questions on which experiment has been in progress. Fliers and designers have, of course, given close attention to matters in which improvement would be of value, and this has led to the repetition and re-examination. from a somewhat modified aspect, of many earlier investigations. The experiments have been of very varied character, and have included tests of models of, probably, all types of aircraft at present employed. A large part of the work has arisen from specific enquiries proceeding from the service departments, but progress has been made with some investigations of more general character.

A number of experiments have been carried out relative to the resistance of airship shapes, and further observations on the distribution of pressure in such cases have been made.

The investigation into the stability of the aeroplane has been continued. A number of special cases have been examined, and results of importance have been reached. The theory of air-ship stability has also been investigated.

Research into the nature of the flow of fluids round obstacles has been continued.

A number of investigations relating to airscrews have been carried out, with a view to increasing the accuracy of prediction of performance, and thus facilitating the design of airscrews for special purposes. Tests on screws to be used as windmills for the production of power have also been made.

The work has included a complete series of tests on more than one complete aeroplane model. The information thus derived is of considerable importance for practical purposes in aeroplane design.

Strength of Construction.—A number of questions relating to strength of construction have been investigated, and some general conclusions have been reached tending to simplification of strength calculations. The basis to be adopted in design to secure adequate strength in high speed machines, with the power of rapid manœuvring essential in aerial fighting, is a matter demanding the most careful consideration. To secure the highest possible speed it is necessary to keep down the weight to a minimum, and the best compromise between these two opposed conditions does not admit of precise determination. This question has received attention, and the manner in which strength varies with increase of dimensions has also been made the subject of investigation. Cases in which vibration has been set up have been examined, and calculations relating to the strength of the body structure have been made.

Engines.—A number of questions relating to engines and engine design have been submitted by the Air Board for consideration by the Engine Sub-Committee. These have required very careful investigation, and the Sub-Committee has been closely occupied since its formation with the various problems which have arisen. Experimental work has been carried out, by request of the Sub-Committee, at the Royal Aircraft Factory ; and the Sub-Committee has received much assistance in the examination of special questions both from the Royal Aircraft Factory and from manufacturing firms whose works have been visited.

An extensive series of experiments on radiators has been carried out at the National Physical Laboratory, and other investigations relative to the transfer of heat from surfaces to fluids flowing over them are in progress. These have an immediate bearing on the design of the cooling systems in aeroplane engines. Experiments relating to the performance and efficiency of magnetos have also been made.

Light Alloys.—The use of light alloys in the construction of aircraft and aircraft engines is becoming of rapidly increasing importance, and improvements in the production of light alloys will have great effect on future development. The investigations relating to light alloys which have been in progress for many years at the National Physical Laboratory have been continued, and results of special interest have been achieved during the past year. Suggestions have been made to the Air Board by the Committee which may, it is hoped, help to secure the best conditions in manufacture for the development of such alloys. The formation of the Light Alloys Sub-Committee will be of great assistance in co-ordinating the work on light alloys which is being done in various quarters, and in collecting the information resulting from experimental investigation and manufacturing experience. Experimental work has been carried out for the Sub-Committee at the Royal Aircraft Factory, the University of Birmingham, the National Physical Laboratory, and elsewhere, and arrangements have been made for placing the information obtained at the disposal of manufacturers.

Fabrics, Dopes. &c.—A number of special questions have arisen for investigation in relation to airship and aeroplane fabrics. A large amount of attention has been given to materials for use as dopes, varnishes, &c., and the Laboratory has collaborated with the Military Air Department in an investigation into the behaviour of fabrics, dopes and protective coatings under the conditions of tropical exposure. The results of exposure to ultra-violet radiation have been studied in relation to the effect of sunlight, and conclusions of importance have been reached. The Committee is indebted to Dr. Shakespear, of the University of Birmingham, for information he has placed before them as to the methods developed by him for determining the

permeability of fabrics by hydrogen; comparisons have been made with the results obtained at the National Physical Laboratory. Methods of determining the purity of hydrogen have been investigated.

Investigations Relating to Seaplanes.—Tests on models of seaplane floats in the William Froude National Tank have been continued and extended. The provision made last year for an increase in the staff available for carrying out this work has enabled more rapid advance to be made, and a number of important questions have received attention. The methods employed have been improved and elaborated, and new apparatus has been designed whereby additional measurements can be obtained and further information secured relative to special conditions arising in practice.

Special Matters.—As usual, a large number of special questions have been referred to the Committee for advice or investigation. The experiments relating to bombs have been continued, and valuable communications relative to the flight of bombs have been received from the Air Department of the Admiralty and from the Central Flying School. The Committee is indebted to Professor Karl Pearson, F.R.S., for communicating to them the results of his calculations of bomb trajectories. This question has also been the subject of investigation at the National Physical Laboratory.

Questions relating to the attack of aircraft from aircraft have been examined. Problems in connection with the aeroplane compass have been further considered. Other instruments and apparatus for use on aircraft have been investigated.

As previously, a number of enquiries have been received from the Board of Invention and Research and the Munitions Inventions Department, and investigations have been carried out at their request at the National Physical Laboratory and at the Royal Aircraft Factory.

Reports from the Experimental Stations of the Air Services.—A number of communications have been received during the year relating to experimental work carried out by the R.N.A.S., and by the Testing Squadron of the Royal Flying Corps. Many of these have been of great interest and value, and of much assistance in the application of the results obtained from the model experiments and in the estimation of aeroplane performance.

The Committee visited on various occasions during the year military and Naval Air Stations, as well as the Royal Aircraft Factory and the National Physical Laboratory, and witnessed many interesting experiments and trial flights.

EXPERIMENTAL WORK AT THE ROYAL AIRCRAFT FACTORY.

Engine Experiments.—Much research has been made into various methods for improving the output and the reliability of aeroplane engines. A large number of radiators of various types have

been tested, and an efficient type has been standardised. Great progress has been made in the development of the air-cooled engine. Work has been done on the compensation of carburettors for variation of air density and a device for improving the performance of engines at great heights has been tested on several engines.

Full Scale Aeroplane Experiments.—The measurement of the resistance of aeroplanes in flight has been continued with the object of confirming the model experiments and an instrument for measuring the resistance directly has been developed. The distribution of air pressure over the surface of the wing of an aeroplane in flight has been measured and further experiments on these lines are in progress. Experiments have been made on longitudinal and lateral stability of aeroplanes in flight, and much theoretical work on the same subjects has been done. Measurements have also been made of the disturbance of the air behind a propeller to obtain data which are required in the design of new machines.

Instruments.—The behaviour of various types of magnetic compass in an aeroplane in flight has been investigated. Two new types of bombsight have been developed, and are now being tested. The improvement of the standard aeroplane instruments has been continued, and a number of special instruments have been devised for use in connection with full scale experiments on aeroplanes. The means of communication between pilot and observer have been improved.

Fabrics, Dope, &c.—Weathering tests on fabrics and experiments on the influence of humidity on their strength have been made. The development of a calendered fabric has received attention. The deteriorating effect of various agents (bacteria, light, &c.), has formed the subject of considerable research. The experiments on the composition of dopes, varnishes, and pigments and on fluxes, paints, and oils have been continued.

Light Alloys.—Much experimental work has been done to arrive at the most suitable aluminium alloys for engine parts. Experiments have also been carried out in the application of the alloys which have been developed at the National Physical Laboratory.

METEOROLOGICAL WORK.—Experimental work in meteorology has been mainly in connection with the inquiry into the location of distant thunderstorms and the tracing of their progress across the map by means of a properly organised system of observations at various stations.

In this inquiry valuable assistance has been rendered by various officers of the Admiralty, Royal Engineers and Royal Flying Corps. The Meteorological Office Observatories at Richmond and Benson have also been in co-operation, and apparatus has been lent by Professor Peddie, of University College, Dundee.

A portable hut has been installed for the accommodation of the assistant, close to the receiving station.

On some occasions the progression of thunderstorms across the map has been satisfactorily identified, although the identification on other occasions was uncertain.

Further attention is necessary in order to develop an apparatus which is more directly suitable for the purpose than that which is at present in use, in consequence of the variability of the sensitiveness, which with the present form of apparatus is unavoidable.

In addition, an inquiry into the variation of the gustiness of wind between day and night has been provided for by the erection of an anemometer with its vane at 140 feet above the ground ; and for the purpose of this enquiry Captain Cave, R.E., officer in charge, has lent two thermographs in order to determine the corresponding variation in the temperature of the air.

Observations have also been made of the variation of the wind with height close to the ground ; and a large number of observations of pilot-balloons have been made and duly reported.

Signed on behalf of the Committee,

RAYLEIGH.

President.

June, 1917.