

0-31079910

AGARD-AR-315

AGARD-AR-315

AGARD

ADVISORY GROUP FOR AEROSPACE RESEARCH & DEVELOPMENT


7 RUE ANCELLE 92200 NEUILLY SUR SEINE FRANCE

AGARD ADVISORY REPORT 315



**Technical Evaluation Report
on the
Flight Mechanics Panel Symposium
on
Piloted Simulation Effectiveness**
(L'Efficacité de la Simulation Pilotée)

*This Advisory Report was prepared at the request of the
Flight Mechanics Panel of AGARD.*



NORTH ATLANTIC TREATY ORGANIZATION

Processed / not processed by DIMS

.....signed.....date

NOT FOR DESTRUCTION

Published April 1992

Distribution and Availability on Back Cover

40th
Anniversary
Year

AGARD

ADVISORY GROUP FOR AEROSPACE RESEARCH & DEVELOPMENT

7 RUE ANCELLE 92200 NEUILLY SUR SEINE FRANCE

AGARD ADVISORY REPORT 315


**Technical Evaluation Report
on the
Flight Mechanics Panel Symposium
on
Piloted Simulation Effectiveness**

(L'Efficacité de la Simulation Pilotée)

by

A.G. Barnes
Consultant
17, North House Lane
Lytham St Annes
Lancs. FY8 4NT
United Kingdom

This Advisory Report was prepared at the request of the
Flight Mechanics Panel of AGARD.



North Atlantic Treaty Organization
Organisation du Traité de l'Atlantique Nord

The Mission of AGARD

According to its Charter, the mission of AGARD is to bring together the leading personalities of the NATO nations in the fields of science and technology relating to aerospace for the following purposes:

- Recommending effective ways for the member nations to use their research and development capabilities for the common benefit of the NATO community;
- Providing scientific and technical advice and assistance to the Military Committee in the field of aerospace research and development (with particular regard to its military application);
- Continuously stimulating advances in the aerospace sciences relevant to strengthening the common defence posture;
- Improving the co-operation among member nations in aerospace research and development;
- Exchange of scientific and technical information;
- Providing assistance to member nations for the purpose of increasing their scientific and technical potential;
- Rendering scientific and technical assistance, as requested, to other NATO bodies and to member nations in connection with research and development problems in the aerospace field.

The highest authority within AGARD is the National Delegates Board consisting of officially appointed senior representatives from each member nation. The mission of AGARD is carried out through the Panels which are composed of experts appointed by the National Delegates, the Consultant and Exchange Programme and the Aerospace Applications Studies Programme. The results of AGARD work are reported to the member nations and the NATO Authorities through the AGARD series of publications of which this is one.

Participation in AGARD activities is by invitation only and is normally limited to citizens of the NATO nations.

The content of this publication has been reproduced
directly from material supplied by AGARD or the authors.

Published April 1992

Copyright © AGARD 1992
All Rights Reserved

ISBN 92-835-0669-3



Printed by Specialised Printing Services Limited
40 Chigwell Lane, Loughton, Essex IG10 3TZ

Preface

This report evaluates the AGARD Flight Mechanics Panel Symposium on "Piloted Simulator Effectiveness", held from 14th to 17th October 1991, in Brussels, Belgium.

The intention of the Symposium was to assess the benefits and the future potential of flight simulation in contributing to aircraft development, skill training, and mission training, for both fixed wing and rotary wing aircraft. In particular, contributors were asked to compare the results of simulated and real tasks.

The papers were wide ranging and of high quality; several new ideas emerged. The technology of flight simulation has greatly improved since the last FMP Symposium on this topic, in 1985. The emphasis of work relating to fixed wing aircraft has shifted towards systems integration. A greater contribution to helicopter design and clearance is also evident.

Although new visual display devices show great promise for military flight training at high speed, low level, they are not yet fully proven, and it is recommended that an early return is made to the topic of pilot training. Simulator validation and fidelity are also of growing importance.

Préface

Ce rapport évalue le symposium organisé par le Panel AGARD de la mécanique du vol sur le thème "L'efficacité de la simulation pilotée", du 14 au 17 octobre 1991, à Bruxelles en Belgique.

Le symposium a eu pour objectif d'évaluer les avantages et le potentiel futur de la simulation du vol pour le développement des aéronefs, la formation technique et l'entraînement à la mission, et ceci pour les aéronefs à voilure fixe et à voilure tournante. En particulier, il a été demandé aux conférenciers de faire la comparaison entre les résultats obtenus pour des tâches réelles et ceux pour des tâches simulées.

Les communications couvrent un large domaine et sont d'une grande valeur, faisant état, parfois, d'idées nouvelles. Des améliorations considérables ont été apportées aux techniques de la simulation du vol depuis le dernier symposium organisé sur ce sujet par le Panel FMP, en 1985. En ce qui concerne les aéronefs à voilure fixe, les travaux en cours dans ce domaine évoluent vers l'intégration des systèmes. A noter également, l'intérêt accru pour la conception et l'homologation des hélicoptères.

Bien que les nouvelles visualisations soient très prometteuses pour l'entraînement militaire au vol à grande vitesse et à basse altitude, elles n'ont pas encore fait leurs épreuves et il est recommandé de réexaminer, en priorité, la question de l'entraînement des pilotes. Enfin, la fidélité et la validation des simulateurs est également un sujet qui prend de plus en plus d'importance.

Flight Mechanics Panel

Chairman: ICA J.-M. Duc
Directeur
Affaires Internationales
ONERA
29, Avenue de la Division Leclerc
92322 Châtillon-sous-Bagneux
France

Deputy Chairman: Prof. L.M.B. da Costa Campos
Pavilhão de Maquinas
Instituto Superior Tecnico
1096 Lisboa Codex
Portugal

TECHNICAL PROGRAMME COMMITTEE

Mr S.W. Baillie
Flight Research Laboratory
Institute for Aerospace Research
National Research Council
Montreal Road
Ottawa, Ontario K1A 0R6
Canada

Mr A.A. Woodfield
Head FMS Division
Royal Aerospace Establishment
Clapham
Bedford MK41 6AE
United Kingdom

HOST NATION COORDINATOR

Major Ir Ph. Bodet
Coordonnateur AGARD-VSL
Etat-Major de la Force Aérienne
Quartier Reine Elisabeth
Rue d'Evère
B-1140 Brussels
Belgium

PANEL EXECUTIVE

Mr M.K. Foster

Mail from Europe:
AGARD—OTAN
Attn: FMP Executive
7, rue Ancelle
92200 Neuilly sur Seine
France

Mail from US and Canada:
AGARD—NATO
Attn: FMP Executive
Unit 21551
APO AE 09777

Tel: 33(1) 47 38 57 70
Telex: 610176 (France)
Telefax: 33(1) 47 38 57 99

Contents

	Page
Preface/Préface	iii
Flight Mechanics Panel	iv
1. Introduction	1
2. Key Issues	1
3. Technical Programme	3
3.1 Session 2 Aircraft Development	3
3.2 Session 3 Skill Training	3
3.3 Session 4 Full Mission Simulation	4
3.4 Session 5 Research Applications	4
4. Conclusions	5
5. Recommendations	6
6. Reference	6
Appendix	7
Programme — FMP Symposium on Piloted Simulation Effectiveness	7

TECHNICAL EVALUATION REPORT

1. Introduction.

From a minor role in aircraft design, development and clearance in the 1950's, flight simulation now has an established part to play. A further and vital contribution to aerospace lies in the use of simulation for crew training in almost all operational tasks. The contribution that flight simulation can make in these areas continues to increase, as the elements used in simulation improve. These improvements stem from developments in non-aerospace activities, such as communications and entertainment, which fund advances in graphics and display technology beyond the resources of flight simulation alone. Similarly, general advances in computing technology meet the need for complex modelling and real-time processing.

In a rapidly changing discipline such as flight simulation, it is important that advances are accessible to workers in the field. AGARD provides the ideal forum for this process, in the form of Symposia and published documents such as Conference Proceedings. The Flight Mechanics Panel devotes a Symposium to Flight Simulation approximately every six years, at which time, new developments can be aired. Because of the rapid progress and the broad scope (even when confined to military applications), the theme for the symposium has to be chosen with care. Should it focus on the technology used to design simulators, or on the facilities to meet users' needs, or on the experiences of operators? The need for a meeting on Flight Simulation was also appropriate because of the changes which have come to Aerospace since the last meeting in Cambridge in 1986; changes which are having a serious effect in all areas of simulation. World economic recession, political changes in Eastern Europe, and the Middle East conflict have had a profound influence on short term prospects. Research budgets have been cut, Industry is contracting, and the financial pressures on all projects is intense.

It is appropriate, therefore, that the FMP chose as a theme for this meeting "Piloted Simulation Effectiveness". The intent of the Symposium was "to provide information on the benefits and potential that the many elements of simulation technology have to meet the different task requirements during conceptual R&D, aircraft development, skill training, and full mission training. The scope includes both fixed wing and rotary wing aircraft, and their systems." Particularly welcome were papers in which simulated and real tasks were compared, and methods of measuring effectiveness were identified. Also sought was a Keynote address "to give a realistic view of the current capability and shortcomings, and also the future potential of simulation", to be given by a user, rather than a provider, of simulation.

The conference was divided into four sessions; each session devoted to a particular topic. The topics were:

1. Aircraft development,
2. Skill training,
3. Full mission simulation,
4. Research applications.

Two distinguished speakers provided the keynote addresses. Their contributions were complementary. Dipl. Ing. J Heyden, Head of Defence Directorate, Federal Ministry of Defence, Germany, dealt with issues in general: current use and limitations of simulation, and opportunities for greater use in training and aircraft development. Col. R.A Borowski, Head of Flight Dynamics Directorate, Wright-Patterson AFB, USA, gave specific examples of simulation in major aircraft development programs, and commented on the standards and shortcomings from a pilot's point of view, based on personal experience.

The Keynote addresses were unusually informative for this kind of Conference. It is worthwhile, therefore, to re-iterate in this report the main points that were made. This will be followed by a discussion of each of the four sessions listed above.

Attendees at this type of conference are, generally speaking, highly qualified and experienced in their field. They expect to learn something from related disciplines, and hope to extend their specialist knowledge, by listening to presentations, by reading the papers, and by the opportunities afforded for personal contacts. In assessing technical merit, therefore, the following criteria, if not already covered by the standard advice given by AGARD to authors, should be applied. Do the papers cover new ground? Do they address the advertised issues? Do they contain sufficient detail to allow their results to be duplicated? Do they give references? And does the spoken version hold the attention of the audience?

2. Key Issues.

H. Heyden defined the two areas in which piloted simulators are used, as follows

Use of Piloted Simulation for Qualification and Training Use of Piloted Simulation in Verification Testing

- | | |
|---|---|
| * Cockpit Procedure & Proficiency Training | * Definition of Handling Qualities Requirements |
| * Emergency Procedure Training | * Flight Control and Sub-system Assessment
Modification and Up-grading |
| * Crew Co-ordination & Mission Management Training | * Flight Vehicle Sub-system Acceptance Testing
and Certification |
| * Type and Weapons Training | * Development of Certification Standards |
| * Familiarisation with New Technologies
(Automation) | * Validation of Design and Systems Capabilities
for Contractor Selection |
| * Low Level Flight & Mission Rehearsal Training | |

It will be seen that the papers presented, listed in the Appendix address most, if not all, of these topics. He also defined the critical factors concerning military flight operations in Europe, as follows

Critical Issues of Military Flight Operations in Europe

- * Flight Restrictions due to
 - Limited Combat Training Ranges
 - Dense Air Traffic
 - Flight Safety Aspects (Air Crashes)
- * Flying Hour Reductions due to
 - Declining Budgets
 - Rising Costs of Flight Operations
- * German Ban on Low Flying due to
 - Greater Environmental Awareness (Noise Annoyance)
 - Increasing Public Reluctance and Opposition
- * Adverse Effect on Aircrew Morale?

The question which H. Heyden poses is "to what extent can current standards of flight simulation be used to alleviate the effects of these factors?" Clearly, there are shortfalls, mostly related to pilot acceptance, but research activities are underway to provide solutions. One activity in Germany receiving particular attention is that of simulating high speed, low level flight. This figure lists the key factors in terrain following training simulation.

Terrain Following Training Simulation

General Requirements

- * Accurate Modelling of Aircraft and Environmental Dynamics
- * Effective Visual Description of Outside World
 - Large Field of View (FoV)
 - High Resolution Computer Generated Imagery (CGI)
- * Realistic Motion Environment
 - High Fidelity Motion

Problem Areas

- * Simulator Induced Sickness (SIS)
- * Neural Mis-Match (eg Neural Storage of Experience)
- * Biodynamic Interferences (eg Pilot Induced Oscillations)
- * Variability of Information and Control Strategies

Col. Borowski picked up the theme of problem areas, and discussed the standards of simulation currently in use. He looked at devices operating in the United States, from a pilot's point of view. They range from "folding chair" simulators (monitor, joystick, and desk-top computer) to the large dome full projection systems for combat missions.

He reported a simulation of the Harrier on the VMS at NASA Ames, in which a change from motion off to motion on made a marginally flyable task into one which was easy to control, "as if a powerful and effective set of stability augmenters had been engaged". On the Crew Station Research and Development Facility, also at Ames, he flew a simulated helicopter manoeuvring at low level. The fixed base simulator uses the CAE helmet to provide a wide angle display. He found an overwhelming sensation of motion, and could distinctly feel the forces applied to his body. In resolving the basis of these sensations, he experienced motion sickness. In fairness to the equipment, he was outside its intended regime of operation.

He also drew our attention to other successful simulator programmes- the agility work in the domes at NASA Langley, the development of the HL20 "space taxi" flying qualities, also at Langley, the NASA Dryden work on minimum reversionary standards of flight controls, and the in-flight simulators funded by Wright-Patterson AFB. A new addition, VISTA (a modified F-16) is scheduled to fly in November 1991. His final examples were the simulations used to assist in the development and clearance of aircraft such as the X-29 and the STOL F-15.

To complete the summary of the key issues, it is instructive to look at H. Heyden's recommendations, which took the form of a challenge to the assembled experts.

Recommendations

Challenges to the AGARD and Expert Community here today concerning Aspects of Affordability:

- * What are the Minimum Equipment Requirements for
 - Development and Verification Simulation
 - Pilot Training Simulation
 - Complex Air Warfare Simulation?
- * Where are Cost-Effective Enabling Technologies to improve Simulator Fidelity?
- * What Measures must be taken to increase the Pilot Acceptance of Training Simulation?
- * What Means of Simulation Facility Concentration and Standardisation may improve NATO Military Operational Effectiveness?

3. Technical Programme.

3.1 Session 2. Aircraft Development.

The session consisted of seven papers, two of which related directly to helicopters, and three to fixed wing aircraft. As evidence of the growing contribution that simulation makes to helicopter design and development, the helicopter related papers gave a comprehensive picture of progress in that field, whereas the fixed wing papers each dealt with a specific examples of aircraft systems which were developed or cleared by simulation in support of flight test.

Paper 5 covers the difficult area of helicopter modelling. The aerodynamic model is dominated by the forces and moments generated by the rotors, and the complex flow patterns they induce. The paper describes in detail the relative merits of three levels of rotor modelling- linear analytical, hybrid (rotormap), and blade element. The validation of the models is then discussed, and flight comparisons are presented for a variety of manoeuvres. Finally, examples of helicopter simulations at McDonnell Douglas and at NASA Ames are described. Paper 6, from MBB, describes the simulators they used to develop their range of rotary wing aircraft, with useful comment on the hardware standard needed to address a particular area of interest. The importance of both objective validation and subjective validation of the simulator is stressed, and interesting observations are made on the attitude of their test pilots to flight simulation (reflecting a general feeling at the Symposium, that pilots still see simulators as useful but artificial). The paper concludes with sound advice to all users of research and development simulators.

The papers relating to fixed wing aircraft (3,4, and 8) each deals with a specific aircraft, and the support given to flight test by simulation, in clearing a system. Paper 3 gives a clear account of a violent pitch oscillation which occurred on a US fighter during practice air combat, and how a fixed base simulator contributed to the investigation of the problem and its solution. The cause of the pio, control surface rate limiting, was identified quickly, because good flight records of the incident were available. The standard of the aircraft model in the simulator was sufficiently accurate to achieve a near match, once the right combinations of control inputs were found. It is concluded that ground based simulation is now an essential adjunct to flight testing.

Paper 8, also from a flight test centre, gives a similar message. In this case, the task was to develop an active ground-avoidance system for the F -18. The simulator was used to reduce greatly the flight test programme, by isolating critical cases, and by eliminating options on the basis of pilot opinions obtained from the simulator. Papers 3 and 8 both stressed the value of the simulator in reducing the risk of flight testing.

The third fixed wing paper (paper 4) gave a good overview of the development of the digital flight control system for the A 320. Some of the issues have been presented previously: side stick implementation, manoeuvre demand laws, and protection methods. However, the discussion on the implications of digital flight control on training simulator issues is timely. Aerospatiale believe that the use of the actual system hardware and software is essential- stimulation rather than simulation.

The message of paper 7 was that modelling and real time simulation plays a vital part in the development of radar-based terrain avoidance systems. The problems and benefits are well catalogued, but the paper contains neither examples of a radar system, nor simulator to flight comparisons. Nor is the part played by the pilot covered in this paper.

The last paper in the session (paper 9) was a report on the progress of the FMP Working Group 16, on Simulation in Aircraft and Systems Flight Clearance. Validation of the simulator is a key issue, and the areas where difficulties arise are discussed. These include obtaining relevant flight data, computer modelling (real time and non-real time), visual and motion simulation deficiencies, and software verification. The case is made for greater use of simulators for certification of military aircraft, because the cost savings are potentially greater than those currently achieved by the use of simulation in the certification of civil aircraft.

3.2 Session 3. Skill Training.

To embrace all the papers given in this session, a loose definition of "skill training" has to be applied. For example, paper 14, from Alenia, might easily have been placed in the section on Aircraft Development, in spite of the reference to training in the title. Paper 13 qualifies for this session only by remembering that the reported activity contributes to the skill of test pilots. Nevertheless, all the papers were well prepared and presented, and contained interesting information.

Paper 10, from NLR, deals with the basic issues of training. First, it discusses the deficiencies of present standards from a pilot's point of view (credibility). The next point is that unless pilots react in the simulator in the same way as they do in the aircraft, training effectiveness is compromised. An example is given of different arousal levels in simulators and flight, by showing heart rate measurements at take off. The issue of realism is raised, and whether it is possible to induce a state of anxiety in simulators. The way ahead is to expand research activities, and the available mechanisms are listed. The final suggestion, that new training simulator configurations should first be tested in a research simulator, is clearly meant as a debating point.

Paper 11 describes an ambitious new facility, the Simulator Complexity Test Bed, for the US Army at Fort Rucker. It will be used to study issues relating to the transfer of training, simulator fidelity, and tactics. Customer acceptance is underway at CAE; delivery is in six months. Features are configurable hardware, two cockpits, operator's station, red/blue team station, 10 channels of ESIG 6000 visual image generation, and eye slaved FORMED helmet displays.

An aeromedical expert from the Netherlands presented paper 12. The question it poses is whether or not spatial disorientation can be induced in a simulator which is able also to represent typical pilot training tasks. Serious losses of aircraft and pilots are occurring due to loss of consciousness and disorientation. The solution seems to lie in better ground based training. This challenge coincides with the call from other speakers for greater realism, and the need to simulate stressful situations.

Test pilots under training at Edwards Air Force Base learn the fundamentals of flight control and flying qualities with the help of both ground based and in-flight simulators (paper 13). The value of the method is emphasised, and the ease with which the effect of aerodynamic derivative changes can be demonstrated. The work described, however, does not break new ground, and misses the opportunity to report subjective comparisons by pilots between fixed base and in flight simulation.

Flight simulation was used extensively for the development of Italy's AM-X, and for pilot training. Many examples are given in paper 14 of problem areas which benefitted from ground based simulation- high angle of attack flight, spinning, nav/attack, weapon delivery, hud, and autopilot. Simulator/ flight comparisons are also included. Prior to delivery of the training simulator, the R and D simulator was also used for operational pilot conversion. Of particular value was the demonstration of a "pop-up" attack profile which avoids negative g, and so reduces roll-induced sideslip. The presentation concluded with a video. Of particular note was the value of the simulator in reconstructing and visualising the developed spin. The view from the cockpit, and a computer generated view of the aircraft were seen simultaneously.

3.3 Session 4. Full Mission Simulation.

Since the 1987 FMP meeting devoted to Simulation, the need for full mission simulation has become more pressing, and the equipment standard to simulate a full mission has become available. Although "full mission" is an open-ended definition, the characteristic that distinguishes a full mission simulator from an operational flight trainer or a development simulator, is the need to provide inter-active opponents. The type of threat and the number of players lead to complex scenarios which can include friendly forces acting in support, and environmental factors such as counter-measures.

The intention of the session was to describe the progress which has been made in this important area, particularly with respect to the means of establishing accuracy and validity. The first two contributors (papers 15, 16) described two large facilities for research: the Engineering Development Full Mission Flight Simulator, at Sikorsky, USA, for helicopter operations, and the USAF Flight Dynamics Directorate's Ground Based Air-combat Simulation of ICAAS (Integrated Control and Avionics for Air Superiority) at Wright-Patterson AFB. Both facilities represent substantial investments in simulation, and each paper gives an excellent description of the philosophy behind the project, the structure, and the hardware components. Neither paper, however, addressed the questions "what problems were solved along the way?" and "how well does it perform?". In both cases, it is likely that the answers would be "early days"; we will have to wait for future meetings to hear about validation and use.

The next two papers (17, 19) also had wide appeal. The economic factors referred to in Section 1 have had a particularly depressing effect on the manufacturers of military training simulators. As the tide turns, and customers return, they will wish to offer new technologies with confidence. Both papers discuss exciting visual display developments: the British Harrier GR 5/7 simulator uses the Singer Esprit area of interest display, and the German Tornado Test Bed to evaluate the simulation of high speed low level flight uses the CAE FOHMED helmet display. Both programmes are the culmination of extensive development, and success will dictate future procurements. Delegates were therefore hoping for news of progress in both projects. Both papers describe clearly the concepts and hardware, and the speakers answered questions honestly, but the big questions, "how acceptable to operational pilots are these simulators?" and "what aspects need improvement?", have to be answered at future meetings.

The last two papers in this session (19, 20) do contain information about the reactions of pilots to full mission simulation. Paper 19 describes MBB's facilities for the study of BVR combat. A link to the domes at IABG is available, to provide up to 2v2 manned combat capability. Reported results include pilot comments on the cockpit display problem of presenting complex scenario information without confusing the pilot. He wants to make the decisions, but needs help in priorities. The paper also says that in the simulator trials of BVR combat, their AMS (Attack Manoeuvring System) produced an increase in kill ratio by a factor of three.

Paper 20 describes the US Navy's V-22 Osprey Simulator at Patuxent River. Unlike its predecessors, most of the paper is devoted to the objective and subjective validation of the simulator. Time histories are included comparing simulated with actual flight, and comments are made about where the simulator is representative of the aircraft, and the areas where improvements are needed (ship airwake modelling, and shipboard visual cueing). Evidence of the value of the simulator lies in the completion of deck landing trials of a prototype aircraft without mishap.

3.4 Session 5. Research Applications.

The final session consisted of ten papers covering a wide variety of topics to which simulation studies have contributed. These include civil aircraft flying qualities, military aircraft flying qualities, rotary wing aircraft flying qualities, cockpit displays, avionics, and pilot cueing.

Paper 21, from ONERA, gives an overview of three investigations to select preferred primary flight control laws by ground based simulator trials. The investigations span a number of years, and so the title "new concepts" could be challenged; even so, the paper is a useful and thorough documentation of the use of simulation in this vital area of design. Two of the investigations were part of a GATEUR programme, involving co-operation between research centres in four countries. Their successful conclusion is an encouraging pointer to the form that future research may take (other speakers made reference to the European EUCLID programme, in which Governments and Industry are to co-sponsor research). The conclusion of the paper is that these programmes benefitted from having two levels of simulation: a simple standard, for preliminary investigations, and a more complete and representative simulator, for fine tuning of preferred options.

Researchers in flying qualities are still pre-occupied with the influence of flight control system time delays and lags. It is understandable, in the sense that current hardware standards in ground based simulators often suffer from delays which could compromise their use for certain investigations. The three papers on this topic (23, 24, and 27) all reported recent and significant work. Paper 23 contains a valuable analysis of helicopter flying quality assessments made on the VMS at Ames. For a baseline set of vehicle dynamics, variations were made to the dynamic response of the simulator's visual and motion systems, which the pilots interpreted as changes to the flying qualities. Two of the significant findings were: first, that there is a need to tailor the dynamics of the motion system to suit the task. (Although the motion system improved ratings for all the task simulated, this result may imply that for a benign task, there would be no need for motion cues). secondly, there was evidence to suggest that with motion on, it is preferable to have some time delay in the visual system, to minimise the mismatch between the visual and motion responses.

The primary purpose of the work described in paper 24 was to validate a simulation of a landing approach with a lateral off-set on the Bedford Large Motion System, against the same task in flight, using Calspan's Learjet. The vehicle dynamics were degraded progressively, by introducing a lag in the roll command path. Results from fixed base, motion, and in-flight simulations were compared. The presentation was enhanced by a video film, showing approaches with the pilot rating super-imposed.

The significance of time delays on transport aircraft controls (as opposed to fighter controls) was covered in paper 27, with supporting data from a moving base simulator. Several interesting ideas are put forward. It appears that pre-filter lags degrade transport aircraft handling less than fighter handling. (This may explain why airline pilots are less critical of their simulators than military pilots are of theirs). A rationale is given for the variations of pilot ratings with time delay from different experiments.

Simulation and flight are compared in paper 28, in terms of performance and pilot opinion, for a helicopter doing IFR landing approaches. Other conditions tested include motion on/off, and IFR/VFR flight. In the concluding remarks it is noted that validating the simulator with the real helicopter needed both objective testing (flight records), and subjective testing (pilot fine tuning). The task was found to be insensitive to simulator configuration (motion on/off, visual on/off), which seems to correlate with the implication of the reduced need for motion cues when the task is benign, as discussed in paper 23.

A further comparison between simulator and flight is given in paper 30, for two fixed wing aircraft. In this case, the simulator was fixed base. Considerable attention was given to the details of the scene presented to the pilot by the visual display, particularly during the landing flare. Two types of aircraft were simulated, and a close correlation with flight was achieved. In the flared landings, mean sink rate at touchdown was lower in the simulator than in flight, due, said the author, to the presence in the flight results of atmospheric disturbances.

Several previous speakers had emphasised the importance of ground based simulators in the clearance of flight control systems. Paper 26 makes the same point, except that the flight control system is also in a simulator - the DLR Advanced Technologies Testing Aircraft System, ATTAS. The ATTAS has a complex digital fly by wire system. For testing and validation, a ground based simulation was found to be essential. The ground modelling included parameter identification from ground records. A further use of the simulator is to allow test pilots to prepare for airborne evaluations.

Papers were also presented on advanced cockpit displays. Research into displays for transport aircraft will be possible on the Deutsche Airbus Facility, described in paper 25. It uses the concept of a virtual cockpit, in which software is used to generate display formats, rather than hardware, resulting in large cost savings, flexibility, and versatility. The development of cockpit displays for low level high speed flight is the topic of paper 22, from Dassault. The displays were designed to give a perspective view of the terrain ahead of the aircraft, viewed by the pilot on a colour CRT in the cockpit. Many parameters, such as field of view, scene complexity, and display update rate were evaluated in a Rafale simulator. The use of the simulator greatly reduced flight testing, and prepared the way for the specification of airborne equipment. Film of the simulation was shown.

The expanding use of flight simulation was also seen in the the large scale testing described in paper 29. The manned simulator programmes at NASA Langley on fighter manoeuvring at high angle of attack, and the criteria relating to agility were described. Correlation with full scale flight results is the primary means of validating the simulator results. The questions of pilot experience, and pilot rating scales, are also addressed.

4. Conclusions.

4.1. The high standard of technical papers which has characterised AGARD FMP meetings over the years was maintained at this Symposium. The papers were broad in scope, well presented, and well received by the delegates. It was a testimony to all contributors that all the papers were given - the recent trend at other conferences has been to a significant number of "no shows". Attendance was good, and the facilities were excellent.

4.2. Since the last FMP Symposium on Flight Simulation, at Cambridge, UK, in 1985, several advances in simulation technology were revealed. Notable was the reported use of simulators in helicopter design, development, and flight clearance. There has also been a shift in the emphasis of work on fixed wing aircraft, from flying qualities and flight mechanics, towards systems development and certification. Full mission simulation is increasingly prevalent in R and D, and will soon be established as a contributor to operational crew training.

4.3. A broader spectrum of simulator devices is emerging, ranging from low cost, desk-top devices, to high cost, fully capable simulators. Each device has a particular part to play in the varied applications of simulation. At the top end of the range, the realism of the simulation still leaves room for improvement, particularly in representing the more demanding regimes of military aircraft operations.

4.4. Additional information emerged at the Symposium concerning the techniques which limit the acceptance of simulation in some applications; visual image generation and display, motion system performance, accuracy of modelling, and temporal fidelity. All of these issues are complex and conditional, so that simple criteria of acceptability (are motion cues necessary?, will a time delay intrude?) can only be defined for particular circumstances - flight condition, task, environment, and pilot background. As flight simulator usage broadens into new areas, research to define standards as a function of application is urgently needed, until technology advances provide components which faithfully mime the real world.

4.5. The theme of the meeting, piloted simulator effectiveness, was well covered, but too much time was devoted to the description of facilities, without information on their effectiveness. This issues gave cause for concern to Mr A M Cook, the author of the Technical Evaluation Report of the 1985 meeting, at which 7 papers out of 26 described facilities (Reference). This Symposium contained a similar proportion. He went so far as to recommend that the FMP should set up a Specialists Group to meet regularly on the topic, and "to diminish the presentation at formal symposia of the more mundane aspects of facility description." There are practical difficulties to the implementation of Mr Cook's recommendation, but the Flight Mechanics Panel can improve matters, by stricter control of paper selection.

4.6. The keynote speaker who had the first word should also have the last. Few of the delegates would disagree with H. Heyden's last slide.

Conclusions

- * AGARD plays an Indispensable Role in the Development of Piloted Simulation
- * AGARD provides a Cost-Effective Technical Forum to the NATO Piloted Simulation Community
- * AGARD should continue to Accumulate Multi-disciplinary Simulation Expertise in its various Technical Panels

5. Recommendations.

The goals that were set for the aerospace industry in the 60's and 70's were challenging, and required extensive research and development. Many organisations contributed, funding was available, and information was freely exchanged. The past decade has seen this situation change: fewer projects, a contracting industry, and less R & D funding. Research programmes take longer to implement, are subject to commercial scrutiny, and the early release of information is restrained by considerations of Industrial Property Rights (IPR). Consequently, the work of AGARD as a platform for the dissemination of information is more important than before. AGARD conferences act as a catalyst for individuals and organisations to make their results available, and for knowledge to be shared. Although the continuing importance of AGARD applies to all the Flight Mechanics Panel interests, it has a special significance to the discipline of Flight Simulation, because of its expanding range of application. This Symposium has clearly shown the progress in the last six years, and the expectations for the future.

Papers given at the Symposium indicated that

- 1) the use of flight simulation has expanded considerably in the development of fixed and rotary wing aircraft. In particular, testing and flight clearance of airframe and systems is now dependent on simulator activities. Confidence in the techniques is established, and benefits in cost, timescale, and risk are proven.
- 2) the use of flight simulation for the training of military crews does not receive the same wide acceptance, and falls short of the use of simulators by the airline operators to train civil crews. Reasons for this difference were seen at the Symposium: the more demanding scenarios, the lack of realism for certain tasks, and the supposed threat to flying hours.

The military crew training situation could easily change, as current activities bear fruit. In addition to the German MoD research on simulating high speed low level flight, the British Harrier simulator, and the US Army facility at Fort Rucker, experience may soon be reported on simulators for initial pilot training, on the use of crewroom training aids, on projected wide angle displays, on more detailed modelling methods, and the use of structured training. There is therefore a strong case for the Flight Mechanics Panel to return to the topic of Training before 1997.

Other areas which the FMP should monitor were identified at the Symposium. The increasing use of flight simulation by the R & D community makes the methods of acceptance and validation a key topic. The results from WG 16 will be published in 1992: it remains to be seen whether this work will cover the validation of Full Mission Simulators. The value of such simulators is directly related to their ability to create realistic scenarios.

The issue of realism also appeared at the conference. Realism is an abstract quality, and the call for it strengthens the case for subjective as well as objective validation. Can realism be categorised in a manner similar to that used in flying quality assessments, the rating scale, which the FMP did so much to promote thirty years ago? Or does a measure of realism require a different approach?

There is possibly a link between the development of more realistic simulators and the reported occurrences of "simulator sickness". Several speakers at the conference touched on the topic of the possibility of adverse physiological effects on the pilot in some simulators. There is a need to identify the safe ground, where simulators can continue to be used without problems of this nature, until a better understanding of the mechanisms can be found. Perhaps WG 20 will contribute to the discussion.

Finally, the conditional relationships between simulation standard and application emerged from the contributions of several speakers. Research should be encouraged to establish these relationships in a more formal manner, as part of the move to improved methods of validation.

6. Reference.

AGARD-AR-234 "Technical Evaluation Report on the Flight Mechanics Panel Symposium on Flight Simulation".

Appendix.

Programme - FMP Symposium on Piloted Simulation Effectiveness.

Monday 14 October

Registration

Briefing for Session Chairmen, Authors, Interpreters

Opening Ceremony

Session 1 - Keynote Addresses
Chairmen: A.A. Woodfield (UK), S. Baillie (Ca)

Paper

1. Opportunities for Flight Simulation to Improve Military Operational Effectiveness
Ministerialdirektor J. Hyden, Ministry of Defence (GE)
2. Piloted Simulation in Research and Development
Col R.A. Borowski, Wright-Patterson Laboratory (US)

Session 2 - Aircraft Development (Part 1)
Chairmen: J. Tresset (FR), F. Sella (IT)

3. Use of Simulation in Flight Control Identification and Solution Verification
K. Keller, D. Jansen & A. Asay, Edwards Air Force Base (US)
4. Digital Flight Control and Piloted Simulation
D. Chatrenet, Aerospatiale (FR)
5. The Application of Flight Simulation Models in Support of Rotorcraft Design and Development
P. Shanthakumaran, D. Banerjee, McDonnell Douglas Helicopters (US)
6. Experience with Piloted Simulation in the Development of Helicopters
M. Obermayer, K. Kampa, W. Dohnel, A. Faulkner, MBB Helicopters (GE)

Session 2 - Aircraft Development (Part 2)
Chairmen: M. Tischler (US), J. Martinez-Garcia (SP)

7. Usefulness of Interactive Real-Time Simulation for Development of Radars in Terrain Following Functions
(Interet des simulations temps reel interactives pour le developpment de la fonction suivi de terrain des systems radar)
T. Martinet, Thomson-CSF (FR)
8. Use of High Fidelity Simulation in the Development of an F/A-18 Active Ground Collision Avoidance System
T.R. Fitzgerald, M.T. Brunner, NATC (US)
9. Simulation for Aircraft and Systems Flight Clearance (AGARD FMP WG16)
A.A. Woodfield, J.R. Hall, DRA (UK)

Tuesday 15 October

Session 3 - Skill Training
Chairmen: B. McCormick (US), Z. Ghikas (GR)

10. Aircraft Simulation and Pilot Proficiency: from Surrogate Flying towards Effective Training
P.G.A.M. Jorna, E.R.A. van Kleef, W.P. de Boer, NLR (NE)
11. The Use of a Dedicated Test Bed to Evaluate Simulator Training Effectiveness
D. Kurts, CAE (CA) & C.P. Gainer, Fort Rucker (US)
12. G-Tolerance and Spatial Disorientation. Can Simulation Help Us?
J. Smit & R.E. van Patten, NLRGC (NE)
13. Use of Ground Simulation in the USAF Test Pilot School Curriculum
S. Louton & D. Ringenbach, Edwards AFB (US)
14. Aeritalia AM-X Flight Simulator from Coarse R & D to Full Mission Trainer
A. Armando, P. Castoldi, F. Fassi, Alenia (IT)

Session 4 - Full Mission Simulation
Chairmen: J.A. Mulder (NE), K. McKay (UK)

15. Full Mission Simulation. A View into the Future
M. Ferranti, Sikorski Aircraft (US)
16. Full Mission Simulation for Research and Development of Air Combat Flight Management Systems
D.G. Goddard, J.M. Zeh, Wright Lab. (US)

17. The Evaluation of Simulator Effectiveness for the Training of High Speed, Low Level, Tactical Flight Operations
A. Morris, CAE (CA)
18. Harrier GR5/7 Mission Simulator for the Royal Air Force
P. Jackson, Link-Miles & B.R. Clifford, MoD (UK)

Wednesday 16 October

19. Development and Evaluation of an "Attack and Maneuvering System" with Combat Development Simulators as Main Development Tool
H. Eibl, H.G. Offenbech, H.W. Pongratz, MBB (GE)
20. Shipboard Mission Training Effectiveness of the Naval Air Test Center's V-22 Government Test Pilot Trainer
C. Miller, G. Vandervliet, NATC (US)

Session 5 - Research Applications (Part 1)
Chairmen: G. Schaenzer (GE), G.H. de Leeuw (CA)

21. Use of a Research Flight Simulator for Development of New Concepts of Mission Oriented Flight Control Systems
(L'emploi d'un simulateur de vol de recherche pour le developpement de nouveaux concepts dans le domaine des systems de commandes de vol orientes missions)
P. Guicheteau, ONERA (FR)
22. Le Role de la Simulation pour l'Etude d'Aide au Pilotage par Imagerie Synthetique (APIS)
R. Miginiac, P. Pagnier, P. Larroque, Dassault Aviation (FR)

Technical Tour - SONACA, Gosselies

Thursday 17 October

23. The Use of Ground Based Simulation for Handling Qualities Research: A New Assessment
D. Mitchell, Systems Technology Inc., R. Hoh, Hoh Aeronautics Inc.,
A. Atencio, Jr., D.L. Key, US Army, Ames Research Center (US)
24. Initial Validation of an R & D Simulator with Large Amplitude Motion
A.D. White, J.R. Hall, B.N. Tomlinson (UK)

Session 5 - Research Applications (Part 2)
Chairmen: J. van Doorn (NE), D. Agneessens (BE)

25. Use of a Virtual Cockpit for the Development of a Future Transport Aircraft
K. Kricke, W. Quellmann, Deutsche Airbus (GE)
26. The Role of Systems Simulation for the Development and Qualification of ATTAS
D. Hanke, H.-H. Lange, P. Saager, DLR (GE)
27. The Use and Effectiveness of Piloted Simulation in Transport Aircraft Research and Development
J. Hodgkinson, K.F. Rossitto, E.R. Kendall, Douglas Aircraft Co. (US)
28. The Evaluation of IFR Approach Techniques: Generic Helicopter Simulation compared with Actual Flight
L.D. Reid, S. Advani, J.H. de Leeuw, University of Toronto (CA)
29. Application of Piloted Simulation to High Angle-of-Attack Flight Dynamics Research for Fighter Aircraft
M.E. Ogburn, J.V. Foster, K.D. Hoffler, NASA Langley (US)
30. Effective Cueing during Approach and Touchdown - Comparison with Flight
P. Beckett, British Aerospace (UK)

Closing Ceremony

REPORT DOCUMENTATION PAGE													
1. Recipient's Reference	2. Originator's Reference 111 AGARD-AR-315	3. Further Reference 2/8 ISBN 92-835-0669-3	4. Security Classification of Document UNCLASSIFIED										
5. Originator	Advisory Group for Aerospace Research and Development North Atlantic Treaty Organization 7 Rue Ancelle, 92200 Neuilly sur Seine, France 11/14												
6. Title	TECHNICAL EVALUATION REPORT ON THE FLIGHT MECHANICS PANEL SYMPOSIUM ON PILOTED SIMULATION EFFECTIVENESS 11/12												
7. Presented at													
8. Author(s)/Editor(s) A.G. Barnes 2/9			9. Date April 1992										
10. Author's/Editor's Address 17, North House Lane Lytham St Annes, Lancs., FY8 4NT. United Kingdom			11. Pages 18										
12. Distribution Statement This document is distributed in accordance with AGARD policies and regulations, which are outlined on the back covers of all AGARD publications.													
13. Keywords/Descriptors													
<table border="0"> <tr> <td>Flight simulators</td> <td>Civil aviation</td> </tr> <tr> <td>Flight simulation</td> <td>Flight characteristics</td> </tr> <tr> <td>Effectiveness</td> <td>Aircraft</td> </tr> <tr> <td>Pilot training</td> <td>Product development</td> </tr> <tr> <td>Airborne operations</td> <td></td> </tr> </table>				Flight simulators	Civil aviation	Flight simulation	Flight characteristics	Effectiveness	Aircraft	Pilot training	Product development	Airborne operations	
Flight simulators	Civil aviation												
Flight simulation	Flight characteristics												
Effectiveness	Aircraft												
Pilot training	Product development												
Airborne operations													
14. Abstract													
<p>This report evaluates the AGARD Flight Mechanics Panel Symposium on "Piloted Simulator Effectiveness", held from 14th to 17th October 1991, in Brussels, Belgium.</p> <p>The intention of the Symposium was to assess the benefits and the future potential of flight simulation in contributing to aircraft development, skill training, and mission training, for both fixed wing and rotary wing aircraft. In particular, contributors were asked to compare the results of simulated and real tasks.</p> <p>The papers were wide ranging and of high quality; several new ideas emerged. The technology of flight simulation has greatly improved since the last FMP Symposium on this topic, in 1985. The emphasis of work relating to fixed wing aircraft has shifted towards systems integration. A greater contribution to helicopter design and clearance ^{was} also evident.</p> <p>Although new visual display devices show ^{so} great promise for military flight training at high speed, low level, they ^{were} not yet fully proven, and it ^{was} recommended that an early return ^{be} made to the topic of pilot training. Simulator validation and fidelity ^{were} also of growing importance.</p> <p>The full texts of the papers presented at this Symposium are <u>published in AGARD-CP-513</u> <u>held by DRIC as P-309870.J</u></p>													



<p>AGARD Advisory Report 315 Advisory Group for Aerospace Research and Development, NATO TECHNICAL EVALUATION REPORT ON THE FLIGHT MECHANICS SYMPOSIUM ON PILOTED SIMULATION EFFECTIVENESS by A.G.Barnes Published April 1992 18 pages</p> <p>This report evaluates the AGARD Flight Mechanics Panel Symposium on "Piloted Simulator Effectiveness", held from 14th to 17th October 1991, in Brussels, Belgium.</p> <p>The intention of the Symposium was to assess the benefits and the future potential of flight simulation in contributing to aircraft development, skill training, and mission training, for both fixed wing and rotary wing aircraft.</p> <p>P.T.O.</p>	<p>AGARD-AR-315</p> <p>Flight simulators Flight simulation Effectiveness Pilot training Airborne operations Civil aviation Flight characteristics Aircraft Production development</p>	<p>AGARD Advisory Report 315 Advisory Group for Aerospace Research and Development, NATO TECHNICAL EVALUATION REPORT ON THE FLIGHT MECHANICS SYMPOSIUM ON PILOTED SIMULATION EFFECTIVENESS by A.G.Barnes Published April 1992 18 pages</p> <p>This report evaluates the AGARD Flight Mechanics Panel Symposium on "Piloted Simulator Effectiveness", held from 14th to 17th October 1991, in Brussels, Belgium.</p> <p>The intention of the Symposium was to assess the benefits and the future potential of flight simulation in contributing to aircraft development, skill training, and mission training, for both fixed wing and rotary wing aircraft.</p> <p>P.T.O.</p>	<p>AGARD-AR-315</p> <p>Flight simulators Flight simulation Effectiveness Pilot training Airborne operations Civil aviation Flight characteristics Aircraft Production development</p>
<p>AGARD Advisory Report 315 Advisory Group for Aerospace Research and Development, NATO TECHNICAL EVALUATION REPORT ON THE FLIGHT MECHANICS SYMPOSIUM ON PILOTED SIMULATION EFFECTIVENESS by A.G.Barnes Published April 1992 18 pages</p> <p>This report evaluates the AGARD Flight Mechanics Panel Symposium on "Piloted Simulator Effectiveness", held from 14th to 17th October 1991, in Brussels, Belgium.</p> <p>The intention of the Symposium was to assess the benefits and the future potential of flight simulation in contributing to aircraft development, skill training, and mission training, for both fixed wing and rotary wing aircraft.</p> <p>P.T.O.</p>	<p>AGARD-AR-315</p> <p>Flight simulators Flight simulation Effectiveness Pilot training Airborne operations Civil aviation Flight characteristics Aircraft Production development</p>	<p>AGARD Advisory Report 315 Advisory Group for Aerospace Research and Development, NATO TECHNICAL EVALUATION REPORT ON THE FLIGHT MECHANICS SYMPOSIUM ON PILOTED SIMULATION EFFECTIVENESS by A.G.Barnes Published April 1992 18 pages</p> <p>This report evaluates the AGARD Flight Mechanics Panel Symposium on "Piloted Simulator Effectiveness", held from 14th to 17th October 1991, in Brussels, Belgium.</p> <p>The intention of the Symposium was to assess the benefits and the future potential of flight simulation in contributing to aircraft development, skill training, and mission training, for both fixed wing and rotary wing aircraft.</p> <p>P.T.O.</p>	<p>AGARD-AR-315</p> <p>Flight simulators Flight simulation Effectiveness Pilot training Airborne operations Civil aviation Flight characteristics Aircraft Production development</p>

In particular, contributors were asked to compare the results of simulated and real tasks.

The papers were wide ranging and of high quality; several new ideas emerged. The technology of flight simulation has greatly improved since the last FMP Symposium on this topic, in 1985. The emphasis of work relating to fixed wing aircraft has shifted towards systems integration. A greater contribution to helicopter design and clearance is also evident.

Although new visual display devices show great promise for military flight training at high speed, low level, they are not yet fully proven, and it is recommended that an early return is made to the topic of pilot training. Simulator validation and fidelity are also of growing importance.

The full texts of the papers presented at this Symposium are published in AGARD-CP-513.

ISBN 92-835-0669-3

In particular, contributors were asked to compare the results of simulated and real tasks.

The papers were wide ranging and of high quality; several new ideas emerged. The technology of flight simulation has greatly improved since the last FMP Symposium on this topic, in 1985. The emphasis of work relating to fixed wing aircraft has shifted towards systems integration. A greater contribution to helicopter design and clearance is also evident.

Although new visual display devices show great promise for military flight training at high speed, low level, they are not yet fully proven, and it is recommended that an early return is made to the topic of pilot training. Simulator validation and fidelity are also of growing importance.

The full texts of the papers presented at this Symposium are published in AGARD-CP-513.

ISBN 92-835-0669-3

In particular, contributors were asked to compare the results of simulated and real tasks.

The papers were wide ranging and of high quality; several new ideas emerged. The technology of flight simulation has greatly improved since the last FMP Symposium on this topic, in 1985. The emphasis of work relating to fixed wing aircraft has shifted towards systems integration. A greater contribution to helicopter design and clearance is also evident.

Although new visual display devices show great promise for military flight training at high speed, low level, they are not yet fully proven, and it is recommended that an early return is made to the topic of pilot training. Simulator validation and fidelity are also of growing importance.

The full texts of the papers presented at this Symposium are published in AGARD-CP-513.

ISBN 92-835-0669-3

In particular, contributors were asked to compare the results of simulated and real tasks.

The papers were wide ranging and of high quality; several new ideas emerged. The technology of flight simulation has greatly improved since the last FMP Symposium on this topic, in 1985. The emphasis of work relating to fixed wing aircraft has shifted towards systems integration. A greater contribution to helicopter design and clearance is also evident.

Although new visual display devices show great promise for military flight training at high speed, low level, they are not yet fully proven, and it is recommended that an early return is made to the topic of pilot training. Simulator validation and fidelity are also of growing importance.

The full texts of the papers presented at this Symposium are published in AGARD-CP-513.

ISBN 92-835-0669-3

AGARD

NATO  OTAN

7 RUE ANCELLE · 92200 NEUILLY-SUR-SEINE
 FRANCE

Téléphone (1)47.38.57.00 · Télex 610 176
 Télécopie (1)47.38.57.99

DIFFUSION DES PUBLICATIONS
AGARD NON CLASSIFIEES

L'AGARD ne détient pas de stocks de ses publications, dans un but de distribution générale à l'adresse ci-dessus. La diffusion initiale des publications de l'AGARD est effectuée auprès des pays membres de cette organisation par l'intermédiaire des Centres Nationaux de Distribution suivants. A l'exception des Etats-Unis, ces centres disposent parfois d'exemplaires additionnels; dans les cas contraire, on peut se procurer ces exemplaires sous forme de microfiches ou de microcopies auprès des Agences de Vente dont la liste suit.

CENTRES DE DIFFUSION NATIONAUX

ALLEMAGNE Fachinformationszentrum, Karlsruhe D-7514 Eggenstein-Leopoldshafen 2	ISLANDE Director of Aviation c/o Flugrad Reykjavik
BELGIQUE Coordonnateur AGARD-VSL Etat-Major de la Force Aérienne Quartier Reine Elisabeth Rue d'Evere, 1140 Bruxelles	ITALIE Aeronautica Militare Ufficio del Delegato Nazionale all'AGARD Aeroporto Pratica di Mare 00040 Pomezia (Roma)
CANADA Directeur du Service des Renseignements Scientifiques Ministère de la Défense Nationale Ottawa, Ontario K1A 0K2	LUXEMBOURG Voir Belgique
DANEMARK Danish Defence Research Board Ved Idrætsparken 4 2100 Copenhagen Ø	NORVEGE Norwegian Defence Research Establishment Attn: Biblioteket P.O. Box 25 N-2007 Kjeller
ESPAGNE INTA (AGARD Publications) Pintor Rosales 34 28008 Madrid	PAYS-BAS Netherlands Delegation to AGARD National Aerospace Laboratory NLR Kluyverweg 1 2629 HS Delft
ETATS-UNIS National Aeronautics and Space Administration Langley Research Center M/S 180 Hampton, Virginia 23665	PORTUGAL Portuguese National Coordinator to AGARD Gabinete de Estudos e Programas CLAF Base de Alfragide Alfragide 2700 Amadora
FRANCE O.N.E.R.A. (Direction) 29, Avenue de la Division Leclerc 92322 Châtillon Cedex	ROYAUME UNI Defence Research Information Centre Kentigern House 65 Brown Street Glasgow G2 8EX
GRECE Hellenic Air Force Air War College Scientific and Technical Library Dekelia Air Force Base Dekelia, Athens TGA 1010	TURQUIE Millî Savunma Başkanlığı (MSB) ARGE Daire Başkanlığı (ARGE) Ankara

LE CENTRE NATIONAL DE DISTRIBUTION DES ETATS-UNIS (NASA) NE DETIENT PAS DE STOCKS
 DES PUBLICATIONS AGARD ET LES DEMANDES D'EXEMPLAIRES DOIVENT ETRE ADRESSEES DIRECTEMENT
 AU SERVICE NATIONAL TECHNIQUE DE L'INFORMATION (NTIS) DONT L'ADRESSE SUIT.

AGENCES DE VENTE

National Technical Information Service (NTIS) 5285 Port Royal Road Springfield, Virginia 22161 Etats-Unis	ESA/Information Retrieval Service European Space Agency 10, rue Mario Nikis 75015 Paris France	The British Library Document Supply Agency Boston Spa, Wetherby West Yorkshire LS23 7BQ Royaume Uni
---	--	---

Les demandes de microfiches ou de photocopies de documents AGARD (y compris les demandes faites auprès du NTIS) doivent comporter la dénomination AGARD, ainsi que le numéro de série de l'AGARD (par exemple AGARD-AG-315). Des informations analogues, telles que le titre et la date de publication sont souhaitables. Veuillez noter qu'il y a lieu de spécifier AGARD-R-nnn et AGARD-AR-nnn lors de la commande de rapports AGARD et des rapports consultatifs AGARD respectivement. Des références bibliographiques complètes ainsi que des résumés des publications AGARD figurent dans les journaux suivants:

Scientific and Technical Aerospace Reports (STAR)
 publié par la NASA Scientific and Technical
 Information Division
 NASA Headquarters (NTT)
 Washington D.C. 20546
 Etats-Unis

Government Reports Announcements and Index (GRA&I)
 publié par le National Technical Information Service
 Springfield
 Virginia 22161
 Etats-Unis
 (accessible également en mode interactif dans la base de
 données bibliographiques en ligne du NTIS, et sur CD-ROM)



AGARD

NATO  OTAN

7 RUE ANCELLE · 92200 NEUILLY-SUR-SEINE
 FRANCE

Telephone (1)47.38.57.00 · Telex 610 176
 Telefax (1)47.38.57.99

DISTRIBUTION OF UNCLASSIFIED AGARD PUBLICATIONS

AGARD does NOT hold stocks of AGARD publications at the above address for general distribution. Initial distribution of AGARD publications is made to AGARD Member Nations through the following National Distribution Centres. Further copies are sometimes available from these Centres (except in the United States), but if not may be purchased in Microfiche or Photocopy form from the Sales Agencies listed below.

NATIONAL DISTRIBUTION CENTRES

BELGIUM
 Coordonateur AGARD — VSL
 Etat-Major de la Force Aérienne
 Quartier Reine Elisabeth
 Rue d'Evere, 1140 Bruxelles

CANADA
 Director Scientific Information Services
 Dept of National Defence
 Ottawa, Ontario K1A 0K2

DENMARK
 Danish Defence Research Board
 Ved Idraetsparken 4
 2100 Copenhagen Ø

FRANCE
 O.N.E.R.A. (Direction)
 29 Avenue de la Division Leclerc
 92322 Châtillon Cedex

GERMANY
 Fachinformationszentrum
 Karlsruhe
 D-7514 Eggenstein-Leopoldshafen 2

GREECE
 Hellenic Air Force
 Air War College
 Scientific and Technical Library
 Dekelia Air Force Base
 Dekelia, Athens TGA 1010

ICELAND
 Director of Aviation
 c/o Flugrad
 Reykjavik

ITALY
 Aeronautica Militare
 Ufficio del Delegato Nazionale all'AGARD
 Aeroporto Pratica di Mare
 00040 Pomezia (Roma)

LUXEMBOURG
 See Belgium

NETHERLANDS
 Netherlands Delegation to AGARD
 National Aerospace Laboratory, NLR
 Kluyverweg 1
 2629 HS Delft

NORWAY
 Norwegian Defence Research Establishment
 Attn: Biblioteket
 P.O. Box 25
 N-2007 Kjeller

PORTUGAL
 Portuguese National Coordinator to AGARD
 Gabinete de Estudos e Programas
 CLAFA
 Base de Alfragide
 Alfragide
 2700 Amadora

SPAIN
 INTA (AGARD Publications)
 Pintor Rosales 34
 28008 Madrid

TURKEY
 Milli Savunma Başkanlığı (MSB)
 ARGE Daire Başkanlığı (ARGE)
 Ankara

UNITED KINGDOM
 Defence Research Information Centre
 Kentigern House
 65 Brown Street
 Glasgow G2 8EX

UNITED STATES
 National Aeronautics and Space Administration (NASA)
 Langley Research Center
 M/S 180
 Hampton, Virginia 23665

THE UNITED STATES NATIONAL DISTRIBUTION CENTRE (NASA) DOES NOT HOLD STOCKS OF AGARD PUBLICATIONS, AND APPLICATIONS FOR COPIES SHOULD BE MADE DIRECT TO THE NATIONAL TECHNICAL INFORMATION SERVICE (NTIS) AT THE ADDRESS BELOW.

SALES AGENCIES

National Technical
 Information Service (NTIS)
 5285 Port Royal Road
 Springfield, Virginia 22161
 United States

ESA/Information Retrieval Service
 European Space Agency
 10, rue Mario Nikis
 75015 Paris
 France

The British Library
 Document Supply Centre
 Boston Spa, Wetherby
 West Yorkshire LS23 7BQ
 United Kingdom

Requests for microfiches or photocopies of AGARD documents (including requests to NTIS) should include the word 'AGARD' and the AGARD serial number (for example AGARD-AG-315). Collateral information such as title and publication date is desirable. Note that AGARD Reports and Advisory Reports should be specified as AGARD-R-*nnn* and AGARD-AR-*nnn*, respectively. Full bibliographical

Scien
 publi
 Infor
 NAS
 Wash
 Unite

116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 1044 1045 1046 1047 1048 1049 1050 1051 1052 1053 1054 1055 1056 1057 1058 1059 1060 1061 1062 1063 1064 1065 1066 1067 1068 1069 1070 1071 1072 1073 1074 1075 1076 1077 1078 1079 1080 1081 1082 1083 1084 1085 1086 1087 1088 1089 1090 1091 1092 1093 1094 1095 1096 1097 1098 1099 1100 1101 1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 1113 1114 1115 1116 1117 1118 1119 1120 1121 1122 1123 1124 1125 1126 1127 1128 1129 1130 1131 1132 1133 1134 1135 1136 1137 1138 1139 1140 1141 1142 1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158 1159 1160 1161 1162 1163 1164 1165 1166 1167 1168 1169 1170 1171 1172 1173 1174 1175 1176 1177 1178 1179 1180 1181 1182 1183 1184 1185 1186 1187 1188 1189 1190 1191 1192 1193 1194 1195 1196 1197 1198 1199 1200 1201 1202 1203 1204 1205 1206 1207 1208 1209 1210 1211 1212 1213 1214 1215 1216 1217 1218 1219 1220 1221 1222 1223 1224 1225 1226 1227 1228 1229 1230 1231 1232 1233 1234 1235 1236 1237 1238 1239 1240 1241 1242 1243 1244 1245 1246 1247 1248 1249 1250 1251 1252 1253 1254 1255 1256 1257 1258 1259 1260 1261 1262 1263 1264 1265 1266 1267 1268 1269 1270 1271 1272 1273 1274 1275 1276 1277 1278 1279 1280 1281 1282 1283 1284 1285 1286 1287 1288 1289 1290 1291 1292 1293 1294 1295 1296 1297 1298 1299 1300 1301 1302 1303 1304 1305 1306 1307 1308 1309 1310 1311 1312 1313 1314 1315 1316 1317 1318 1319 1320 1321 1322 1323 1324 1325 1326 1327 1328 1329 1330 1331 1332 1333 1334 1335 1336 1337 1338 1339 1340 1341 1342 1343 1344 1345 1346 1347 1348 1349 1350 1351 1352 1353 1354 1355 1356 1357 1358 1359 1360 1361 1362 1363 1364 1365 1366 1367 1368 1369 1370 1371 1372 1373 1374 1375 1376 1377 1378 1379 1380 1381 1382 1383 1384 1385 1386 1387 1388 1389 1390 1391 1392 1393 1394 1395 1396 1397 1398 1399 1400 1401 1402 1403 1404 1405 1406 1407 1408 1409 1410 1411 1412 1413 1414 1415 1416 1417 1418 1419 1420 1421 1422 1423 1424 1425 1426 1427 1428 1429 1430 1431 1432 1433 1434 1435 1436 1437 1438 1439 1440 1441 1442 1443 1444 1445 1446 1447 1448 1449 1450 1451 1452 1453 1454 1455 1456 1457 1458 1459 1460 1461 1462 1463 1464 1465 1466 1467 1468 1469 1470 1471 1472 1473 1474 1475 1476 1477 1478 1479 1480 1481 1482 1483 1484 1485 1486 1487 1488 1489 1490 1491 1492 1493 1494 1495 1496 1497 1498 1499 1500 1501 1502 1503 1504 1505 1506 1507 1508 1509 1510 1511 1512 1513 1514 1515 1516 1517 1518 1519 1520 1521 1522 1523 1524 1525 1526 1527 1528 1529 1530 1531 1532 1533 1534 1535 1536 1537 1538 1539 1540 1541 1542 1543 1544 1545 1546 1547 1548 1549 1550 1551 1552 1553 1554 1555 1556 1557 1558 1559 1560 1561 1562 1563 1564 1565 1566 1567 1568 1569 1570 1571 1572 1573 1574 1575 1576 1577 1578 1579 1580 1581 1582 1583 1584 1585 1586 1587 1588 1589 1590 1591 1592 1593 1594 1595 1596 1597 1598 1599 1600 1601 1602 1603 1604 1605 1606 1607 1608 1609 1610 1611 1612 1613 1614 1615 1616 1617 1618 1619 1620 1621 1622 1623 1624 1625 1626 1627 1628 1629 1630 1631 1632 1633 1634 1635 1636 1637 1638 1639 1640 1641 1642 1643 1644 1645 1646 1647 1648 1649 1650 1651 1652 1653 1654 1655 1656 1657 1658 1659 1660 1661 1662 1663 1664 1665 1666 1667 1668 1669 1670 1671 1672 1673 1674 1675 1676 1677 1678 1679 1680 1681 1682 1683 1684 1685 1686 1687 1688 1689 1690 1691 1692 1693 1694 1695 1696 1697 1698 1699 1700 1701 1702 1703 1704 1705 1706 1707 1708 1709 1710 1711 1712 1713 1714 1715 1716 1717 1718 1719 1720 1721 1722 1723 1724 1725 1726 1727 1728 1729 1730 1731 1732 1733 1734 1735 1736 1737 1738 1739 1740 1741 1742 1743 1744 1745 1746 1747 1748 1749 1750 1751 1752 1753 1754 1755 1756 1757 1758 1759 1760 1761 1762 1763 1764 1765 1766 1767 1768 1769 1770 1771 1772 1773 1774 1775 1776 1777 1778 1779 1780 1781 1782 1783 1784 1785 1786 1787 1788 1789 1790 1791 1792 1793 1794 1795 1796 1797 1798 1799 1800 1801 1802 1803 1804 1805 1806 1807 1808 1809 1810 1811 1812 1813 1814 1815 1816 1817 1818 1819 1820 1821 1822 1823 1824 1825 1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869 1870 1871 1872 1873 1874 1875 1876 1877 1878 1879 1880 1881 1882 1883 1884 1885 1886 1887 1888 1889 1890 1891 1892 1893 1894 1895 1896 1897 1898 1899 1900 1901 1902 1903 1904 1905 1906 1907 1908 1909 1910 1911 1912 1913 1914 1915 1916 1917 1918 1919 1920 1921 1922 1923 1924 1925 1926 1927 1928 1929 1930 1931 1932 1933 1934 1935 1936 1937 1938 1939 1940 1941 1942 1943 1944 1945 1946 1947 1948 1949 1950 1951 1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2