





NOTE: This drawing was approved by joint action of the USAF and Navy Departments on the 1953 Navy calendar for this product. This drawing represents all associated standard drawings for this same product and shall be the basis effective for the procurement of replacement engines, as for use in new designs and those that already are in the final state of approval.



SMALL CURTAIN TYPE MFG DMO NAF 312319




(A) EYELET



DASH NO.		J	SCREEN FORM
PLATED	BLACK		
10W10	10BW10	5/8	WOOD
10T6	10BT6	3/8	SELF TAPPING

REGULAR WIRE SPRING CLAMP TYPE MFO DWO NAF 312320



-11 PLATED, -11 B BLACK
-11 A BROWN

-12 PLATED. -12 B BLACK

-13 PLATED. -13 B BLACK

-14 PLATED, -14 B BLACK

SMALL WIRE SPRING CLAMP TYPE YFG DWG NAF 312321

MATERIAL. ALL PARTS ARE METAL EXCEPT AS SPECIFIED.

DIMENSIONS GIVEN ARE APPROXIMATE, FOR REFERENCE ONLY. FOR EXACT DIMENSIONS, SEE MANUFACTURING DRAWINGS.

EXAMPLES OF PART NUMBERS AN227-1 = FASTENER, SMALL C'RTAIN TYPE SOCKET, PLATED FINISH, SHORT PROM

AN227-1DL - FASTENER, SMALL CURTAIN TYPE SOCKET, BLACK FINISH, LONG PROMO.

COMPONENT PARTS OF THE SAME FASTENER SHALL BE PROCURED FROM THE SAME MANUFACTURER.

THIS DRAWING IS FOR REFERENCE AND STOCK PURPOSES ONLY. FOR MANUFACTURING DETAILS SEE AN AERO. STANDARD ISSUE OF THE NAF, OR USAF DRAWING REFERENCED FOR EACH TYPE.

① INACTIVE FOR NEW DESIGN AFTER 22 MAY 1970 USE MS27977 THRU MS27986

PROCUREMENT SPECIFICATION

NOTES

AIR FORCE-NAVY AERONAUTICAL STANDARD

FASTENERS -SNAP AND CURTAIN

AN227

SHIRT 1 OF 3

APPROVED 28 Nov 41	REVISED ① 14 Oct 42	② 6 Sep	③ 12 May 44	④ 17 Dec 48	⑤ 30 Sep 49	⑥ 8 Apr 53	⑦ 22 May 1970
--------------------	---------------------	---------	-------------	-------------	-------------	------------	---------------

NOTE: This drawing was approved by joint action of the Air Force and Navy Departments as the Air Force Navy standard for this product. This drawing represents all standard drawings for the same product and shall become effective for the procurement of aeronautical supplies, or for use in new designs, not later than 6 months after the latest date of approval shown.



NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definite, related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever, and the fact that it is so used in any way is not to be regarded by the manufacturer or other person as an endorsement, approval, or recommendation of the Government, or as an indication of its acceptance of the product or of the data for use in connection with any other purpose or operation, or as an indication of its approval of the data for use in connection with any other purpose or operation.

NOTE: This drawing was approved by joint action of the Air Force and Navy Departments as the Air Force-Navy standard for this product. This drawing is intended to be used for the procurement of commercial supplies, or for use in new designs, and for use in new designs after the latest date of approval shown.

 BUTTON-SMALL -36 PLATED -38A BROWN -38B BLACK		 BUTTON-LARGE -37 PLATED -39A BROWN -39B BLACK		 SOCKET -40 PLATED -40B BLACK		 STUD -41 PLATED -41B BLACK		 EYELET -42 PLATED -42B BLACK	
BUTTON SNAP TYPE MFG DWG NAF 312323									
 POST -43 PLATED -43B BLACK		 CAP -45 PLATED -45A BROWN -45B BLACK		 POST -46 PLATED -46B BLACK		 CAP -47 PLATED -47A BROWN -47B BLACK		FED SUP CLASS 5325	
RIVET TYPE MFG DWG NAF 312324									
 PRONG -49 PLATED -49B BLACK		 SOCKET -50 PLATED -50B BLACK		 SOCKET TWO PIECE STYLE -66 PLATED -66B BLACK		 STUD -51 PLATED -51B BLACK		 POST -52 PLATED -52B BLACK	
FLAT HEAD SNAP TYPE MFG DWG NAF 312325									
 CAP -54 PLATED -54A BROWN -54B BLACK		 SOCKET -55 PLATED -55B BLACK		 STUD -56 PLATED -56B BLACK		 POST -57 PLATED -57B BLACK		THREE WAY LOCKING SNAP TYPE MFG DWG NAF 312326	
 (a) EYELET ASSEMBLY EYELET MANUFACTURING DWG USAF 45A23157 -61 PLATED -61B BLACK SEE SHEET 1 FOR NOTES SEE SHEET 2 FOR -40, -40B, -40L, -40BL		 BUTTON -62 PLATED -62A BROWN -62B BLACK		 SOCKET -63 PLATED -63B BLACK		 (b) STUD -64 PLATED -64B BLACK		WIRE SPRING CLAMP LOCKING TYPE MFG DWG NAF 313491 (a) USE -7 OR -7B EYELETS WHERE UNTHREADED SHANK IS REQUIRED (b) USE -9, -9B, -9L OR -61B EYELET WITH THIS STUD	
PROCUREMENT SPECIFICATION NONE		AIR FORCE-NAVY AERONAUTICAL STANDARD FASTENERS - SNAP AND CURTAIN						AN227 SHEET 3 OF 4	

APPROVED 27 Nov 44. REVISION 1 14 Oct 42 2 6 Sep 43 3 12 May 44 4 17 Dec 44 5 30 Sep 45 6 16 Aug 51 7 30 Nov 51 8 12 May 53 9 See Sheet 1

NOTICE
OF VALIDATION

INCH-POUND

AN227 Rev. 9
NOTICE 1
10 June 1994

MILITARY SPECIFICATION

FASTENERS - SNAP AND CURTAIN (INACTIVE USE MS27977 THRU MS27986

AN227 Rev 9 remains inactive for new design, however, the document is valid for acquisition when needed.

Preparing activity:
DLA-IS

AMSC N/A

FSC 5325

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.