

MIL-STD-196D

19 JANUARY 1985
SUPERSEDING
MIL-STD-196C
22 APRIL 1971

# **MILITARY STANDARD**

# JOINT ELECTRONICS TYPE DESIGNATION SYSTEM



AMSC NO. A3337 MISC

# DEPARTMENT OF DEFENSE WASHINGTON, D.C. 20360

Joint Electronics Type Designation System MIL-STD-196D

- 1. This Military Standard has been approved by the Department of Defense and is mandatory for use by all Departments and Agencies of the Department of Defense.
- 2. Beneficial comments (recommendations, additions, deletions) of any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Communications-Electronics Command and Fort Monmouth, ATTN: AMSEL-MMC-D, Fort Monmouth, New Jersey 07703, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.



#### **FOREWORD**

The purpose of this standard is to establish procedures within the Department of Defense for standardization of identification for design control of electronic material and associated equipment as defined herein, excluding COMSEC material.

3

History. The Joint Electronics Type Designation System (JETDS). formerly known as the Joint Army-Navy Nomenclature System (AN System) and the Joint Communications-Electronics Nomenclature System, was adopted 16 February 1943 by the Joint Communications Board for Joint Army-Navy use, and approved by the Combined Communications Board on 17 February 1943 for all new U.S. Army, and new U.S. Navy airborne. radio, and radar equipment. Further, on 26 November 1943, the Joint Communications Board approved the extension of the scope of the system to include equipment designed by the Navy specifically for Marine Corp and amphibious use. On 1 August 1946, the Bureau of Ships, Department of the Navy, adopted the system for use of ship, submarine, and ground electronic equipment. Similar action was taken by the bureau of Ordnance, Department of the Navy, on 18 October 1946, to cover the electronic portions of its fire-control systems. The U.S. Air Force, upon its establishment, as a separate Department, continued the use of the system for electronic equipment. On 16 January 1950. the U.S. Coast Guard adopted the system to identify any electronic equipment which it may develop or adopt. On 16 August 1951, the Joint Communications-Electronics Committee of the Joint Chiefs of Staff. approved Canadian integration with the AN nomenclature system. On 8 June 1953, the Office of the Chief of Ordnance, Department of the Army, adopted the system for its use.

In 1957 The Department of Defense approved MIL-STD-196 "Joint Electronics Type Designation System." In 1959 The National Security Agency, started using the system. In 1960 The Department of Defense approved MIL-STD-196A, in April 1965 MIL-STD-196B, in April 1971 MIL-STD-196C. On 6 May 1981, Chief, Office of International Research Development and Starboard, Department of the Army, directed implementation within MIL-STD-196 for integration of New Zealand, Australia and Great Britian into the system.

Organization. The JETDS is operated in accordance with basic policies of the Office of the Assistant Secretary of Defense, Installation and Logistics. Tri-Service regulations, International Agreements, and those established herein, and is approved and administrated by the issuing authority as a joint standardization procedure.



## CONTENTS

	PAGE
1.	GENERAL
1.1	Scope
2.	REFERENCED DOCUMENTS
3.	DEFINITIONS4
3.1	Standard Definitions4
3.1.1	Nomenclature4
3.1.1.1	Type Designation4
3.1.1.2	Item Name4
3.1.2	Electronics4
3.1.3	Electronic Materiel4
3.1.4	Models4
3.1.5	Item Levels5
3.1.5.2	Centers and Centrals5
3.1.6	Definitive Systems, Subsystems, Centers, Centrals, Sets,
	Groups and Units5
3.1.7	Variable Systems, Subsystems, Centers, Centrals, Groups
	and Units5
3.1.8	Electrical Interchangeability6
3.1.9	Mechanical Interchangeability6
3.1.10	Functional Interchangeability6
3.1.11	Maintenance Parts Interchangeability6
3.1.12	Modification Letters6
3.1.13	Part of Application6
3.1.14	Used With Application6
3.1.15	Department Control Point Responsibilities
3.1.16	Department of Defense Control Point Responsibilities7
4.	GENERAL REQUIREMENTS8
4.1	Type Designation Applicability
4.2	Type Designation Restrictions
4.3	Type Designation Assignment Restrictions
4.4	Cancellation8
4.5	Basis for Assignment or Revision9
5.	DETAILED REQUIREMENTS
5.1	GENERAL10
5.2	Selection of Indicators10
5.3	Type Designations for Definitive Systems, Subsystems,
	Centers, Centrals, and Sets10
5.4	Type Designations for Definitive Groups10
5.5	Type Designations for Definitive Units10
5.6	Type Designations for Variable Systems, Subsystems,
	Center, Centrals, Sets, Groups and Units
5.7	Type Designations for Units Designed to Accept "Plug-Ins.12



	Page
5.8 5.9	Identification of Automatic Data Processing Equipment12 Type Designations for Equipments Designed for Training Purposes
5.10	Type Designations for Equipments Designed for Testing or Maintenance Purposes
5.11 5.11.1 5.11.2 5.12 5.13 5.14 5.15	Equipment Indicator Letters Requiring Further Definition13 Installation Indicator Letters
5.17 5.18 5.19 5.20	Use of Assigned Type Designation
	TABLES Page
I III IV	Table of Equipment Indicators
•	APPENDICES
	*
	Page
A. B. C. D. E. F. G.	Canadian Participation



#### FIGURES

	Page
1.	Blank DD Form 61, Request for Nomenclature46
2.	Example of New Assignment48
3.	Example of a Variable Assignment50
4.	Example of a Cancellation52
5.	Example of a Revision54
6.	Example of a Security Classification Change of Data56
7.	Example of a Modification Letter Assignment58



#### GENERAL

- 1.1 SCOPE: The Joint Communications Type Designation system (JETDS) and its procedures are mandatory for use in type designating of communications and electronic material. Type designations in this system shall be assigned to at least the following equipment types.
- 1.1.1 Radio (including telemetering, relay and terminal equipment).
- 1.1.2 Radar (including identification and recognition equipment).
- 1.1.3 Data processing as defined by indicators shown in Chart I (including electronic and electromechanical computers).
- 1.1.4 Flight control and aids to navigation for aircrafts, guided missiles, and space vehicles (including automatic and remote control, automatic pilots and air data computers which may be tied into fire-control equipment, instrument landing equipment, navigation equipment, and data link equipment).
- 1.1.5 Weapon control systems (including evaluation and scoring of gun, missile, bomb, and underwater weapon control).
- 1.1.6 Electronic countermeasures (including electronic deception and electronic jamming).
- 1.1.7 Radiac (Radioactive detection, indication and computation devices).
- 1.1.8 Infrared.
- 1.1.9 Laser.
- 1.1.10 Meteorological.
- 1.1.11 Magnetic amplifier and detection equipment.
- 1.1.12 Wire communication (including telephone, telegraph, teletype, facsimile, interphone, public address, recorders, reproducers).
- 1.1.13 Television.
- 1.1.14 Fiber Optics and associated equipments.
- 1.1.15 Equipment for the detection of noise and interference in the radio frequency spectrum.



- 1.1.16 Underwater sound radiating and non-radiating equipment including those for listening, ranging, sounding, communication, and object location.
- 1.1.17 Training and instruction equipment for any of the above.
- 1.1.18 Equipment auxiliary and accessory to the preceding kinds of equipment, such as that shown in Tables II and III.



#### 2. REFERENCED DOCUMENTS

2.1 Documents referenced in this standard are of the issue in effect on the date of request for proposal.

#### STANDARDS

DOD-STD-100

Engineering Drawing Practices

MIL-STD-280

Definitions of Item Levels, Item Exchangeability, Models, and Related

Items

#### **HANDBOOKS**

Н6

Cataloging Handbook. Section A, Federal Item Name Directory for Supply Cataloging.

#### MANUALS

DOD 5220.22-M

Department of Defense Industrial Security

Manual for Safeguarding Classified Info-

mation.

#### **REGULATIONS**

DOD 5200.1.R

Information Security Program Regulations.

#### JOINT REGULATION

AR 105-19

AFR 82-2

Joint Electronics Type Designation System

NAVMATINST 10550.14

MCO 10550.8

(Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer).

Copies of this standard for military use may be obtained from Commanding Officer, Naval Publications and Forms Center, 5801 Tabor Avenue, Philadelphia, Pennsylvania 19120 or in accordance with the general provision of the Index of Military Specifications and Standards.



#### 3. DEFINITIONS

- 3.1 DEFINITIONS. For the purpose of this standard, the following definitions apply:
- 3.1.1 Nomenclature: The combination of an item name and a type designation. These are defined as follows:
- 3.1.1.1 Type Designation: A combination of letters and numerals arranged in a specific sequence to provide a short significant method of identification.
- 3.1.1.2 Item Name. A name published in the Federal Cataloging Handbook H6, or that name developed by the requestor in accordance with DOD-STD-100, that portion applicable to drawing titles. Item names used with type designation assignments will be consistent with the policies of the Federal Cataloging Program.
- 3.1.2 Electronics: The science and technology which is concerned with devices involving the emission behavior, and effect of electrons in vacuums, gases, and semiconductors. Technically, electronics is a broad term extending into divergent fields, and is necessary to define the scope covered by electronics in terms of "electronic materiel".
- 3.1.3 Electronic materiel: From a military point of view, generally including those electronic devices employed in the field of data processing, detection and tracking (underwater, sea, land, air and space), recognition and identification, communications, aids to navigation, weapons control and evaluation, flight control, and electronics countermeasures. In every case, electronic devices are understood to include peculiar non-electronic units required to complete their individual operational function, but to exclude associated non-electronic equipment identified by other type designation systems.
- 3.1.4 Models: The following list of types of modes, as defined in MIL-STD-280, is descriptive of the stages which may be involved in the overall process of research, development, and production. All of the listed types are not necessarily produced.
- 3.1.4.1 Exploratory development model.
- 3.1.4.2 Advanced development model.
- 3.1.4.3 Engineering development model.
- 3.1.4.4 Preproduction model.
- 3.1.4.5 Production model.



- 3.1.5 Item Levels
- 3.1.5.1 Systems, subsystems, sets, groups, and units are as defined in MIL-STD-280.
- 3.1.5.2 Centrals and Centers not defined in MIL-STD-280 are as follows:
- 3.1.5.2.1 Center: A collection of units and items in one location, which provides facilities for the administrative control on an area of responsibility which is specifically assigned for development and maintenance of installations, control of personnel, or conduct of tactical operations.
- 3.1.5.2.2 Central: A grouping of sets, groups, units or combinations thereof, operated conjunctively in the same location for a common specific function. It may provide facilities for controlling, switching, monitoring, etc., electronic and electrical equipment from one central point (location).
- 3.1.6 Definitive systems, subsystems, centers, centrals, sets, groups and units are those configurations having a specific complement listing.
- 3.1.7 Variable systems, subsystems, centrals, centers, sets, and groups are those configurations whose functions may be varied through the addition or deletion of sets, groups, units, or combination thereof, which meet at least one of the following conditions.
- 3.1.7.1 Those assemblages described as capable of performing more than one function; with the functions being performed being dependent upon readily exchangeable sets, groups, units, or combinations thereof, chosen for that installation on a particular occasion. Installations may differ by configuration or function, but each installation must be capable of easy and ready conversion to the same function as any other installation. A majority of the items appearing in the complement listing, or combinations thereof, must be common to all installations.
- 3.1.7.2 Those assemblages which differ between installations due to configuration differences of items and may include changes in the number or use of minor items having no important bearing on the operations or functions of the assemblages, such as interconnecting boxes, mounting, or controls. All such assemblages, though physically different, must be functionally and electrically interchangeable.
- 3.1.7.3 Those assemblages whose scope or function may be varied through the addition or deletion of sets, groups, units or combinations thereof.



- 3.1.7.4 Variable Unit: A unit as defined in MIL-STD-280, but whose capabilities or functions may be varied through the addition or deletion of assemblies, subassemblies or parts.
- 3.1.8 Electrical Interchangeability: The new item's capability of operation being equal to the old article without requiring any modifications to the existing power facilities, change to, or rewiring of connectors, etc.
- 3.1.9 Mechanical Interchangeability: The new item's capability of being physically installed and operated in the position previously occupied by another item without requiring any major modifications as to mounting holes, cabling, isolators, and so forth. Switches, connectors, and so forth shall be in the same location, within allowable tolerances. The center of gravity of the new item shall be the same as in the old item, within allowable tolerances.
- 3.1.10 Functional Interchangeability: The new item's capability of performing without additional assistance, all the operational capabilities covered by previous item.
- 3.1.11 Maintenance (repair) Parts Interchangeability: The capability of installing and operating a maintenance part in an item in lieu of a like item without the use of additional tools or modifications to the existing item or mounting facilities and with no appreciable effect on performance or ratings either electrical or mechanical.
- 3.1.12 Modification Letters: A modification letter is defined as a letter assigned in alphabetical sequence starting with the letter "A" to show a modification where interchangeability has been maintained. Example: Receiver, Radio R-250A/ARC is a modified version of the R-250/ARC and still interchangeable therewith. (See 5.12)
- 3.1.13 Part of: An item which is required to enable an equipment to fulfill its assigned function is part of that equipment. An item which is physically attached to and essential to the operation of another item is considered "part of" the item to which it is attached. In either event, the item must be issued automatically and in all instances with the equipment or item of which it is a "part of".
- 3.1.14 "Used with" but not "part of".
- 3.1.14.1 An item which extends the use of an equipment beyond its assigned functions and is issued for use with that equipment only under special circumstances is considered as "used with" but not "part of" that equipment.
- 3.1.14.2 An item which may be essential to the operation of another item but is not an integral part thereof, and not permanently attached thereto, is considered as "used with" but not "part of" the second item and is "part of" the equipment in which both are used.



- 3.3.15 Department Control Point (DCP): The official control point within the military departments authorized to obtain joint electronic type designations from the Department of Defense Control Point.
- 3.1.16 Department of Defense Control Point (DODCP): The official assigning agency for the Department of Defense; responsible for the assignment of type designations within this system.

#### 4. GENERAL REQUIREMENTS

- 4.1 JETDS TYPE DESIGNATIONS SHALL BE ASSIGNED TO:
- 4.1.1 Complete systems, subsystems, centers, centrals, sets, groups, kits, and units of military design either definitive or variable in configuration. However, those equipments whose configuration vary due to differences in types or quantities of items, or combinations thereof, will be identified with the variable designator specified in paragraph 5.6.
- 4.1.2 Materiel of either commercial or military design, which are grouped for of a military purpose.
- 4.1.3 Electronic material of military design which are "part of" or "used with", an end item not identified in the JETDS.
- 4.4.4 Commercial material requiring military identification.
- 4.1.5 Electronic material of military design which operates independently.
- 4.2 JETDS TYPE DESIGNATIONS SHALL NOT BE ASSIGNED TO:
- 4.2.1 Materiel cataloged commercially. Exceptions: See 4.1.4.
- 4.2.2 Materiel below unit level as defined in MIL-STD-280.
- 4.2.3 Materiel having other identification in coordinated (joint) military specifications or type designation systems.
- 4.2.4 Commercial electronic equipment for the convenience of a vendor.
- 4.2.5 Commercial electronic equipment for the convenience of a foreign country which does not participate in the JETDS.
- 4.3 ASSIGNMENTS of joint electronic type designators shall be restricted to electronic equipment which is intended to become a part of a U.S. Service inventory, other Federal Agencies, or a Service inventory of another country which participates in the JETDS.
- 4.4 CANCELLATION.
- 4.4.1 JETDS TYPE DESIGNATIONS may be cancelled upon request by the originating service when:
- 4.4.1.1 There has been no procurement of the item.



- 4.4.1.2 There are no experimental models.
- 4.4.1.3 No further use of the type designation is required for developmental purposes.
  - 4.4.1.4 The item is no longer in a service inventory.
- 4.4.2 CANCELLED type designations will not be reactivated except upon request of, or coordinated approval of, the department that originally requested the type designation.
  - 4.5 BASIS FOR ASSIGNMENT OR REVISION OF TYPE DESIGNATION
- 4.5.1 Each type designation assignment shall be assigned on the basis of technical data which contains sufficient electrical, mechanical, functional, and reference data to distinguish the item described from all other items. It is the responsibility of Government activities and contractors to provide all technical characteristics pertinent to the item being submitted for type designation and which are required for a complete understanding of its operating parameters. The type designators shall be determined by the technical characteristics of the item and not by its assigned name. (See Appendix E and J).
  - 4.5.2 Only one type designation shall be assigned to each item.
- 4.5.3 PARENTHESIS. The use of parenthetical information after the type designation shall not be used except as specified in this standard.
- 4.5.4 When the technical data of the item is no longer technically correct, it is the obligation of the requesting service, or agency, to revise the technical data of such item. (See Appendix E and J).

#### 5. DETAILED REQUIREMENTS

#### 5.1 GENERAL

- 5.1.1 Applisation. The JETDS is applicable to exploratory development, advance development, engineering development, pre-production and production electronic material as defined in MIL-STD-280. A type designation assigned is definitive in itself in that it will never be duplicated. Although the name portion may be changed for subsequent modification letter or variable assignments, the type designations will always apply to one specific article or subsequent models thereof, as indicated by the modification letter or specific variable configuration number.
  - 5.2 SELECTION OF INDICATOR LETTERS.
- 5.2.1 Indicator letters will be selected in accordance with Table Numbers I, II or III.
- 5.3 TYPE DESIGNATIONS FOR DEFINITIVE SYSTEMS, SUBSYSTEMS, CENTERS, CENTRALS, AND SETS. (See Table I).
- 5.3.1 A type designation assignment for a definitive system, subsystem, central, center and set shall consist at the very least of an AN, a slant bar (solidus), a series of three letters, a dash, and a number. Examples: AN/VRC-12 and AN/SPS-10. The type designation AN/VRC-12 represents a radio communication set installed in a vehicle designed for functions other than carrying electronic equipment, etc., such as tanks and jeeps. Another set in a different category is the AN/SPS-10 which as indicated by the chart is a radar search set designed for installation aboard a water surface craft.
  - 5.4 TYPE DESIGNATIONS FOR DEFINITIVE GROUPS. (See Table II).
- 5.4.1 All groups shall be identified by a two letter indicator selected from Table II, as applicable (e.g. OD, OE, OJ, OR, etc.). Applicable equipment indicator letters following the slant bar (solidus) will be selected from Table I after considering the potential of the group for multiple or peculiar application (e.g., OE-162/ARC, OJ-301/SP OR-221/U, OK-450/TRC-26, OD-311/GPS-4). Equipment indicators with a specific model number (e.g. OK-4550/TRC-26, OD-311/GPS-4, etc.) will be applied following the slant bar (solidus) only when the group is known to be peculiar to a specific equipment (e.g., AN/TRC-26, AN/GPS-4, etc.) with no known potential for other use (e.g., installation, equipment, purpose).
- 5.4.2 A group may include one or more electronic sets. In some cases the set may be a single major unit capable of performing an operational function.



- 5.5 TYPE DESIGNATIONS FOR DIFINITIVE UNITS. (See Table III).
- 5.5.1 The type designation for units having one end item use shall consist of an indicator (Table III), a dash, a number, a slant bar (solidus) and the equipment it is a "part of" or "used with". Example: A receiver, "part of" or "used with" the AN/VRC-12 should be identified as R-40/VRC-12.
- 5.5.2 The type designation for units having multiple usage are identified in 5.5.1 except following the slant bar there will appear only those indicators which are common or appropriate. Example: A power supply, "part of" or "used with" AN/VRC-12 and AN/VRC-19 would be identified as PP-50/VRC. A power supply "part of" the AN/VRC-12 and "used with" the AN/VRR-40 would be identified as PP-60/VR. A power supply "part of" or "used with" the AN/GRC-26 and the AN/GPS-20 would be identified as the PP-70/G.
- 5.5.3 The indicator for a unit having a dual item name (e.g., Amplifier-Power Supply Group, will be selected to identify the primary function. Exception: When an indicator exists for a unit having a dual name, such as "RT" for Receiver-Transmitter and "PU" for Motor-Generator, the indicator appearing in Table III shall be used.
- 5.5.4 Commercial or "off-the-shelf" units and those units which can be determined to be of general use type, though at the time of assignment are "part of" or "used with" one set or set series shall be followed by a slant bar and the installation indicator letter shall be selected from Table I after considering the potential of the unit for multiple or peculiar application (e.g., PP-2871/GRC, PP-2002/GR, PP-1972/GRC-71).
- 5.6 TYPE DESIGNATIONS FOR VARIABLE SYSTEMS, SUBSYSTEMS, CENTERS, CENTRALS, SETS, GROUPS, AND UNITS. -
- 5.6.1 Systems, subsystems, centers, centrals, sets, groups, or units with variable complement data will be assigned type designations in the same manner as for definitive versions, except that the parenthetical V, (V), will be added to the type designation (e.g., AN/FSG-1(V), OT-1957(V)/APQ-73(V), RT-2001(V)/GRC-90(V)).
- 5.6.2 Contractors will not prepare basic parenthetical V, (V) type designation requests (See 5.6.1) for variable commercial equipment, unless directed by procuring activity.
- 5.6.3 Assemblages differing only in the primary power requirements will not be assigned a (V), but will be identified by X, Y, and Z. (See 5.13).
- 5.6.4 Redesign for better reliability, maintainability, durability, miniaturization, pressuriation, partial installation of a multifunctioning definitive set or the use of transistors will not be considered justification for the assignment of (V).



- 5.6.5 New assignments may be made to specific equipment configurations falling within the (V). The relationship to the (V) should be cited in application for nomenclature assignment. The converse is also permitted.
- 5.6.6 Systems, subsystems, centers, centrals, sets, or groups comprised of variable sets, groups, or units shall be assigned a (V).
- 5.6.7 Variable systems, subsystems, centers, centrals, sets, groups, or units shall have a number assigned following the parenthetical V, (V), when further identification is required to identify a specific configuraation of a variable system, central, set, group, or unit. Example: AN/ARC-75(V)1, AN/ARC-75(V)2 and AN/ARC-75(V)3; OT-1957(V)1/APQ-73(V), OT-1957(V)2/APQ-73(V) and OT-1957(V)3/APQ-73(V); RT-2001(V)1/GRC-98(V), RT-2001(V)2/GRC-98(V). A separate request for nomenclature shall be required for each specific configuration requested.
- 5.7 TYPE DESIGNATIONS FOR UNITS DESIGNED TO ACCEPT "PLUG-INS". Units designed to accept "plug-ins" which change the function, frequency, or technical characteristics shall be type designated with (P) preceding the slant bar. The "plug-ins" will not be considered "part of" the unit. Example: Receiver, Radio R-00(P)/GRC-19.
- 5.8 IDENTIFICATION OF AUTOMATIC DATA PROCESSING EQUIPMENT. A digit or digits in parentheses directly following the letters of the type designation may indicate the type of ADPE included. Examples: Set designation AN/UYK (1, 4, 5)-XX to indicate a (1) Digital Processor, (4) Input/Output device, (5) Punched card or tape equipment, Unit designation CP(2)-XX, to indicate an Analog Processor. (See last column of Table 1).
  - 5.9 TYPE DESIGNATIONS FOR EOUIPMENTS DESIGNED FOR TRAINING PURPOSES
- 5.9.1 An equipment designed to provide training in the operation of a specific set will be assigned the specific set of designation followed by a dash, the letter T, and a number. Example: Radio Training Set AN/ARC-6A-T1 would be the first training set for Radio Set AN/ARC-6A (See last column of Table 1).
- 5.9.2 An equipment designed to provide training in the operation of various types of sets with the same indicator letters will be assigned set indicator letters based on the equipment it will be used to train for, followed by a dash, the letter T, and a number. Example: Radio Training Set AN/ARC-T1 would be the first training set geneal airborne radio communications sets.
- 5.9.3 An equipment designed to provide training in the operation of various types of sets with different indicator letters will be assigned general indicator letters as appropriate. Example: Radio Training Set AN/URC-T1 could be the first training set for both an airborne radio communications set (AN/ARC-27) and a ground radio communications set (AN/GRC-32).



- 5.9.4 The letter T, denoting training, will be added to a unit or group type designation preceding the slant bar when the unit or group is "part of" a training equipment. Example: Receiver, Radio R-000T/ARC, or Receiver Group OR-000T/ARC.
- 5.10 TYPE DESIGNATIONS FOR EQUIPMENTS DESIGNED FOR TESTING OR MAINTENANCE PURPOSES.
- 5.10.1 Maintenance test equipments which consist of one or more major units plus one or more accessories, such as, cases, cords,, probes, adapters, etc., and are produced as a separate equipment are considered as sets and will be assigned set nomenclature as follows: maintenance and test sets which by purpose are intended for use with certain installation classes and type of basic sets (prime equipments) will be assigned "Installation" and "type of Equipment" indicators corresponding to the associated class and type followed by the letter "M" as the purpose indicator. Examples: Test Set, Radar AN/MPM-8: may be a test setbfor Radar Set AN/MPG-5, AN/MPS-12, AN/MPN-9: and the Test Set, Radio AN/URM-20 may be for Radio Set AN/TRC-7 and AN/ARC-2.
- 5.10.2 Maintenance and test units which are an integral part of a basic set or equipment will not be assigned type designations in accordance with preceding paragraph but will be considered as part of such basic set and will be assigned a type designation in accordance with the policy and procedures established herein for units. (See 5.5.1 thru 5.5.4).
  - 5.11 EQUIPMENT INDICATOR LETTERS REQUIRING FURTHER DEFINITION. (See Table I).
  - 5.11.1 Installation Indicator Letters.
- 5.11.1.1 Installation indicator letter "D" will be used for equipment installed in pilotless planes, drones, rockets, and guided missiles. Balloon or parachute type of installations will identified with the installation indicator letter "A".
- 5.11.1.2 Installation indicator ""F" will be used for equipment installed in fixed ground (non-moveable) installations.
- 5.11.1.3 Installation indicator letter "G" will be used for equipment capable of being used in two or more different type ground installations.
- 5.11.1.4 Installation indicator letter "M" will be used for equipment installed and operated from a vehicle whose sole function is to house and transport the equipment. The vehicle(s) must be "part of" the equipment.

- 5.11.1.5 Installation indicator letter "P" will be used only when the equipment is specifically designed to operate while being carried by man.
- 5.11.1.6 Installation indicator letter "S" will be used for equipment installed in water surface craft or buoys.
- 5.11.1.7 Installation indicator letter "T" will be used for ground equipment that is designed for and is normally moved from place to place and is not covered by equipment indicators "G", "M", "U", or "V". The equipment is not capable of operation while being transported.
- 5.11.1.8 Installation indicator letter "U" will be used for an equipment capable of being used in a combination of two or more general installation classes, such as ground, shipboard, and airborne. It will also be used to identify a combination of two or more general installation classes (ground, shipboard, airborne) within any one equipment. Example: An equipment, a portion of which is installed on the ground, while another portion of the equipment is installed in an aircraft, will be assigned the installation indicator letter "U".
- 5.11.1.9 Installation indicator letter "V" will be used for equipment installed in a vehicle designed for functions other than carrying electronic equipment, such as, tanks, weapons carriers, etc. The equipment must be capable of operation while the vehicle is in motion.
- 5.11.1.10 Installation indicator letter "Z" will be used for equipment designed to be used in a combination or airborne installations, such as, aircraft, rockets, guided missiles, and drones.
  - 5.11.2 Type of Equipment Indicator Letters.
- 5.11.2.1 Type of equipment indicator letter "P" will be used for the following types of equipment: Radar equipment, based on the radar definition of equipment which transmit radio energy and receives a reflected signal of this same energy from the target. The time interval between the transmission and reception of such signal is measured and translated into operational parameters.
  - 5.11.2.1.1 Beacons which function with radar equipment.
  - 5.11.2.1.2 Electronic recognition and identification systems.
  - 5.11.2.1.3 Pulse-type navigational equipment.
- 5.11.2.2 Type of equipment indicator letter "R" will be used for all radio equipment except that for which a more specific indicator applies.

#### 5.12 MODIFICATION LETTERS.

- 5.12.1 Modification letters will be assigned to modified type designated equipments where interchangeability as defined in 3.1.8 thru 3.1.11 has been maintained. When a model is modified so that interchangeability is not maintained with all of its previous models, a new type designation shall be assigned.
- 5.12.2 The assignment of a new type designation to a modified model will be reflected by a modification letter assignment to the type designation of the next higher level, if appropriate, provided this level is interchangeable with all of its previous models. This order or progression may continue as high as is necessary for proper identification.
- 5.12.3 Modification letters shall be assigned to type designations for variable systems, subsystems, centers, centrals, sets, groups, and units, or for units designed to accept plug-ins, in the same manner as for those items that are definitive except that the modification letter shall precede the (V) or (P), as applicable. Example: AN/FPS-6A(V), RT-206A(P)/FPS.
- 5.12.4 A variable item that has been described and delivered to the Government as such, shall not have additional functions added thereto without a change in its type designation. The existence of new items to fulfill installation requirements only, without changing electrical or functional characteristics, will not require a change in the type designation at the next higher level.
- 5.12.4.1 An assignment of a modification letter to a specific configuration of a variable system, subsystem, center, central, set, group or unit shall not require other definitive configurations with the same type designation to change. Example: AN/ARC-75A(V)3 shall not require a change to AN/ARC-75(V)1 or AN/ARC-75(V)2.
- 5.12.5 An item of a variable assemblage, modified and improved to the extent that it requires a new type designation, shall have this modification reflected a the next higher level of nomenclature and in the same manner as for a fixed assemblage, paragraph 5.12.2.
- 5.12.6 The letters I, O, Q, S, X, Y, and Z will not be assigned as modification letters.
- 5.13 IDENTIFICATION OF SYSTEMS, SUBSYSTEMS, CENTERS, CENTRALS OR SETS WITH MODIFIED POWER REQUIREMENTS. A change in the power input voltage, phase, or frequency will be identified by the addition of the letters "X", "Y", or "Z" to the basic nomenclature or may be assigned a new type designation. Example: Radio Set AN/TRC-100 modified to a permit its operation on 24-volt dc rather than 110-volt ac could be identified as Radio Set AN/TRC-100X. Further modifications other than

Power input will be identified as AN/TRC-100AX. Simultaneous modifications providing improvements as well as a power change will be identified by the modification letter "A", "B", or "C", etc., as applicable, to show product improvements and modification letter "X", "Y", or "Z", as applicable, to power input change. The first change in power input would be identified by the letter "X", the second by the letter "Y", the third by the letter "Z", the fourth by "XX", etc. New type designations will be applied to or units with power input change rather than applying the "X", "Y", or "Z" with power input change rather than applying the "X", "Y", or "Z" as as above.

- 5.14 IDENTIFICATION OF A SERIES OF ITEMS. A series of a basic item, all production and nonproduction versions, may be identified by a type designation which contains an empty parenthesis, commonly called a "bowlegs" or "generic" assignment in documentation and literature. Generic assignments shall not be used for marking of equipment. Example: AN/APS-25 ( ) or R-275( )/APS-25. The use of such an assignment is all inclusive with reference to no specific version within the series. The use of the assignment AN/APS-25B or T-175A/APS-25 would be a reference to a specific version within the series.
- 5.15 APPLICATION OF TYPE DESIGNATIONS TO EXPLORATORY DEVELOPMENT, ADVANCED DEVELOPMENT, ENGINEERING DEVELOPMENT, OR PREPRODUCTION EQUIPMENT.
- 5.15.1 To identify a specific exploratory development, advanced development, engineering development, or preproduction equipment, a development organization indicator, selected from Table IV and followed by a numeral, is inserted in the parenthesis. Successive versions are identified by progressive numerals. Example: (XN-1), (XC-2), (XC-3), etc.
- 5.15.2 When a development organization indicator is included by such use of parenthesis but is not followed by a specific numeral, broad identification of such exploratory development, advanced development, engineering development, or preproduction models is thus intended. Example: AN/SPS-100(XG) identifies all exploratory development, advanced development, engineering development, or preproduction versions of AN/SPS-100 of the U.S. Navy Electronics Laboratory, San diego, California
- 5.15.3 It is the responsibility of the Developing Activity or Military Department Control Point to assign and record specific type designation without notification to the Department of Defense Control Point. Experimental indicators are not to be included on requests for nomenclature action.
  - 5.16 UNIT ASSIGNMENTS REQUIRING FURTHER DEFINITION.
- 5.16.1 Servo amplifiers. Servo amplifiers of electronic type (non-rotating) will be assigned the unit indicator "AM". The rotating tupe will be assigned "PU".



- 5.16.2 Cable assemblies, waveguides, cords, transducers, sonar projectors, and hydrophone type designations which include the parenthetical (-ft-in) will not be assigned a specific equipment indicator after the slant bar e.g., /GRC-26, but will be assigned a more general indicator, such as, /U or /GR. In each case, the request for type designation must include the phrase "length to be specified". Examples: For /U, "for general utility use", for /GR "for general ground radio use". Exception: Parenthetical (-ft-in) may be applied to cable assemblies, waveguides, cords, transducers, sonar projectors and hydrophones assigned specific equipment indicators when the end item configuration includes several of any one of these type of items that are identical except for length. The use of (-ft-in) in this instance will be limited to new assignment commensurate with the effective date of this document and will not be retroactive.
- 5.16.2.1 Contractors will not prepare type designation requests for cable assemblies, unless directed by procuring activity.
- 5.16.3 Plug-in-units, whose descriptions are based on their functions, such as, amplifiers, receivers, transmitters, etc., will be assigned unit indicators based on their function e.g., AM, R, T, respectively. If no indicator exists, for a given function then the indicator "PL" will be be assigned.

#### 5.16.4 BATTERIES.

- 5.16.4.1 Assignments for primary type (non-rechargeable) batteroes will be made in several numerical blocks, under the type designation indicator "BA", as follows: 1 to 999 for conventional leclanche and others i.e. Automatic Activated Silver Zinc, Thermal and Water Activated; 1000 to 1999 for Mercury Types (RM); 2000 to 2999 for Low Temperature types; 3000 to 3999 for Alkaline Manganese Dioxide Types; 4000 to 4999 for Manganese Types; 5000 to 5999 for Lithium-Organic Electrolyte Types.
- 5.16.4.2 Secondary Type (Rechargeable) Storage Batteries will be assigned consecutively, in numerical sequence, under type designation indicator "BB".
- 5.17 USE OF ASSIGNED TYPE DESIGNATIONS. All departments will use the official type designations strictly as assigned. When type designations are used in automatic data processing systems the military services may eliminate the "AN", "solidus" (slant bar), "dash", and the parenthesis around suffix letters "P" and "V" as an entity. Assignments may be changed upon the request of the initiating activity provided that such a change is not contrary to established policy. Where necessary, item names may be ommitted from identification markings on equipments at the discretion of the responsible department.
- 5.18 REPLACEMENT. Department of the Army, Navy, Air Force, or DOD Agencies and participating services type designations may be e0; aced bu type designations in this system upon:

- 5.18.1 Request by cognizant activity.
- 5.18.2 Request by the using activity with the concurrence of the cognizant activity.
- 5.19 COORDINATION. Any action requested by a department Control Point against an existing type designated item under design cognizance of another Department Control Point, will be coordinated with the originating Department Control Point prior to submission to the Department of Defense Control Point; a copy of the concurrency by the cognizant activity should be included with the submission. Internal coordination within the respective Departments will also be accomplished by the requesting Department Control Point. (See Appendix F).

#### 5.20 SECURITY CLASSIFICATION.

- 5.20.1 Requests for Nomenclature (DD Form 61 or facsimile) shall include both the security classification of the item described (hardware) and the classification of the information contained thereon (data). Unclassified requests covering classified equipment will be stamped top and bottom, "UNCLASSIFIED". All officially assigned JETDS nomenclatures shall be unclassified in order to provide a ready means of identification, in correspondence and other means of communications.
- 5.20.1.1 All classified Requests for Nomenclature will be submitted in accordance with Regulation, DOD 5200.1R or applicable security documents issued by other agencies.
- 5.20.2 Prior to submission of a classified Request for Nomenclature (DD Form 61 or facsimile) to the Department of Defense Control Point (DODCP), the Department Control Point (DCP) will assure that each data element on the request will be marked with the appropriate Security Classification marking immediately preceding and to the left of the data elements involved and the symbols (S), (C), and (U) shall be used respectively for SECRET, CONFIDENTIAL, and UNCLASSIFIED. Where a combination of classified information appears on a document each element shall be appropriately marked as to its classification, including unclassified.
- 5.20.3 Regrading of existing classified technical data is accomplished by the automatic downgrading regulations indicated in 5.20.1.1. Earlier regrading action is encouraged and may be accomplished by the Department Control Point by the submission of a DD Form 61 (See Figure 6) to the Department of Defense Control Point. (See Appendix G).
- 5.21 INTERNATIONAL INTERESTS International Participants shall conform to International Standardization Agreements and this standard. (See Appendix A, B, C, D and H).



Custodians:

Army - CR

Navy - EC

Air Force - 11

Reviewer:

Army - AR, AV, MI

Navy - AS, OS

Air Force - 26

National Security Agency

User:

Navy - MC

International Interest:

Air Standaardization Coordinating Committees (ASCC)

ABBOTTAEROSPACE.COM

	TABLE I. TABLE OF EQUI	PMENT INDICATORS	
			Miscellaneous
Installation	Type of Equipment	Purpose	Identification
(1st letter)	(2nd letter)	(3rd letter)	
A-Piloted aircraft	A-Invisible light,	A-Auxilliary Assembly	X, Y, Z-Changes in voltage
B-Underwater mobile,	heat radiation	(See Foot Note #2	phase, or frequency
submarine	C-Carrier	B-Bombing	(See 5.13)
D-Pilotless carrier	D-Radiac	C-Communications (Receiving	
F-Fixed ground	E-Laser	and transmitting)	·
G-General ground use	G-Telegraph or	D-Direction finder	
K-Amphibious	Teletype	reconnaissance and/or	
M-Ground, mobile	I-Interphone and	surveillance	T -Training (See 5.9)
P-Portable	public address	E-Ejection and/or release	
S-Water	J-Electromechanical	G-Fire control, or search-	
T-Ground, transport-	or inertial wire	light directing	(V) -Variable grouping
able ,	covered	H-Recording and/or reporducing	(See 5.6.1)
U-General utility	K-Telemetering ·	(graphic meteorological and	(P) -Unit Accepting Plug-
V-Ground, vehicular	L-Countermeasures	K-Computing	ins (See 5.12.3)
W-Water surface and	M-Meteorological	M-Maintenance and/or test	
under water	N-Sound in air	assemblies (including tool)	(X) -Developmental Indica-
combination	P-Radar	N-Navigational aids (including	tors (See 5.15)
Z-Piloted and	Q-Sonar and under-	altimeters, beacons, compasses,	
pilotless airborne	water sound	racons, depth sounding,	( ) -Developmental or Series
vehicle combin-	R-Radio	approach and landing)	"Generic" Assignment
ation	S-Special types,	, , ,	(See 5.14)
1	magnetic, etc.	Q-Special, or combination	(-Ft-in) -Identical Items w/
	or combinations	of purposes	varying legnths (See 5.16.2)
1	of types	R-Receiving, passive detecting	
j	T-Telephone (wire)	S-Detecting and/or range and	AUTOMATIC DATA PROCESSING (ADP)
<b>1</b>	V-Visual and visible	bearing, search	
1	light	T-Transmitting	1. Digital Equipment only
	W-Armament (peculiar	W-Automatic flight or remote	2. Analog Equipment only
1	to armament, not	control	3. Hybrid (Digital and Analog)
	otherwise covered	X-Identification and	Equipment
į j	X-Facsimile or tele-	recognition	4. Input/Output Device
<b>j</b>	vision	Y-Surveillance (search, detect,	5. Punched Card or Tape
	Y-Data Processing	and multiple target tracking)	Equipment
<b>j</b>		and control (both fire con-	6. Others
1	1	trol and air control)	(See 5.8)
j	<u> </u>	ŕ	
Footpote #1 Indic:		omoved from Table I are not to be u	· · · · · · · · · · · · · · · · · · ·

Footnote #1 Indicator letters, previously removed from Table I are not to be used for new type designation assignments for the following:

Installation: C - Air transportable. Type of Equipment: B - Pigeon; E - Nupac; F - Photographic Purpose: L - Searchlight control; P - Reproducing.

Footnote #2 For Department Control Point Use. Not for use by contractors unless directed by procuring activity.



#### TABLE II. TABLE OF GROUP INDICATORS

iroup Ind.	Family Name	<pre>(not to be construed as limiting the application of the group indicator)</pre>
OA	Miscellaneous Groups	Groups not otherwise classified Do not use if a more specific indicator, such as OD, OE, OG, etc., applies.
ОВ	Multiplexer and/or demulti- plexer groups	Multiplexer groups, demultiplexer groups, composits thereof.
OD	Indicator Groups	All types.
0E	Antenna groups	All types.
0F	Adapter groups	All types.
OG	Amplifier groups	All types.
0H	Simulator groups	All types.
OJ	Consoles and console groups	All types.
0K	Control groups	All types.
0L	Data analysis and data pro-	•
ОМ	cessing groups	All types.
	groups	Modulator groups, demodulator groups, composites thereof.
ON	Interconnecting groups	All types.
OP	Power Supply groups	All Non-Rotating types.
0Q	Test Set groups	All types.
OR	Receiver groups	All types.
OT	Transmitter groups	All types.
0U	Converter groups	All types.
0V	Generator groups	All types excluding power gener- ating equipment.
OW	Terminal groups	Telegraph, telephone, radio, etc.
OX	Coder, decoder, interrogator, transponder groups	All types.
OY	Radar Set groups	Do not use if a more specific indicator, such as, OE, OR, OT, etc. applies.
0Z	Radio Set groups	Do not use if a more specific indicator, such as OE, OR, OT, etc. applies.

19 JANUARY 1985

TABLE III. TABLE OF UNIT INDICATORS		
Unit Ind.	Family Name	Example of use  (not to be construed as limiting  the application of the unit  indicator)
АВ	Supports, antenna	Antenna mounts, mast bases, mast sections, towers, etc.
AM	Amplifiers	Power, Audio, interphone, radio frequency, video, electronic
AS	Antenna, simple and complex	control, etc. Arrays, porabolic type, masthead whip or telescopic loop, dipole, reflector, etc.
BA BB	Battery, primary type Battery, secondary type	Batteries, battery packs, etc. Storage batteries, battery packs, etc.
BZ C CA	Alarm units	All types. Control box, remote tuning control, etc. Input-output. Peripheral, etc.
CC	Controlling Devices Cable assemblies, RF	Complex controlling devices.  RF Cables, waveguides, transmission lines, etc., with terminals.
CM CN	Comparators	Compares two or more input signals.  Flectrical and/or mechanical  compensating, regulating or  attenuating apparatus.
СР	Computers	A mechanical and/or electronic mathematical calculating device.
CU	Couplers	Impedance coupling devices, directional couplers, etc.
CV	Converters (electronic)	Electronic apparatus for changing the phase frequency, or from "one" medium to "another".
CX	Radomes	Radomes. Non RF cables with terminals, test leads, also composite cables of RF and non RF conductors.
CY	Cases and cabinets	Rigid and semirigid structure for enclosing or carrying equipment.
D DA DT -	Dispensers	Chaff. RF and non RF test loads. Magnetic, Capacitive or Optical pickup devices, Search coil, hydrophones, etc. Electronic types; band pass, low pass, band suppression, noise telephone, filter networks; excludes non-reparable types.
F	Filter Units	Electronic types, band-pass, low pass, band suppression, noise, telephone, filter networks; excludes non-repairable types.



<del></del>		
	•	Example of Use
Unit		(not to be construed as limiting
Ind.	Family Name	the application of the unit
		indicator)
FR	Frequency measuring device	Frequency meters, tuned cavity, etc.
G	Generators, power	Electrical power generators without
		prime movers (See PU)
GO	Goniometers	Instrument for measuring angles are
		determination of energy transferred
		from moving to fixed coil (directional
		antennas etc.)
H	Head, hand, and chest sets	Includes earphone.
HD	Environmental apparatus	Heating, cooling, dehumidifying,
		pressure, vacuum devices, etc.
ID	Indicator units, non-cathode-	Calibrated dials and meters,
	ray tube	indicating lights, etc. (See IP)
IM ;	Intensity measuring devices	Includes SWR gear, field intensity
7.0	*	and noise meters, slotted lines, etc.
ΙP	Indicator units, cathode-ray	A facility and a second second
,	tube	Azimuth, elevation, panoramic, etc.
J	Interface units	Interconnecting and junction units,
		etc. Do not use if a more specific
ΚY	Keying devices	indicator applies.  Mechanical, electrical and electronic
Λ1 I	Reyling devices	keyer coders, interrupters, etc.
LS	Loudspeakers	Separately housed loudspeakers, inter-
ĻĴ	Loudspeakers	communication stations.
М	Microphones	Radio, telephone, throat, hand, etc.
MD	Modulators, demodulators,	Radio, terephone, throat, hand, etc.
110	discriminators	Device for varying amplitude,
İ	arso, imitador serente en	frequency or phase.
ME	Meters	Multimeters, volt-ohm-millimeters,
		vacuum tube voltmeters, power meters, etc.
MK	Miscellaneous kits	Maintenance, modification, etc.
ML	Meteorological devices	Miscellaneous meteorological equipment, etc
MT	Mountings	Mountings, racks, frames, stands, etc.
MX	Miscellaneous	Equipment not otherwise classified. Do no
1		use if better indicator is available.
MU ]	Memory units	Memory units.
0	Oscillators	Master frequency, blocking, multi-vibrator
		etc. (for test oscillators, see SG)
0C	Oceanographic devices	Bathythermograph, etc.



TABLE III. (CONT'D) TABLE OF UNIT INDICATORS		
Unit Ind.	Family Name	Example of Use (not to be construed as limiting the application of the unit indicator)
0\$	Oscilloscope, test	Test oscilloscope for general test purposes (See IP)
PL	Plug-in units	Plug-in units not otherwise classified.
PP	Power Supplies	Nonrotating machine type such as vibrator pack rectifier, thermo-
РТ	Mapping and plotting units	electric, etc. Electronic types only.
PU	Power equipments	Rotating power equipment, motor- generator, dynamotors, etc.
R	Receivers	Receivers, all types except telephone.
RD	Recorder-reproducers	Sound, graphic, tape, wire, film, disc, facsimile, magnetic, mechan-ical, etc.
RE RL	Relay assembly units Reeling machines	Electrical, electronic, etc. Mechanism for dispensing and rewinding antenna or field wire,
RO	Recorders	cable, etc. Sound, graphic, tape, wire, film disc, facsimile, magnetic, mechan-
RP	Reproducers	ical, tape and card punch, etc. Sound, graphic, tape, wire, film, disc, facsimile, magnetic, mechan- ical, punched tape and card readers,
RR	Reflectors	etc. Target, confusion, etc. Except
RT	Receiver and Transmitter	antenna reflectors (See AS). Radio and radar transceiver, com- posite transmitter and receiver, etc
S	Shelter	Protective shelter, etc.
SA	Switching units	Manual, impact, motor driven, pressure operated, electronic, etc.
SB	Switchboards	Telephone, fire control, power, power distribution, etc.
SG	Generator, signal	Test oscillators, noise generators, etc. (See 0).
SM	Simulators	Flight, aircraft, target, signal, etc.



	TABLE III. (CONT'D)	TABLE OF UNIT INDICATORS
Unit Ind.	Family Name	Example of Use (not to be construed as limiting the application of the unit indicator)
SN	Synchronizers	Equipment to coordinate two or more
SU	Optical Units	functions. Electro-optical units, such as, night vision, auto-collimator, scope, sights,
T TA TB	Transmitters Telephone apparatus Towed Body	viewers, trackers, alignment equipment. Transmitters, all types, except telephone. Miscellaneous telephone equipment. Hydrodynamic enclosures used to house transducers, hydrophones, and other
TD	Timing devices	electronic equipment.  Mechanical and electronic timing devices, range devices, multiplexers, electronic
TF	Transformers	gates, etc. When used as separate units.
TG	Positioning devices	Tilt and/or train assemblies.
TH	Telegraph apparatus	Miscellaneous telegraph apparatus.
TK	Tool Kits	Special Types.
TN	Tuning units	Receiver, transmitter, antenna, tuning units, etc.
TR	Transducers	Sonar transducers, vibration pickups, etc. (See H, LS, and M).
TS	Test units	Test and measuring equipment otherwise classified. Do not use if more specific indicators apply.
TT	Teletypewriter and facsimile	indicacors appry.
''	apparatus	Miscellaneous tape, teletype, facsimile equipment, etc.
TW	Tape units	Preprogrammed with operational test and
V	Vehicles	check out data. Carts, dollies, vans peculiar to electronic equipment.
ZM	Impedance measuring devices.	Used for measuring Q, C, L, R, or PF, etc.



#### TABLE III. (CONT'D) TABLE OF UNIT INDICATORS

The following indicator letters previously removed from Table III are not to be used for new type designation assignments:

AT - Antenna, simple

CA - Commutator assemblies

CB - Capacitor bank

CD - Crystal Kits

CR - Crystals

DY - Dynamotors

E - Hoists

FN - Furniture

GP - Ground rods

HC - Crystal holders

IL - Insulators

LC - Tools, line construction

MA - Magazines

MF - Magnets or magnetic field genertors

PD - Prime drivers

PF - Fittings, pole

PG - Pigeon articles

PH - Photographic articles

RC - Reels

RF - Radio freq components

RG - Cables, RF, bulk

ST - Straps

TC - Towed Cable

TL - Tools

TV - Tester, tube

U - Connectors, audio and power

UG - Connectors, RF

VS - Signaling equip, visual

WD - Cables, 2 cond

WF - Cables, 4 cond

WM - Cables, multiple cond

WS - Cables, single cond-

WT - Cables, 3 cond

#### TABLE IN TABLE OF DEVELOPMENT ACTIVITY INDICATORS

	TABLE IV TABLE OF DEVELOPMENT ACTIVITY INDICATORS	
Air Fo	orce	
XA	Aeronautical Systems Division; Wright-Patterson AFB, OH 45433	
XD	Electronics Systems Division, Hanscom AFB, MA 01731	•
ΧI	Armament Development and Test Center, Eglin AFB, FL 32542	_
ΧV	Air Force Weapons Laboratory, Kirtlank AFB, NM 87117	
XW	Rome Air Development Center, Griffiss AFB, NY 13441	-
XAA	Space and Missile Systems Organization, Norton AFB, CA 92409	
The fo	following Air Force designators are to be used for assigning additional des	ignations
to pre	reviously type designated items. For all new equipments use XA.	
хн	Aeriel Reconnaissance Laboratory, Wright-Patterson AFB, OH	
XK	Flight Control Laboratory, Wright-Patterson AFB, OH	_
XQ	Aeronautical Accessories Laboratory, Wright-Patterson AFB, OH	
XS	Electronic Componet Laboratory, Wright-Patterson AFB, OH	-
XY	Weapons Guidance Laboratory, Wright-Patterson AFB, OH	
Inacti	ive	
хсс	Air Force Missile Test Center, Patrick AFB, Fl 32925	
Navy		
ХВ	Naval Research Laboratory, Washington, DC 20375	
XG	Naval Ocean Systems Center, San Diego, CA 92152	
XJ -	Naval Air Development Center, Warminster, PA 18974	
XN T	Department of the Navy, Washington, DC 20360	
ΧU	Naval Underwater Systems Center, New London Laboratory, New London, CT 06320	
XAN	Naval Avionics Center, Indianapolis, IN 46218	
XCA	Naval Weapons Support Center, Crane, IN 47522	
XCL	Naval Weapons Center, China Lake, CA 93555	
XDV	Naval Surface Weapons Center, Dahlgren, VA 22448	
XGS	Ground Support Equipment Division, Naval Air Engineering Center, Lakehurst, NJ 08733	
XIH	Naval Ordance Station, Indian Head, MD 20640	
XMG	Pacific Missile Test Center, Point Mugu, CA 93042	
XUC	Naval Undersea Center, San Diego, CA 93132	
XPC	Naval Coastal Systems Laboratory, Panama City, FL 32407	
	- Naval Weapons Station, Earle, NJ (Mail Addres) Colts Neck, NJ 07722	
XWO	Naval Surface Weapons Center, White Oak Laboratory, Silver Spring, MD 20910	
-		
Inacti	ive	

Naval Weapons Center, Corona Laboratory, Corona, CA 91720 Bureau of Naval Weapons Activities — XCR

ΧZ

## 19 JANUARY 1985

<del></del>	TABLE IV (CONT'D) DEVELOPMENT ACTIVITY INDICATORS
Army	TABLE TV (CONT D) DEVELOPMENT ACTIVITY INDICATORS
XC	US Army Communications-Electronics Command (CECOM) Fort Monmouth, N. J. 07703-5006
XO	US Army Missile Research & Development Command (MIRADCOM) Redstone Arsenal, AL 36809
ХТ	US Army Intelligence & Security Command (INSCOM) Arlington Hall Station, VA. 22212
XAV	US Army Aviation Research & Development Cofmmand (AVRADA), Fort Monmouth, N. J. 07703
XER	US Army Electronics Research & Development Command (ERADCOM), Adelphi, MD 20783
XME	US Army Mobility Equipment Research & Development Command (MERADCOM) Fort Belvoir, VA 22060
Inacti	ve
XE XF XL XM XAE XBB XDD XLW XPM	US Army Electronics Laboratories, Fort Monmouth, N. J. 07703 Frankford Arsenal, Phila, PA. US Army Signal Electronics Research Unit, Mountain View, CA. US Army Signal Engineering Laboratories, Hexagon, Fort Monmouth, N. J. 07703 US Armyn Research & Development Activity, Fort Huachuca, AZ US Army Electronics Command, Proc & Prd Div, Fort Monmouth, N. J. 07703 US Army Signal Air Defense Engineering Agency, Fort George G. Meade, MD. US Army Limited Warfare Laboratories, Aberdeen Proving Ground, MD US Army Project Michigan, Ypsilant, MI
NSA	
ΧR	National Security Agency, Fort George G. Maeade, MD 20755
Canada	·
ΧР	Candian Department of Defense, Ottawa, Canada
Austra	lia
	(TO BE FURNISHED LATER)
New Ze	aland
	(TO BE FURNISHED LATER)
United	Kingdom
	(TO BE FURNISHED LATER9



#### APPENDIX Á

#### CANADIAN PARTICIPATION

- 10. GENERAL
- 10.1 Scope. This appendix establishes policy and mandatory procedures covering Canadian Department of National Defence, Canada participation in the Joint Electronics Type Designation System (JETDS) for use in type designating of communications and electronic material based on international agreements and standards.

#### 10.2 Application.

- 10.2.1 Type designations in this system shall be applicable to the following equipment types:
  - 10.2.1.1 Radio (including telemetering, relay and terminal equipment).
  - 10.1.1.2 Radar (including identification and recognition equipment).
- 10.2.1.3 Data processing (including electronic and electromechanical computers).
- 10.2.1.4 Flight control and aids to navigation for aircraft, guided missiles, and space vehicles (including automatic and remote control, automatic pilots and air data computers which may be tied into fire-control equipment, instrument landing equipment, navigation equipment, and data link equipment).
- 10.2.1.5 Weapon control systems (including evaluation and scoring of gun, missile, bomb, and underwater weapon control).
- 10.2.1.6 Electronic countermeasures (including electronic deception and electronic jamming).
  - 10.2.1.7 Radiac (Radioactive detection, indication and computation devices).
  - 10.2.1.8 Infrared.
  - 10.2.1.9 Laser.
  - 10.2.1.10 Meteorological.
  - 10.2.1.11 Magnetic amplifier and detection equipment.
- 10.1.1.12 Wire communication (including telephone, telegraph, teletype; facsimile, interphone, public address, recorders, reproducers).
  - 10.1.1.13 Television.
  - 10.1.1.14 Fiber Optics and associated equipments.



- 10.2.1.15 Equipment for the detection of noise and interference in the radio frequency spectrum.
- 10.2.1.16 Underwater sound radiating and non-radiating equipment including those for listening, ranging, sounding, and object location.
  - 10.2.1.17 Training and instruction equipment for any of the above.
- 10.2.1.18 Equipment auxiliary and accessory to the preceding kinds of equipment.
- 10.2.2 Type designations in this system are applicable to exploratory development, advance development, engineering development, pre-production and production electronic material as defined in MIL-STD-280.

#### 20. REFERENCE DOCUMENTS

- a. United States JCEC Memorandum for Secretary, CAN JCEC (Washington), 20 August 1951, Ref. No. CECM-729-51, subject: Canadian Integration with US "AN" Nomenclature Systems.
- b. Canadian JCEC Memorandum for Secretary, US JCEC, 11 October 1951, Ref. No. CJT 17-10, subject: Nomenclature Integration with US "AN" Nomenclature Systems.
- c. Canadian Department of National Defence Letter is October 1951, Ref. No. ESSC 16-0, subject: "AN" Nomenclature Systems.
- d. Air Standardization Agreements ASCC Air STD 19/1, 29 October 1980.
- e. MIL-STD-280 Definitions of Item Levels, Item Exchangeability, Models and Related Terms.

#### 30. DEFINITIONS

Not Applicable

#### 40. GENERAL REQUIREMENTS

- 40.1 <u>Nomenclature Assignments</u>. Canadian requests for nomenclature are assigned and registered by the Canadian Force Headquarters in conformance with the JETDS policies.
- 40.2 <u>Notification</u>. Canada notifies the United States Department of Defense Control Point (DODCP), for confirmation or assignments. Where a JETDS assignment has previously been made, Canada will use the JETDS assignment and this will also apply in the reverse.
- 40.3 <u>Distribution</u>. Canada transmits to the DODCP copies of the Descriptive details of each Canadian unclassified nomenclature assignment, revision and cancellation action on the Canadian form equivalent of DD Form 61.



- 40.4 <u>Item Identification</u>. The identification of an item once established by Canada or the United States should be perpetuated in any subsequent procurement of the item by either Canada or the United States.
  - 50. Detailed Requirements.
  - 50.1 Modification Letter Assignments.
- 50.1.1 Requests by United States Military Services and agencies for Modification Letter Assignments to Canadian equipment will be coordinated with Canada and assigned from the Canadian register.
- 50.1.2 Requests by Canadian Services for Modification Letter Assignments to United States equipments will be coordinated by the DODCP with the cognizant services or agencies and assigned from the United States register.
  - 50.2 Systems, Subsystems, Centers, Centrals, and Set Numbers.

The block of numbers (500 to 599 and 2500 to 2599) shall be used by Canada in the assignment of equipment numbers for systems, subsystems, centers, cesntrals and sets.

- 50.3 Unit and Group Numbers. The block of nuymbers (5,000 to 5,999 and 25,000 to 25,999) shall be used by Canada in the assignment of equipment numbers for units and groups.
- 50.4 Battery Assignments. Primary "BA" and secondary "BB" battery assignments will be made from the United States register.
- 50.5 <u>Distribution of Technical Data</u>. Canada shall be on the distribution list for unclassified Joint Electronics Type Designation System (JETDS) technical data.
- 50.6 <u>Copies of Technical Data</u>. Canada is furnished the required number of copies of unclassified technical data for distribution within the Canadian Department of National Defence.
- 50.7 <u>Confidential and Secret Equipment.</u> Nomenclature assignments for confidential and secret equipments are made known, but classified descriptive details are provided only upon approval of requests on an individual equipment basis.



#### APPENDIX B

#### AUSTRALIAN PARTICIPATION

#### 10. GENERAL

10.1 Scope. This appendix establishes policy and mandatory procedures covering Australian Department of Defence, Australia participation in the Joint Electronics Type Designation System (JETDS) for use in type designating of communications and electronic material based on international agreements and standards.

## 10.2 Application.

- 10.2.1 Type designations in this system shall be applicable to the following equipment types:
  - 10.2.1.1 Radio (including telemetering, relay and terminal equipment).
  - 10.2.1.2 Radar (including identification and recognition equipment).
- 10.2.1.3 Data processing (including electronic and electromechanical computers).
- 10.2.1.4 Flight control and aids to navigation for aircraft, guided missiles, and space vehicles (including automatic and remote control, automatic pilots and air data computers which may be tied into fire-control equipment, instrument landing equipment, navigation equipment, and data link equipment).
- 10.2.1.5 Weapon control systems (including evaluation and scoring of gun, missile, bomb, and underwater weapon control).
- 10.2.1.6 Electronic countermeasures (including electronic deception and electronic jamming).
  - 10.2.1.7 Radiac (Radioactive detection, indication and computation devices).
  - 10.2.1.8 Infrared.
  - 10.2.1.9 Laser.
  - 10.2.1.10 Meteorological.
  - 10.2.1.11 Magnetic amplifier and detection equipment.
- 10.2.1.12 Wire communication (including telephone, telegraph, teletype, facsimile, interphone, public address, recorders, reproducers).
  - 10.2.1.13 Television.
  - 10.2.1.14 Fiber Optics and associated equipments.



- 10.2.1.15 Equipment for the detection of noise and interference in the radio frequency spectrum.
- 10.2.1.16 Underwater sound radiating and non-radiating equipment including those for listening, ranging, sounding, communication, and object location.
  - 10.2.1.17 Training and instruction equipment for any of the above.
- 10.2.1.18 Equipment auxiliary and accessory to the preceding kinds of equipment.
- 10.2.2 Type designations in this system are applicable to exploratory development, advance development, engineering development, pre-production and production electronic material as defined in MIL-STD-280.

### 20. REFERENCE DOCUMENTS.

- a. Military Communications Electronics Board Memorandum for Secretary, AJCES(W) Ref. No. MCEB-M.30-76 (J-1367 ES), 20 January 1976, Subject: Joint Electronics Type Designation System (JETDS) Proposed Australian Introduction.
- b. Air Standardization Agreement ASCC Air STD 19/1, 29 October 1980.
- c. MIL-STD-280 Definitions of Item Levels, Item Exchangeability, Models.

### 30. DEFINITIONS.

Not applicable.

### 40. GENERAL REQUIREMENTS.

- 40.1 Nomenclature Assignments. Australian requests for nomenclature are assigned and registered by the Department of Defence, Australia.
- 40.2 <u>Notification</u>. Australia notifies the United States Department of Defense Control Point (DODCP), for confirmation or assignments. Where a JETDS assignment has previously been made, the Australians will use the JETDS assignment and this will also apply in the reverse.
- 40.3 <u>Distribution.</u> Australia transmits to the DODCP copies of the descriptive details of each Australian unclassified nomenclature assignment, revision and cancellation action on the Australian form equivalent of DD Form 61.
- 40.4 <u>Item Identification</u>. The identification of an item once established by Australia or the United States should be perpetuated in any subsequent procurement of the item by either Australia or the United States.



# 50. Detailed Requirements.

## 50.1 Modification Letter Assignments.

- 50.1.1 Requests by United States Military Services and agencies for Modification Letter Assignments to Australian equipment will be coordinated with Australia and assigned from the Australian register.
- 50.1.2 Requests by Australian Services for Modification Letter Assignments to United States equipments will be coordinated by the DODCP with the cognizant services or agencies and assigned from the United States register.
  - 50.2 Systems, Subystems, Centers, Centrals, and Set Numbers.

The block of numbers (2000 to 2099) shall be used by Australia in the assignment of equipment numbers for systems, subsystems, centers, centrals and set numbers.

- 50.3 <u>Unit and Group Numbers.1</u> The block of unit numbers (20,000 to 21,999) shall be used by Australia in the assignment of equipment numbers for units and groups.
- 50.4 Battery Assignments. Primary "BA" and secondary "BB" battery assignments will be made from the United States register.
- 50.5 <u>Distribution of Technical Data</u>. Australia shall be on the distribution list for unclassified Joint Electronics Type Designation System (JETDS) technical data on microform.
- 50.6 Copies of Technical Data. Australia is furnished the required number of copies of unclassified technical data for distribution within the Australian Department of National Defence.
- 50.7 Confidential and Secret Equipment. Nomenclature assignments for confidential and secret equipments are made known, but classified descriptive details are provided only upon approval of requests on an individual equipment basis.



### APPENDIX C

#### NEW ZEALAND PARTICIPATION

#### 10. GENERAL

10.1 Scope. This appendix establishes policy and mandatory procedures covering Department of National Defence, New Zealand participation in the Joint Electronics Type Designation System (JETDS) for use in type designating of communications and electronic material based on international agreements and standards.

# 10.2 Application.

- 10.2.1 Type designations in this system shall be applicable to the following equipment types:
  - 10.2.1.1 Radio (including telemetering, relay and terminal equipment).
  - 10.2.1 2 Radar (including identification and recognition equipment).
- 10.2.1.3 Data processing (including electronic and electromechanical computers).
- 10.2.1.4 Flight control and aids to navigation for aircraft, guided missiles, and spare vehicles (including automatic and remote control, automatic pilots and air data computers which may be tied into fire-control equipment, instrument landing equipment, navigation equipment, and data link equipment).
- 10.2.1.5 Weapon control systems (including evaluation and scoring of gun, missile, bomb, and underwater weapon control).
- 10.2.1.6 Electronic countermeasures (including electronic deception and electronic jamming).
  - 10.2.1.7 Radiac (Radioactive detection, indication and computation devices).
  - 10.2.1.8 Infrared.
  - 10.2.1.9 Laser.
  - 10.2.1.10 Meteorological.
  - 10.2.1.11 Magnetic amplifier and detection equipment.
- 10.2.1.12 Wire communication (including telephone, telegraph, teletype, facsimile, interphone, public address, records, reproducers).
  - 10.2.1.13 Television.
  - 10.2.1.14 Fiber Optics and associated equipments.



- 10.2.1.15 Equipment for the detection of noise and interference in the radio frequency spectrum.
- 10.2.1.16 underwater sound radiating and non-radiating equipment including those for listening, ranging, sounding, communication, and object location.
  - 10.2.1.17 Training and instruction equipment for any of the above.
- 10.2.1.18 Equipment auxiliary and accessory to the preceding kinds of equipment.
- 10.2.2 Type designations in this system are applicable to exploratory development, advance development, engineering development, pre-production and production electronic material as defined in MIL-STD-280.

### 20. REFERENCE DOCUMENTS.

- a. Air Standardization Agreement ASCC Air STD 19/1, 20 October 1980.
- b. MIL-STD-280 Definitions of Item Levels, Item Exchangeability, Models and Related Terms.
  - 30. DEFINITIONS.

Not applicable.

- 40. GENERAL REQUIREMENTS.
- 40.1 Nomenclature Assignments. New Zealand requests for nomenclature are assigned and registered by the New Zealand Department of Defence.
- 40.2 <u>Notification.</u> New Zealand notifies the United States Department of Defense Control Point (DODCP), for confirmation or assignments. Where a JETDS assignment has previously been made, New Zealand will use the JETDS assignment and this will also apply in the reverse.
- 40.3 <u>Distribution</u>. New Zealand transmits to the United States DODCP copies of the descriptive details of each New Zealand unclassified nomenclature assignment, revisions and cancellation action on the New Zealand form equivalent of DD Form 61.
- 40.4 Item Identification. The identification of an item once established by New Zealand or the United States should be perpetuated in any subsequent procurement of the item by either New Zealand or the United States.
  - 50. Detailed Requirements.
  - 50.1 Modification Letter Assignments.



- 50.1.1 Requests by United States Military Services and agencies for Modification Letter Assignments to New Zealand equipment will be coordinated with New Zealand and assigned from the New Zealand register.
- 50.1.2 Requests by New Zealand Services for Modification Letter Assignments to United States equipments will be coordinated by the DODCP with the cognizant services or agencies and assigned from the United States register.
  - 50.2 Systems, Subsystems, Centers, Centrals, and Set Numbers.

The block of numbers (2100 to 2199) shall be used by New Zealand in the assignment of equipment numbers for systems, subsystems, centers, centrals and sets.

- 50.3 Unit and Group Numbers. The block of unit numbers (21,000 to 21,999) shall be used by New Zealand in the assignment of equipment numbers for units and groups.
- 50.4 <u>Battery Assignments</u>. Primary "BA" and secondary "BB" battery assignments will be made from the United States register.
- 50.5 <u>Distribution of Technical Data</u>. New Zealand shall be on the distribution list for unclassified Joint Electronics Type Designation System (JETDS) technical data.
- 50.6 <u>Copies of Technical Data.</u> New Zealand is furnished the required number of copies of unclassified technical data for distribution within the New Zealand Department of National Defence.
- 50.7 <u>Confidential and Secret Equipment.</u> Nomenclature assignments for confidential and secret equipments are made known, but classified descriptive details are provided only upon approval of requests on an individual equipment basis.



## APPENDIX D

### UNITED KINGDOM PARTICIPATION

#### 10. GENERAL

10.1 Scope. This appendix establishes policy and mandatory procedures covering United Kingdom participation in the Joint Electronics Type Designation System (JETDS) for use in type designating of communications and electronic material based on international greements and standards.

## 10.2 Application.

- 10.2.1 Type designations in this system shall be applicable to the following equipment types:
  - 10.2.1.1 Radio (including telemetering, relay and terminal equipment).
  - 10.2.1.2 Radar (including identification and recognition equipment).
  - 10.2.1.3 Data processing (including electronic and electromechanical computers).
- 10.2.1.4 Flight control and aids to navigation for aircraft, guided missiles, and spare vehicles (including automatic and remote control, automatic pilots and air data computers which may be tied into fire-control equipment, instrument landing equipment, navigation equipment, and data link equipment).
- 10.2.1.5 Weapon control systems (including evaluation and scoring of gun, missile, bomb, and underwater weapon control).
- 10.2.1.6 Electronic countermeasures (including electronic deception and electronic jamming).
  - 10.2.1.7 Radiac (Radioactive detection, indication and computation devices).
  - 10.2.1.8 Infrared.
  - 10.2.1.9 Laser.
  - 10.2.1.10 Meteorological.
  - 10.2.1.11 Magnetic amplifier and detection equipment.
- 10.2.1.12 Wire communication (including telephone, telegraph, teletype, facsimile, interphone, public address, records, reproducers).
  - 10.2.1.13 Television.
  - 10.2.1.14 Fiber Optics and associated equipments.



- 10.2.1.15 Equipment for the detection of noise and interference in the radio frequency spectrum.
- 10.2.1.16 Underwater sound radiating and non-radiating equipment including those for listening, ranging, sounding, communication, and object location.
  - 10.2.1.17 Training and instruction equipment for any of the above.
- 10.2.1.18 Equipment auxiliary and accessory to the preceding kinds of equipment.
- 10.2.2. Type designations in this system are applicable to exploratory development, advance development, engineering development, pre-production and production electronic material as defined in MIL-STD-280.

## 20. REFERENCE DOCUMENTS.

- a. Air Standardization Agreement ASCC Air STD 19/1, 20 October 1980.
- b. MIL-STD-280 Definitions of Item Levels, Item Exchangeability, Models and Related Terms.

## 30. DEFINITIONS.

Not applicable.

### 40. GENERAL REQUIREMENTS.

- 40.1 Nomenclature Assignments. United Kingdom requests for nomenclature are assigned and registered by the United Kingdom Department of Defence.
- 40.2 Notification. United Kingdom notifies the United States Department of Defense Control Point (DODCP), for confirmation or assignments. Where a JETDS assignment has previously been made, United Kingdom will use the JETDS assignment and this will also apply in the reverse.
- 40.3 <u>Distribution.</u> United Kingdom transmits to the United States DODCP copies of the descriptive details of each United Kingdom unclassified nomenclature assignment revisions and cancellation action on the United Kingdom form equivalent of DD Form 61.
- 40.4 <u>Item Identification</u>. The identification of an item once established by United Kingdom or the United States should be perpetuated in any subsequent procurement of the item by either United Kingdom or the United States.

## 50. Detailed Requirements.

## 50.1 Modification Letter Assignments.

- 50.1.1 Requests by United States Military Services and agencies for Modification Letter Assignments to United Kingdom equipment will be coordinated with United Kingdom and assigned from the United Kingdom register.
- 50.1.2 Requests by United Kingdom Services for Modification Letter Assignments to United States equipments will be coordinated by the DODCP with the cognizant services or agencies and assigned from the United States register.
  - 50.2 Systems, Subsystems, Centers, Centrals, and Set Numbers.

The block of numbers (2200 to 2299) shall be used by United Kingdom in the assignment of equipment numbers for systems, subsystems, centers, centrals and sets.

- 50.3 <u>Unit and Group Numbers</u>. The block of unit numbers (22,000 to 22,999) shall be used by United Kingdom in the assignment of equipment numbers for units and groups.
- 50.4 Battery Assignments. Primary "BA" and secondary "BB" battery assignments will be made from the United States register.
- 50.5 <u>Distribution of Technical Data</u>. United Kingdom shall be on the distribution list for unclassified Joint Electronics Type Designation System (JETDS) technical data.
- 50.6 Copies of Technical Data. United Kingdom is furnished the required number of copies of unclassified technical data for distribution within the United Kingdom Military Services.
- 50.7 Confidential and Secret Equipment. Nomenclature assignments for confidential and secret equipments are made known, but classified descriptive details are provided only upon approval of requests on an individual equipment basis.



#### APPENDIX F

### DATA REQUIREMENTS

When this specification is used in an acquisition which incorporates a DD Form 1423, Contract Data Requirements List (CDRL), the data requirements identified below shall be developed as specified by an approved Data Item Description (DD Form 1664) and delivered in accordance with the approved CDRL incorporated into the contract. When the provisions of DAR 7-104.9 (n) (2) are invoked and the DD Form 1423 is not used, the data specified below shall be delivered by the contractor in accordance with the contract or purchase order requirements. Deliverable data required by this specification is cited in the following paragraph.

Paragraph No. 4.5 Data requirement title Applicable DID No. Request for Nomenclature DI-E-7194

Data Item Descriptions related to this specification, and identified in section - will be approved and listed as such in DOD 5000.19L., Vol, II, AMSEL. Copies of Data Item Descriptions required by the contractors in connection with specific acquisition functions should be obtained from the Naval Publications and Forms Center or as directed by the contracting officer.

#### APPENDIX F

### ADMINISTRATION AND RESPONSIBILITIES

- 10.1 This appendix identifies the mandatory responsibilities relative to administration of The Joint Electronics Type Designation System (JETDS).
- 10.1 Responsibilities of Assigning Activity. The Department of Defense Control Point, Administrator and assigning Activity of this system, other than development indicators (See paragraph 5.15); shall:
- 10.1.2 Administer and continuously refine The JETDS in coordination with The Department Control Points.
- 10.1.3 Assign Type Designations to requests submitted by requesting activities (Exception: See 10.1.4)
- 10.1.4 Confirm and record assignments, revisions and cancellation actions submitted by International participants.
- 10.1.5 Collect, maintain, disseminate unclassified technical data for each assigned, confirmed, revised or cancelled type designation to activities within the Department of Defense justifying a need or unless specifically authorized by The Department of Defense. Requests for classified technical data shall be submitted to the originating activity.
- 10.1.6 Formulate and coordinate procedures and correspondence media for use by activities in requesting assignment of type designations.
- 10.1.7 Investigate, as far as practicable, each request for type designation assignment to avoid duplication and erroneous assignment.
- 10.1.8 Establish and maintain a master file of type designation numbers assigned and descriptive data.
  - 10.1.9 RESERVATIONS FOR TYPE DESIGNATIONS.
  - 10.1.9.1 PREREQUISITE.
- 10.1.9.1.1 Reservations will be limited to military departments and DOD agencies only.
- 10.1.9.1.2 The need for nomenclature shall be an emergency or high priority requirement as determined by the Department Control Point, for which sufficient information is available for an item name and type designation recommendation.
  - 10.1.9.2 PROCEDURE.
- 10.1.9.2.1 The request shall be submitted to the Department of Defense Control Point by teletype or telephone, depending upon urgency of request, citing source request number, item name, type designation and whether development and/or production nomenclature assignment is desired.



- 10.1.9.2.2 When available, a manufacturer's drawing number or part number should always be supply.
- 10.1.9.3 The Department of Defense Control Point shall confirm all reservations by teletype or letter.
- 10.1.9.4 Confirming and supporting documentation (DD Form 61) or notification of disposition, such as cancellation, should be submitted within sixty (60) days after the reservation is obtained. The Department of Defense Control Control Point will initiate correspondence on all outstanding type designation reservation requests when the required confirming data (DD Form 61) has not been received within the allotted time prior to deletion of the reservation from the JETDS Master Register.
- 10.1.10 SECURITY INFORMATION LETTER. Prepare and distribute to current recipients of classified type designation data, a monthly "Security Information Letter" containing regrading instructions for published type designation (nomenclature) cards, previously distributed. The "Security Information Letter" may be used as the authority for regrading existing type designation cards.
- 10.1.11 JETDS INFORMATION LETTER. Prepare and distribute as required, to current recipients of technical data, and other agencies which request and received type designation assignments, a "JETDS Information Letter" covering policy, procedures, and general information.
- 10.2 Responsibilities of Requesting Activities. Activities requesting type designations or reservations covered by this system shall:
- 10.2.2 Recommended assignments, changes, or cancellations of designations assigned under this system, when appropriate, to the Department Control Point for submission to the assigning activity.
- 10.2.3 Determine and assure the technical adequacy and accuracy of all requests submitted for type designation action.

## 19 JANUARY 1985 APPENDIX G

### SUBMISSION OF REQUESTS FOR NOMENCLATURE

- 10. Purpose. This appendix provides the address of The Department of Defense Control Point (DODCP) and Department Control Points (DCP).
- 10.1 Department of Defense Control Point (DODCP). The assigning Activity for all Requests for Type Designation actions submitted by Department Control Points and confirmation of requests submitted by International Participants.

Commander
Headquarters
US Army Communications-Electronics Command and Fort Monmouth
ATTN: DRSEL-MMC-D
Fort Monmouth, N. J. 07703

- 10.2 Submissions for Department Control Points:
- 10.2.1 For Department of The Army:

Same as 10.1

- 10.2.2 For Department of the Navy: As applicable: To Commander, Naval Electronics Systems Command, ATTN: Code 8123, Washington, D. C. 20363 or to Commanding Officer, Naval Air Engineering Center, ATTN: ESSD (Code 9322), Lakehurst, New Jersey 08733, or to Commander, Naval SEA Systems Command, ATTN: Code 62C16, National Center 2, Washington, D. C. 20362
- 10.2.3 For Department of the Air Force: As applicable: Headquarters Aeronautical Systems Division, ATTN: ENES, Wright-Patterson Air Force Base, Ohio 45433 or to Headquarters, Electronics Systems Division (AFSC) ATTN: ESD/ALEC, Hanscom Air Force Base, MA 01731
- 10.2.4 For National Security Agency: Director, National Security Agency, Central Security Service, ATTN: L112, Fort George G. Meade, Maryland 20755
  - 10.2.5 International Participants.
- 10.2.5.1 Canadian Department of National Defence: Director, Logistic Operations, National Defence Headquarters, ATTN: DEMPS 5-2, Ottawa, Ontario, Canada KIA OK2
- 10.2.5.2 Australian Department of National Defence: Director of Standardization, Office of the Chief of Supply, Russell Offices, Canberra, Ausralia 2600
- 10.2.5.3 New Zealand: New Zealand Embassy, New Zealand Defence Staff, Staff Officer (Technical), 37 Observatory Circle NW, Washington, D. C. 20008
  - 10.2.5.4 United Kingdom: To be added later.
- 10.2.6 <u>Submission by Contractors</u>. Contractors will submit requests for type designation actions as directed by procuring activity.



### APPENDIX H

### 10. AIR STANDARDIZATION AGREEMENT

- 10.1 Air Standardization Agreement, AIR STD 19/1, was adopted on 29 October 1980 by the Air Standardization Coordinating Committee (ASCC).
- 10.2 The participating countries have ratified and have been provided subscription to ASCC AIR STD 19/1 as follows:

## RATIFICATION AND SUBSCRIPTION STATUS

NATION	AIR FORCE	NAVY	ARMY
AUSTRALIA	Х	χ	X
CANADA	X	χ	X
NEW ZEALAND	X	X	χ
UNITED KINGDOM	X	X	Χ
UNITED STATES	χ	Х	χ

- X Ratified or Subscribed to.
- R Ratified or Subscribed to with Reservations detailed below.
- N Not Ratified/Not Subscribed to.
- 10.3 MIL-STD-196 is the implementing publication for AIR-STD 19/1 and accordingly the following provision applies:
- 10.3.1 <u>Identification</u> of international standadization agreements on drawings. When a drawing is referenced in a standard which forms a basis for international standardization agreements, the preparing activity of the drawing should be requested to include on the drawing an indication of the international interest, the number of the approved standard in which the drawing is referenced and a note requesting the preparing activity of the drawing to consult with the preparing activity of the standard prior to any revision of the drawing. Drawings referenced in a standard which form the basis for international standardization agreements shall contain the following:

"International Interest: See (Insert document identifier of Standard). Consult the preparing activity prior to any revision."

8. FEDERAL SUPPLY CLASS   9 SYOCK NO. (Shee evelophic)   10. ACTION REQUESTED   AMERICAN   AMERICAN	1. ORIGINATOR & ADDRESS (Inches	e ZIP Code)		REQU	EST FOR I	IGMRNCLA	TURE
8. FEDERAL SUPPLY CLASS   9 SYOCK NO. (Shee evelophic)   10. ACTION REQUESTED   AMERICAN   AMERICAN	Z. YMRU OK YIA (Include ZIP Code)			5. The (Include 21)	Code)	<del></del>	
11. FOR REVISIONS HOTE CHANGE IN	4. DATE OF REQUEST	S. DESCRIPT	ION PER DP NO.	6. SOURCE REQUES	r 40.,	7. SECURIT	Y CLASS OF EQUIP
11. FOR REVISIONS NOTE CHANGE IN TECHNICAL DATA    TYPE OF HOMERCLATURE REQUESTED (Changing and page of the presentation of th	& FEDERAL SUPPLY CLASS	S STOCK NO.	(When evel(ab(a)		·	LATION	C) Assessment
TYPE DESIGNATION   SECURITY CLASS OF THE DATA   PREPRODUCTION ON PRODUCTION IS. RECOMMENDED HOMENCLATURE  TECHNICAL DATA  14. (1) FEDERAL CATALOGING ITEM HAME  15. FUNCTIONAL DESCRIPTION  16. CONTRACT OR ORDER NO.   17. SOVT DRAWING NO.   18. SOVT SPECIFICATION NO.    16. CONTRACT OR ORDER NO.   17. SOVT DRAWING NO.   18. SOVT SPECIFICATION NO.    18. CONTRACT OR ORDER NO.   17. SOVT DRAWING NO.   18. SOVT SPECIFICATION NO.    19. DATE ACTION TAKEN TO (Par use by Comins) Point only)   CAMEEL   REVISE		IN					
18. FUNCTIONAL DESCRIPTION  19. CONTRACT OR ORDER NO.  17. GOVT DRAVING NO.  18. CONTRACT OR ORDER NO.  17. GOVT DRAVING NO.  18. CONTRACT OR ORDER NO.  19. DATE ACTION TAKEN TO (Pur use by Central Point only)  20. PROJECT GROUP  21. DATE ACTION TAKEN TO (Pur use by Central Point only)  22. ANSIGN  23. PROJECT GROUP				l .			
TECHNICAL DATA  14. (1) PEDERAL CATALOGING ITEM NAME  15. FUNCTIONAL DESCRIPTION  16. CONTRACT OR ORDER NO.   17. GOVT DRAVING NO.   18. GOVT SPECIFICATION NO.   19. DATE ACTION TAKEN TO (For use by Central Point entry)   20. PROJECT GROUP			CLASS OF EQUIP	·		٠.	
18. FUNCTIONAL DESCRIPTION  18. FUNCTIONAL DESCRIPTION  19. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO. 19. DATE ACTION TAKEN TO (For use by Control Point and)  19. DATE ACTION TAKEN TO (For use by Control Point and)  19. DATE ACTION TAKEN TO (For use by Control Point and)  19. DATE ACTION TAKEN TO (For use by Control Point and)  19. DATE ACTION TAKEN TO (For use by Control Point and)  19. DATE ACTION TAKEN TO (For use by Control Point and)	19. RECOMMENDED NOMENCLATUR	E		<u> </u>	PREPRODUC	TION OR PRO	- SOLETION
18. FUNCTIONAL DESCRIPTION  18. FUNCTIONAL DESCRIPTION  19. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO. 19. DATE ACTION TAKEN TO (For use by Control Point and)  19. DATE ACTION TAKEN TO (For use by Control Point and)  19. DATE ACTION TAKEN TO (For use by Control Point and)  19. DATE ACTION TAKEN TO (For use by Control Point and)  19. DATE ACTION TAKEN TO (For use by Control Point and)  19. DATE ACTION TAKEN TO (For use by Control Point and)							
19. FUNCTIONAL DESCRIPTION  19. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO. 19. DATE ACTION TAKEN TO (Pow use by Control Point only)  19. DATE ACTION TAKEN TO (Pow use by Control Point only)  19. DATE ACTION TAKEN TO (Pow use by Control Point only)  19. DATE ACTION TAKEN TO (Pow use by Control Point only)  19. DATE ACTION TAKEN TO (Pow use by Control Point only)  19. DATE ACTION TAKEN TO (Pow use by Control Point only)  19. DATE ACTION TAKEN TO (Pow use by Control Point only)		<del></del>	TECHNIC	AL DATA			
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE		em Hame	ı				
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE							
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE							
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE		1		•			
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE	<b>,</b>						
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE							
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE		•					
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE		ı					
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE							
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE							
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE				•			
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE							
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE				•			
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE			•	'			
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE		, ,		Ti:			
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE		*	,				
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE	· 			·			
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE						•	
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '			٠,			•
18. CONTRACT OR ORDER NO. 17. GOVT DRAWING NO. 18. GOVT SPECIFICATION NO.  19. DATE ACTION TAKEN TO (For use by Central Point enly)  Assiss R REVISE	18 PUMPTIONAL SPECIALIZATION						
19. DATE ACTION TAKEN TO (Per use by Central Point enly)  Assiss Revise  Revise	10. PUNCTIONAL DESCRIPTION	•		•			
19. DATE ACTION TAKEN TO (Per use by Central Point enly)  Assiss Revise  Revise	,						
19. DATE ACTION TAKEN TO (Per use by Central Point enly)  Assiss Revise  Revise	·	•		•			
19. DATE ACTION TAKEN TO (Per use by Central Point enly)  Assiss Revise  Revise	,	s.					
19. DATE ACTION TAKEN TO (Per use by Central Point enly)  Assiss Revise  Revise	r r						•
19. DATE ACTION TAKEN TO (Per use by Central Point enly)  Assiss Revise  Revise		•				г	
ASSIGN CANCEL REVISE	18. CONTRACT OR ORDER NO.	17.	GOVT DRAWING N	D	18. GOVT 8	PECIFICATIO	H NO.
	19. DATE ACTION TAKEN TO (For	see by Control !	Point enty)			30. PROJE	ET GROUP
AL PANISHEND AS THIS ITEM IS A BART	Assish		CEL	REVIS	<u> </u>		
SI. EQUIPMENT OF TRICK TRUE IS A CART	21. EQUIPMENT OF WHICH THIS IT	EM IS A PART				- <u>-</u> -	
22. EQUIPMENT WITH WHICH THIS ITEM IS USED	22 PANISHERY WITH THE THE	TEM IS USED		<del></del>		( · ·	<del></del>
SO DESCRIPTION AND LIGHT A SOUR	e. Equipment dita taken take	···	•				

DD, 1984, 61

	THIS SUPPIX LEYTER ASSIGNMENT ON NEW ASSIGNMENT WILL CHECK APPROPRIATE SLOCK. COMPLETE ING SIMILARITIES, OPPERENCES, AND INTERCHANGEABILITY FILL BE STATED IN "OTHER PERTINENT
INFORMATION" BL	OCK BELOW.
- <del>-</del>	ICHANGSABLE, EICEPT BY MAINTENANCE PARTS, WITH (LIST SQUIPMONS) ICHANGSABLE, INCLUDING MAINTENANCE PARTS, WITH (LIST SQUIPMONS)
	iewangeable, including maintenance pants, bith (Lim squames)  Changeable with (List squames)
BRIGLAR TO	(List epiperals) . BUT NOT [ ELECTRICALLY, [ MECHANICALLY,
T PUNCTIONA	LLY, INTERCHANCEABLE (Check appropriate block or blocks and specify differences,
1	
	•
4. ОТИВЯ РЕПТИВИТ	INFORMATION (List any additional information not covered by the above questions concerning America, application,
Coeffe apricie car.	or similarity to other equipment, rocean for revision, autostivitability of or by other equipments, description of the which would sid to the continuent of namenalature to this request.)
ţ	
·	
S. INITIATED BY (Nee	, Thie & Telephono Estendary St. SIGNATURE
•	
· .	FOR USE BY NOMEHCLATURE CONTROL POINT ONLY
27. AUTHORIZED HOME	
D. AUTHORIZED BY (N	me, Title & Telephone Extension) 29. SIGNATURE
,	
	·
1	
i	
•	
	FIGURE 1. (cont)

RIGHATOR & ADDRESS (Include	21P Code)	REQUEST FOR HOMENCLATURE
THRU OR VIA (Include 21P Cate)		3. TOL (Include EIP Code)
DATE OF REQUEST	S. DESCRIPTION PER DP NO.	6. SOURCE REQUEST NO. 7. SECURITY CLASS OF EQUIP UNCLASSIFIED
February 1979 FEDERAL SUPPLY CLASS	FIGURE 1  • STOCK NO. (When evaluable)  FILL IN	10. ACTION REQUESTED  REVISION CAMCELLATION X ASSISTMENT
FILL IN  FOR REVISIONS NOTE CHANGE  ITEM NAME  TYPE DESIGNATION		12. TYPE OF HOMENCLATURE REQUESTED (Chock and)
SECURITY CLASS OF	TECH DATA	T PREPRODUCTION OR PRODUCTION
RECOMMENDED NOMENCLATURE RANSPONDER SET AN/APM		
MANSFUNDER SET ANTALI	TECHNI	VOLT SEALED, RECHARGEABLE
24.95 and 2. PEAK POWER 3. PULSE WIDTOUSEC 4. PRF UP TO 5. RESPONSE I COMMUTATED PULSE POSI USEC SPACI B. RECEIVER DATA 1. FREQUENCY AND 25.2 G 2. SENSITIVIT	RISTICS TA TUNABLE BETWEEN 25.05 GHZ OUTPUT 150 W. MIN. H .25 USEC. + .05  5000 PPS S BY 6 CODES DOUBLE OR TRIPLE TIONS WITHIN 12 NG TUNABLE BETWEEN 24.8 HZ Y - 37 DBM OR BETTER	BATTERY CELLS, INCORPORATED AS AN INTEGRAL PART OF THE TRANSPONDER COVER.  3. OPERATING POWER REQUIREMENTS A. DC B. 24 TO 32 VOLTS C. PROVISIONS FOR INTERNAL BATTERIES  4. OVERALL DIMENSIONS AND WEIGHT A. 10.50 IN. L BY 6.50 IN. W BY 5.15 IN. H B. 16.3 LBS  5. MOUNTING DATA A. MOUNTED TO HELICOPTER SKID STRUTS BY TWO LUG AND CLIP SUPPORT T-BOLT LATCH CLAMPS
4. INTERROGAT TO 1.0 USE C. POWER SUPPLY [	IPUT SIGNAL + 20 DBM TION PULSE WIDTH 9.2 EC DATA 7 14 IN-SERIES TWO	6. MATERIEL - N/A
SROUND TRACKING RADAR	PROVIDES ENHANCED RE BY RECEIVING, AMPL	ETURN SIGNALS FROM LOW FLYING HELICOPTERS TO IFYING, AND TRANSMITTING A CODED REPLY E. GROUND CLUTTER INHERENT TO LOW ALTITUDE EPLY PULSE ALLOWS DESENSITIZING OF TRACKING
	17. GOVT DRAWIN	G NO. 18. GOVT SPECIFICATION NO.
16. CONTRACT OR ORDER NO. DAABO7-79-C-1234	SC-D-1234	0.1T.12276
19. DATE ACTION TAKEN TO	For use by Cantrol Point enly)	FILL IN
21. EQUIPMENT OF WHICH THE	SITEM IS A PART	(IE ADDITORDIE)
•	FILL IN	(IF APPLICABLE)
22. EQUIPMENT WITH WHICH T	FILL IN	(IF APPLICABLE)

THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF	THE VARIANT INTO THE CHECK APPROPRIATE ELOCIC COMPLETE
DETAILS CONCERNING SIMILARITIES, DIFFERENCES, AND	N NEW ASSIGNMENT WILL CHECK APPROPRIATE SLOCK. COMPLETE D INTERCHANGEABILITY WILL BE STATED IN "OTHER PERTINENT
IMPORMATION" BLOCK BELOW.  I TWO WAY INTERCHANGEABLE, EXCEPT BY MAINYEN.	a are d' d'autre. With ( <i>l'élet éculements</i> )
TWO WAY INTERCHANGEABLE, INCLUDING MAINTENA	
ONE WAY INTERCHANGEABLE WITH (List optionals)	
	of equipments) BUT NOT 🔯 BLECTRICALLY, 🥅 MECHANICALLY,
PUNCTIONALLY, INTERCHANGEABLE (Chock appro	
	are different. Coded replies are different
AN/PPN- designed for portable man pack,	AN/APN- designed for helicopter skid
strut mounting.	
	mection not servered by the above questions concerning function, application,
purpose, relationship or citalizatly to other squipment, recess it theign abonds, etc., which would aid in the societyment of same	or reviolen, substitutability of or by other equipments, description of the encluture to this request.)
23. INITIATED BY (Home, Tillo & Telephone Extension)	26. SIGNATURE
FILL IN	FILL IN
	·
FOR USE BY HOMENCE.  7. AUTHORIZED HOMENCLATURE	LATURE CONTROL POINT ONLY
WI HE HANDED HE SENERAL SHE	
M. AUTHORIZED BY (Name, Title & Telephone Extension)	29. SIGNATURE
	,
7. Complement Data	9. Design Activity Data
A. l ea	A. Motorola Inc., GED
B. Receiver-Transmitter, radar	B. Scottsdale, AZ
C. N/A	C. Code No. 94990
D. RT- APN- (M-79-4)	D. Part No. 000XX
A 1.00	
A. lea	10. Manufacturer's Data (Same as design
B. C. N/A	activity data)
D. (M-79-5)	1) Contunctanto data /Carra da daggior
J. (m=73=3)	11. Contractor's data (Same as design
A. 1 ea	activity data)
B. Antenna	12. For airborne (Helicopter) use.
C. N/A	it. Tot all bothe (her teopter) use.
D. (See Block 24)	
8. Special Features - N/A	
5. epo-tat / 5a5a1.55	į.
o. epot at yourself in the	
n, n	

FIGURE 2 (cont)

1. ORIGINATOR & ADDRESS (Include SIP Code) Black Electronics Corporation 107 Sourth Street Rome, N. Y. 60154		REQUEST FOR NOMENCLATURE			
T. YHRU OR VIA (Include ZIP Co.	de) ·	Command and Fort ATTN: AMSEL-MMC- Fort Monmouth, N	. 0. 07703-3000		
4. DATE OF REQUEST	Figure 2	4. SOURCE REQUEST NO.	7. SECURITY CLASS OF EQUIP UNCLASSIFIED		
2. FEDERAL SUPPLY CLASS	8 STOCK NO. (Then eveliable)	10. ACTION REQUESTED	MCELLATION TX ASSIGNMENT		
11. FOR REVISIONS HOTE CHANG	EE IN	GREVIMON GA	MCELLATION X ASSIGNMENT		
TTEM HAME	TECHNICAL DATA	12. TYPE OF HOMENCLATU	RE REQUESTED (Check com)		
TYPE DESIGNATION	ECURITY CLASS OF EQUIP	- EXPERIME	NTAL OR DEVELOPMENTAL		
SECURITY CLASS C		PREPR	SOUCTION OR PRODUCTION		
DATA TRANSMISSION SYS		·			
	TECHNI	CAL DATA	,		
14. (1) FEDERAL CATALOGING	DMAN MBTI	5. Special Featur	es - N/A		
4. Complement Data A. 1 ea B. Data Transmis C. N/A D. AN/ASQ-143(V A. 1-2 ea B. Receiver-Tran C. N/A D. AN/ARQ-32(V) A. 1 ea B. Receiver-Pro C. N/A D. AN/USQ-50(V)	ns and Weight - N/A ssion Set ) (BEC-8) nsmitter Set, Radio (BEC-12) cessor Central	B. Erie, Penn C. Code No. 1 D. p/n 305374  8. Contractors Da A. Blank Elec B. Rome, N. Y C. Code No. 9 D. Dwg No. 45  9. Designed for S Airborne Use.	System Command , D. C. 0003 100  Data; Electronics Div sylvania 23987 3-000  ta tronics Corporation 8157 679310-000 Shipboard, Ground and		
camera and photograp	hic information thru a raft to a surface cent	microwave transmissi ral either by direct	on system from a link or thru airborne		
16. CONTRACT OR ORDER HO. DAAB05-69-C-0007	17. GOVT DRAVING	HO. 16. 0	OVT SPECIFICATION NO.		
19. DATE ACTION TAKEN TO (	For use by Control Point only)	,	20. PROJECT GROUP		
ASSIGN 21. EQUIPMENT OF WHICH THU	CANCEL	REVISE	AIR-53344		
21. EQUIPMENT OF WHICH THU	PUISE TO A PART	,			
22. EQUIPMENT WITH WHICH T	HIS ITEM IS USED				

DD. 7984.61



25. INITIATOR REQUESTING SUPPLE LETTER ASSIGNMENT OF HE DETAILS CONCERNING SIMILARITIES, DIFFERENCES, AND INTIMPORMATION BLOCK BELOW.	W ASSIGNMENT WILL CHECK APPROPRIATE BLOCK. COMPLETE FERCHANGEABILITY WILL BE STATED IN "OTHER PERTINENT
TWO WAY INTERCHANGEABLE, EXCEPT BY MAINTENANCE	L PARTS, WITH (List equipments)
TWO WAY INTERCHANGEABLE, INCLUDING MAINTENANCE	PARTS, MITH (List equipments)
OHE WAY INTERCHANGEABLE WITH (List equipments)	
MINICAR TO(List eq	pulphorula) BUT NOT [ BLECTRICALLY, [ MEGHANICALLY,
FUNCTIONALLY, INTERCHANGEABLE (Chock appropriate	
,	
·	
24. OTHER PERTINENT INFORMATION (List any additional information purpose, relationship or similarity to other equipment, reason for se-	in not covered by the above questions concerning function, application,
dealer charge, etc., which would sid in the analyzment of nemencies	there to this request.)
	,
	,*
	1
	,
29. INITIATED BY (Name, Thie & Telephone Extension)	26, SIGNATURE
•	
JOHN DOE, Project Engr X5432	/s/ JOHN DOE
	URE CONTROL POINT ONLY
87. AUTHORIZED HOMENCLATURE	
M. AUTHORIZED BY (Name, Title & Telephone Extension)	29. SIGNAVEER
•	<u> </u>
	<u> </u>
,	
•	
•	•
	·
	· ·
	·
·	
•	
ETOHDE O /	OF A MARIARIE ACCIONMENT
FIGURE 3. (contd) EXAMPLE	OF A VARIABLE ASSIGNMENT

ORIGINATOR & ADDRESS (Inc	chale EIP Code)	
RADC/TODPN	,	REQUEST FOR HOMENCLATURE
Griffiss AFB, N. Y.	. 13440	
, THRU OR VIA (Include 21P Co	ede)	Commander 21 Code)  HO, US Army Communications-Electronics Command Angle Fort Monmouth Fort Monmouth, N. J. 07703-5006
DATE OF REQUEST	S. DESCRIPTION PER DP NO. N/A	Source request no.     WL-71-C-1863      WL-72-C-1863      WL-71-C-1863      WL-71-C-1863      WL-71-C-1863
FEDERAL SUPPLY CLASS	8 STOCK HO. (When evaluate)	10. ACTION REQUESTED  REVISION CAMCELLATION ASSIGNMENT
. FOR REVISIONS NOTE CHAN	NGE IN	
	TECHNICAL DATA	12. TYPE OF HOMENCLATURE REQUESTED (Check and)
TYPE DESIGNATION	•	EXPERIMENTAL OR DEVELOPMENTAL
SECURITY CLASS.  RECOMMENDED NOMENCLA		PREPRODUCTION OR PRODUCTION
DEMULTIPLEXER GROUP A		·
		CAL DATA
4.	4 100M MAME	
III FEDERAL VALACOUNT	I ITAM Promo	1
	· · · · · · · · · · · · · · · · · · ·	
	be cancelled in accorda	hce with MIL-STD-196,
paragraph 1.7.1.		Į.
-		
•		1
•		
		1
		ł.
		<b>!</b>
		1
		1
		1
		1
15. FUNCTIONAL DESCRIPTIO	DN /	
10: F Wire 1 (400)	~	
		NO. 18. GOYT SPECIFICATION NO.
16. CONTRACT OR ORDER NO.	D. 17. GOVT DRAWING	407L/L. Doubleday
19. DATE ACTION TAKEN TO	(Per use by Central Point enly)	20. PROJECT GROUP
Assien	CANCEL	- REVISE
21. EQUIPMENT OF WHICH TH		
	, <del>,_</del>	
22, EQUIPMENT WITH WHICH	THE ITEM IS USED	

DD. 7944,61

REPLACES PREVIOUS EDITIONS OF THIS FORM, WHICH ARE OSSOLETE.

AS. INITIATOR REQUESTING SUPPIX LETTER ASSIGNMENT ON HE DETAILS CONCERNING SIMILARITIES, DIFFERENCES, AND INT	W ASSIGNMENT WILL CHECK APPROPRIATE BLOCK. COMPLETE FERCHANGEABILITY WILL BE STATED IN "OTHER PERTINENT
INFORMATION" BLOCK BELOW.	
TWO WAY INTERCHANGEABLE, EXCEPT BY MAINTENANCE	·
TWO WAY INTERCHANGEABLE, INCLUDING MAINTENANCE ONE WAY INTERCHANGEABLE WITH (List optimists)	PARTS, WITH (Also squares or of
· · · · · · · · · · · · · · · · · · ·	puppers ) BUT NOT [ ELECTRICALLY, MECHANICALLY,
FUNCTIONALLY, INTERCHANGEABLE (Check appropriate	•
24. OTHER PERTIMENT INFORMATION (List my additional informatic purpose, relationship or similarity to other equipment, reason for reducing alongs, etc., which would aid in the configurant of numerical decign change, etc., which would aid in the configurant of numerical decign change, etc., which would aid in the configurant of numerical decign.	violen, exhatitutability of or by other equipments, description of the
25. INITIATED BY (Name, Thie & Telephone Extension)	26, SIGNATURE
JAMES SMITH, Electr Tech X-3142	/s/ JAMES SMITH
	TURE CONTROL POINT ONLY
27. AUTHORIZED NOMENCLATURE	
M. AUTHORIZED BY (Name, Title & Telephone Extension)	129. SIGNATURE
an agriculture of firming and a composition of the	
	•

1. ORIGINATOR & ADDRESS (Include 21P Code) Bland Electronics Corporation 107 Sourth Street Rome, New York 60154		REQUEST FOR MOMENCLATURE		
RADC/TDDPN Griffiss AFB, N. Y.		Commander HO, US Army Communications-Electronics Command and Fort Monmouth AMSE - MM - D Fort Monmouth N J 07703-5006		
4. DATE OF REQUEST 15 April 1971	FIGURE 2	6. SOURCE REQUEST NO. 7. SECURITY CLASS OF EQUIP UNCLASSIFIED		
8. FEDERAL SUPPLY CLASS	9 STOCK NO. (When evel(chie)	10. ACTION REQUESTED  XX REVISION CANCELLATION ASSISTMENT		
11. FOR REVISIONS NOTE CHANG	E IM			
TYPE DESIGNATION	TECHNICAL DATA  BECURITY CLASS OF EQUIP	12. TYPE OF NOMENCLATURE REQUESTED (Check and)  EXPERIMENTAL OR DEVELOPMENTAL		
SECURITY CLASS O	•	PREPRODUCTION OR PRODUCTION		
FREQUENCY MIXER GROUP				
		AL DATA		
14. (1) FEDERAL CATALOGING !	TEW MAME	A. lea		
3. Overall Dimension 4. Complement Data A. 1 ea B. Cooler, Air, C. N/A D. HD-578/FSM A. 1 ea B. Control-India C. N/A D. C-4307/FSM A. 1 ea B. Distribution C. N/A D. J-2615/FPM-2 A. 1 ea B. Generator, S	Box 7 ignal	B. Mixer Stage, Frequency C. N/A D. CV-2115/FPM-27 A. 1 ea B. Mixer Stage, Frequency C. N/A D. CV-2054/FPM-27 A. 1 ea B. Mixer Stage, Frequency C. N/A D. CV-2080/FPM-27 A. 1 ea B. Mixer Stage, Frequency C. N/A D. CV-2081/FPM-27 A. 1 ea B. Power Stage, Frequency C. N/A D. CV-2081/FPM-27 A. 1 ea B. Power Supply C. N/A D. PP-3548/FSM  5. Special Features - N/A		
D. Part No C	onics Corporation 9561-001	(cont'd)		
18. PUNCTIONAL DESCRIPTION Provides frequency m	ixing which converts s	imulated target inputs into test signals.		
16. CONTRACT OR ORDER NO.	17. GOVT DRAWING	IO. 18. GOVT SPECIFICATION NO.		
AF19(628)-4848	or use by Cantrel Point enly)	3 - 30. PROJECT GROUP		
AssisM	CANCEL	☐ REVISE		
21. EQUIPMENT OF WHICH THIS	IYEN IS A PART			
23. EQUIPMENT WITH WHICH THE AN/FTM-27	B ITEM IS USED	· · · · · · · · · · · · · · · · · · ·		

DD. 2084.61

Revised to add Distribution Box J-2615/FPM-27 in order to provide distribution facilities for target simulation signals to be emitted for maintenance purposes by the Simulator Control C-8206/FPS. All OA-7855/FPM-27 are being retrofitted to include this item.  INITIATED BY (News, This & Tologham Estimates)  POR USE BY NOMENCLATURE CONTROL POINT ONLY  AUTHORIZED NOMENCLATURE  AUTHORIZED BY (News, Title & Tologham Estimates)  E. SIGNATURE  13. SIGNATURE  15. SIGNATURE  16. Design Activity Data  A. Blank Electronics Corporation B. Rome, N. Y. C. Code No. 98157 D. Part No. 6348172-001  7. Manufacturer's Data (Same as Design Activity Data)  8. Contractor's Data (Same as Design Activity Data)  9. Designed for Fixed Installation.		VIAYON REQUESTING SUPPLY LEYVER ALSIGNMENT ON NEW ASSIGNMENT VILL CHECK APPROPRIATE SLOCK. COMPLETE
Decign of Williams   Control   C-8206/FPS. All OA-7855/FPM-27 are being retrofitted to include this item.    Decign of Williams   Control   C-8206/FPS. All OA-7855/FPM-27 are being retrofitted to include this item.    Decign Activity Data	INF	'ORMATION" BLOCK BELGW.
DOTAGE PARTIMENT INFORMATION (Line my addrthmal information and converted by the obsers quantities consented havelen, contract, intermediate (Cheen appropriate blook or blooks and quantities consented havelen, qualitation, contract, intermediate or bedefining to edite appropriate blooks or blooks and quantities consented havelen, qualitation, contracting, distribution and the contractive of the address of the contractive of		
OTHER PERTINENT INFORMATION (List my additional information are contend by the above quadratic consenting function, application, propose, ordalization, description of the additional of the add		ONE WAY INTERCHANGEADLE WITH (List equipments)
OTHER PERTINENT INFORMATION (List my additional information and surround by the above quantum common defection, additional information, additional information and additional information, additional information and additional additional information and additional i		
Revised to add Distribution Box J-2615/FPM-27 in order to provide distribution facilities for target simulation signals to be emitted for maintenance purposes by the Simulator Control C-8206/FPS. All OA-7855/FPM-27 are being retrofitted to include this item.  INITIATED BY (News, This & Tologham Extension)  POR USE BY HOMENCLATURE CONTROL POINT ONLY  AUTHORIZED BY (News, This & Tologham Extension)  EX. SIGNATURE  (cont'd) 6. Design Activity Data A. Blank Electronics Corporation B. Rome, N. Y. C. Code No. 98157 D. Part No. 6348172-001 7. Manufacturer's Data (Same as Design Activity Data) 8. Contractor's Data (Same as Design Activity Data) 9. Designed for Fixed Installation.	'	CO FORECT ON ALLEY, IN THE HANGE ABLE (CINCAL Appellate along at about all about attaches)
Revised to add Distribution Box J-2615/FPM-27 in order to provide distribution facilities for target simulation signals to be emitted for maintenance purposes by the Simulator Control C-8206/FPS. All OA-7855/FPM-27 are being retrofitted to include this item.  INITIATED BY (News, This & Tologham Extension)  POR USE BY HOMENCLATURE CONTROL POINT ONLY  AUTHORIZED BY (News, This & Tologham Extension)  EX. SIGNATURE  (cont'd) 6. Design Activity Data A. Blank Electronics Corporation B. Rome, N. Y. C. Code No. 98157 D. Part No. 6348172-001 7. Manufacturer's Data (Same as Design Activity Data) 8. Contractor's Data (Same as Design Activity Data) 9. Designed for Fixed Installation.	•	
Revised to add Distribution Box J-2615/FPM-27 in order to provide distribution facilities for target simulation signals to be emitted for maintenance purposes by the Simulator Control C-8206/FPS. All OA-7855/FPM-27 are being retrofitted to include this item.  INITIATED BY (News, This & Tologham Extension)  POR USE BY HOMENCLATURE CONTROL POINT ONLY  AUTHORIZED BY (News, This & Tologham Extension)  EX. SIGNATURE  (cont'd) 6. Design Activity Data A. Blank Electronics Corporation B. Rome, N. Y. C. Code No. 98157 D. Part No. 6348172-001 7. Manufacturer's Data (Same as Design Activity Data) 8. Contractor's Data (Same as Design Activity Data) 9. Designed for Fixed Installation.		· · · · · · · · · · · · · · · · · · ·
Revised to add Distribution Box J-2615/FPM-27 in order to provide distribution facilities for target simulation signals to be emitted for maintenance purposes by the Simulator Control C-8206/FPS. All OA-7855/FPM-27 are being retrofitted to include this item.  INITIATED BY (None, This & Th		
Revised to add Distribution Box J-2615/FPM-27 in order to provide distribution facilities for target simulation signals to be emitted for maintenance purposes by the Simulator Control C-8206/FPS. All OA-7855/FPM-27 are being retrofitted to include this item.  INITIATED BY (No. 7 THIS & TANGED EXTENSION)  FOR USE BY NOMENCLATURE CONTROL POINT ONLY  AUTHORIZED BY (No. 7 THIS & TANGED EXTENSION)  E. SIGNATURE  (cont'd)  6. Design Activity Data A. Blank Electronics Corporation B. Rome, N. Y. C. Code No. 98157 D. Part No. 6348172-001  7. Manufacturer's Data (Same as Design Activity Data)  8. Contractor's Data (Same as Design Activity Data)  9. Designed for Fixed Installation.		
Revised to add Distribution Box J-2615/FPM-27 in order to provide distribution facilities for target simulation signals to be emitted for maintenance purposes by the Simulator Control C-8206/FPS. All 0A-7855/FPM-27 are being retrofitted to include this item.  HHYIATED BY (Now., This a Thinghow Example)  FOR USE BY HOMENCLATURE  FOR USE BY HOMENCLATURE CONTROL POINT ONLY  AUTHORIZED BY (Now., Tido & Tricola Example)  [25. SIGNATURE]  (cont'd)  6. Design Activity Data  A. Blank Electronics Corporation  B. Rome, N. Y.  C. Code No. 98157  D. Part No. 6348172-001  7. Manufacturer's Data (Same as Design Activity Data)  8. Contractor's Data (Same as Design Activity Data)  9. Designed for Fixed Installation.		ER PERTINENT INFORMATION (List my additional information not severed by the above questions concerning function, application,
facilities for target simulation signals to be emitted for maintenance purposes by the Simulator Control C-8206/FPS. All OA-7855/FPM-27 are being retrofitted to include this item.  IMITIATED BY (None, Thio & Thiopher Extended)  FOR USE BY MOMENCLATURE CONTROL POINT ONLY  AUTHORIZED BY (None, Title & Telephere Extended)  Ex. SIGNATURE  (cont'd)  6. Design Activity Data  A. Blank Electronics Corporation  B. Rome, N. Y.  C. Code No. 98157  D. Part No. 6348172-001  7. Manufacturer's Data (Same as Design Activity Data)  8. Contractor's Data (Same as Design Activity Data)  9. Designed for Fixed Installation.	شعط	in change, etc., which would aid in the accignment of numericiature to this request.)
(cont'd) 6. Design Activity Data A. Blank Electronics Corporation B. Rome, N. Y. C. Code No. 98157 D. Part No. 6348172-001  7. Manufacturer's Data (Same as Design Activity Data)  8. Contractor's Data (Same as Design Activity Data)  9. Designed for Fixed Installation.	fac the	cilities for target simulation signals to be emitted for maintenance purposes by estimulator Control C-8206/FPS. All OA-7855/FPM-27 are being retrofitted to
(cont'd) 6. Design Activity Data A. Blank Electronics Corporation B. Rome, N. Y. C. Code No. 98157 D. Part No. 6348172-001  7. Manufacturer's Data (Same as Design Activity Data)  8. Contractor's Data (Same as Design Activity Data)  9. Designed for Fixed Installation.		
(cont'd) 6. Design Activity Data A. Blank Electronics Corporation B. Rome, N. Y. C. Code No. 98157 D. Part No. 6348172-001  7. Manufacturer's Data (Same as Design Activity Data)  8. Contractor's Data (Same as Design Activity Data)  9. Designed for Fixed Installation.		
(cont'd) 6. Design Activity Data A. Blank Electronics Corporation B. Rome, N. Y. C. Code No. 98157 D. Part No. 6348172-001 7. Manufacturer's Data (Same as Design Activity Data) 8. Contractor's Data (Same as Design Activity Data) 9. Designed for Fixed Installation.		
(cont'd) 6. Design Activity Data A. Blank Electronics Corporation B. Rome, N. Y. C. Code No. 98157 D. Part No. 6348172-001 7. Manufacturer's Data (Same as Design Activity Data) 8. Contractor's Data (Same as Design Activity Data) 9. Designed for Fixed Installation.	IMIT	(ATED BY (Name, Title & Trientens Extension)
(cont'd) 6. Design Activity Data A. Blank Electronics Corporation B. Rome, N. Y. C. Code No. 98157 D. Part No. 6348172-001 7. Manufacturer's Data (Same as Design Activity Data) 8. Contractor's Data (Same as Design Activity Data) 9. Designed for Fixed Installation.		· · · · · · · · · · · · · · · · · · ·
(cont'd) 6. Design Activity Data A. Blank Electronics Corporation B. Rome, N. Y. C. Code No. 98157 D. Part No. 6348172-001 7. Manufacturer's Data (Same as Design Activity Data) 8. Contractor's Data (Same as Design Activity Data) 9. Designed for Fixed Installation.		FOR USE BY MOMENCI ATURE CONTROL BOINT ONLY
(cont'd) 6. Design Activity Data A. Blank Electronics Corporation B. Rome, N. Y. C. Code No. 98157 D. Part No. 6348172-001 7. Manufacturer's Data (Same as Design Activity Data) 8. Contractor's Data (Same as Design Activity Data) 9. Designed for Fixed Installation.	AUT	
<ul> <li>6. Design Activity Data <ul> <li>A. Blank Electronics Corporation</li> <li>B. Rome, N. Y.</li> <li>C. Code No. 98157</li> <li>D. Part No. 6348172-001</li> </ul> </li> <li>7. Manufacturer's Data (Same as Design Activity Data)</li> <li>8. Contractor's Data (Same as Design Activity Data)</li> <li>9. Designed for Fixed Installation.</li> </ul>	. AUT	HORIZED BY (Name, Title & Telephone Extension)   29. SIGNATURE
<ul> <li>6. Design Activity Data <ul> <li>A. Blank Electronics Corporation</li> <li>B. Rome, N. Y.</li> <li>C. Code No. 98157</li> <li>D. Part No. 6348172-001</li> </ul> </li> <li>7. Manufacturer's Data (Same as Design Activity Data)</li> <li>8. Contractor's Data (Same as Design Activity Data)</li> <li>9. Designed for Fixed Installation.</li> </ul>		
<ul> <li>6. Design Activity Data <ul> <li>A. Blank Electronics Corporation</li> <li>B. Rome, N. Y.</li> <li>C. Code No. 98157</li> <li>D. Part No. 6348172-001</li> </ul> </li> <li>7. Manufacturer's Data (Same as Design Activity Data)</li> <li>8. Contractor's Data (Same as Design Activity Data)</li> <li>9. Designed for Fixed Installation.</li> </ul>		
<ol> <li>Contractor's Data (Same as Design Activity Data)</li> <li>Designed for Fixed Installation.</li> </ol>	(co	Design Activity Data A. Blank Electronics Corporation B. Rome, N. Y. C. Code No. 98157
9. Designed for Fixed Installation.	7.	Manufacturer's Data (Same as Design Activity Data)
	8.	Contractor's Data (Same as Design Activity Data)
	9.	Designed for Fixed Installation.
FIGURE 5 ( ' ) EVANOUS OF A DEVICE ON		
FIGURE 5 ( C. M.) EVANOUS OF A DEVICE ON		
FIGURE 5 ( ' w. ) EVANDUS OF A DEVICE ON		
FIGURE 5 ( ) WAY EVANOUS OF A DEVICE ON		
FIGURE F. (12 mg) EVANDS F. OF A DEVICE ON		
FIGURE D. (CONT) EXAMPLE OF A REVISION		FIGURE 5. (cont) EXAMPLE OF A REVISION

MIL\_STD\_196D

4950/TZDT Wright-Patterson AFB, OH 45433		REQUEST FOR HOMENCLATURE		
YHRU GR VIA (Include ZIP Code)		Port Monthotta		
DATE OF REQUEST	6. DESCRIPTION PER DP NO. N/A	e. source request No. AEL-71-R-100	7. SECURITY CLASS OF EQU UNCLASSIFIED	
FEDERAL SUPPLY CLASS	9 STOCK NO. (When evallable)	10. ACTION REQUESTED	<u> </u>	
FOR REVISIONS NOTE CHANGE	18t	. □ □ □ ·	CANCELLATION ASSISTMENT	
TITEM NAME	TECHNICAL DATA	12. TYPE OF HOMENCLAT	FURE REQUESTED (Check and)	
TYPE DESIGNATION	SECURITY CLASS OF EQUIP		MENTAL OR DEVELOPMENTAL	
RECOMMENDED NOMENCLATUR		PREF	PRODUCTION OR PRODUCTION	
RECEIVER-TRANSMITTER.		٧)	•	
ME OF THE THE ME		CAL DATA		
(I) PEDERAL CATALOGING IT	The MANK	1		
Request the security the technical data as Shipments No. (filled Agency)  DD Form 61, Source Re changed from CON to UNCLASSIFIED  All other information	shown on Card in by Departmental quest No. AEL-67-87 FIDENTIAL IV			
. FUNCTIONAL DESCRIPTION				
. CONTRACT OR ORDER NO.	17. GOVT DRAWING	NO. 18.	GOVT SPECIFICATION NO.	
DATE ACTION TAKEN TO (P	ruse by Cantrol Point enly)		a - 20. PROJECT GROUP	
ASSIGN 1. EQUIPMENT OF WHICH THIS I	CANCEL	REVISE		
1. EQUIPMENT OF THICH THE !	ISE IO A TAR!			

FIGURE 6. EXAMPLE OF A SECURITY CLASSIFICATION CHANGE OF DATA

DD. 7954.61

23. INITIATOR REQUESTING SUPPLY LETTER ASSIGNMENT ON NEW ASSIGNMENT WILL CHECK APPROPRIATE BLOCK. COMPLETE					
DETAILS CONCERNING SIMILARITIES, DIFFERENCES, AND INTERCHANGEABILITY WILL BE STATED IN "OTHER PERTINENT INFORMATION" BLOCK BELOW.					
TWO WAY INTERCHANGEABLE, EXCEPT BY MAINTENANCE PARTS, WITH (List equipments) TWO WAY INTERCHANGEABLE, INCLUDING MAINTENANCE PARTS, WITH (List equipments)					
					OHE WAY INTERCHANGEABLE WITH (LIST equipments)
	ogujumania) — BUT HOT [ ] ELECTRICALLY, [] MECHANICALLY.				
FUNCTIONALLY, INTERCHANGEABLE (Check appropri	ate block or blocks and aposity differences,				
•					
·					
	·				
purpose, relationship or similarity to other equipment, recomming	tion not covered by the above questions concerning function, application, revision, auditivitability of or by other against m/s, description of the				
design change, etc., which would aid in the analysement of nameno					
•					
	·				
	•				
25. INITIATED BY (Name, This & Telephone Extension)	26. BIGNATURE				
JOS. BROWN, Project Engr X51562	/a/ J. Brown				
FOR USE BY NOMENCLA	TURE CONTROL POINT ONLY				
27. AUTHORIZED HOMENCLATURE					
M. AUTHORIZED BY (Neme, Title & Telephone Entenelan)	29. SIGNATURE				
	1				
	···				
	·				
	'				
	·				
	,				
	·				
	•				
· ·					
FIGURE 6 (cont) EXAMPLE OF A	SECURITY CLASSIFICATION CHANGE OF DATA				



Bank Electronics Corpo	• EIP Cede)	· · · · · · · · · · · · · · · · · · ·				
107 South Street		REQUEST FOR HOMENCLATURE				
Rome, New York 60154		To Manual 712 Code)	·			
Z. TREU OR VIA (Include 21P Code)		Command Army Communications-Electronics Command and Fort Monmouth ATTN: AMSEL-MMC-D				
4. DATE OF REQUEST 15 April 1971	8. DESCRIPTION PER DP NO. Figure 1	6. SOURCE REQUEST NO.	7. SECURITY CLASS OF EQUIP UNCLASSIFIED			
8. FEDERAL SUPPLY CLASS	9 STOCK NO. (When evel(eb(e)	10. ACTION REQUESTED	ELLATION ASSISTMENT			
11. FOR REVISIONS NOTE CHANGE			OCCUPATION (These and			
	TECHNICAL DATA	12. TYPE OF NOMENCLATURE	AL OR DEVELOPMENTAL			
TYPE DESIGNATION	SECURITY CLASS OF EQUIP	_	UCTION OR PRODUCTION			
SECURITY CLASS OF	RE					
TRANSPONDER SET AN/PI						
	TECHNIC	AL DATA	,			
2. Technical Character A. Transmitting 137 to 143 From 1 Coded Chann B. Receiving Date 142 to 148 MH C. AM Type of Side D. 10W Power Out Operating Power RA. DC B. 6 or 18 Volts C. includes proves battery  4. Overall Dimension S. Mounting Data - Material - N/A	Data: equency Range el a z Freq Range gnal put eqmts; isions for internal	C. N/A D. RT-100A/FRQ-2 A. 1 ea B. Antenna C. N/A D. AS-200/FRQ-2 A. 1 ea B. Modulator, To C. N/A D. MD-616/FRQ-2  8. Special Features A. Contains provemote indicator  9. Design Activity A. Blank Electr B. Rome, N. Y. C. Code No. 981	ransponder Set 1 visions for use iwth Data onics Corporation			
18. FUNCTIONAL DESCRIPTION Operates as a ground-based beacon in conjunction with an Airborne amplitude comparison monopulse system. It receives a pulse from the airborne interrogator, analyzes the validity of the incoming pulse and transmits a reply pulse to the airborne receiver for determination of ranges and bearing. With modulator, transmits and receives voice communications.						
16. CONTRACT OR ORDER NO. AF08(635)-5520	17. GOVT DRAWING		T SPECIFICATION NO.			
19. DATE ACTION TAKEN TO (P		S ⊞ REVISE	APGC (DRE)			
ASSIGN 21. EQUIPMENT OF WHICH THIS	CANCEL	☐ XEADE	AI do (vie)			
Interrogator Set AN/ARQ-40						
22. EQUIPMENT WITH WHICH TH	IS ITEM IS USED					

DETAILS CONCERNING SIMILARITIES, DIFFERENCES, AN	· ·	
INFORMATION" BLOCK SELOW.  TWO WAY INTERCHANGEAGLE, EXCEPT BY MAINTEN	war aansa mitu <i>lijat <b>sadimisti</b>s</i> )	
TWO WAY INTERCHANGEAGLE, EXCEPT BY MAINTEN		
ONE WAY INTERCHANGEABLE WITH (List equipments)	AN/PRQ-21	
MINILAR TO	List squipments) — BUT NOT [ BLECTRICALLY, [ MECHANIC	GALL Y.
FUNCTIONALLY, INTERCHANGEABLE (Chock opposite	reprinte block or blocks and openity withware.	,
,		
The RT-100A/PRQ-21 has an extended tran	nsmit and receive Frequency range of 2 MHz	,
over the RT-100/PRQ-21		
	•	,
The state of the s	formation not assured by the above questions associated function, app	- I test ton
manada, relationship or similarity to other equipment, resear.	t for toricien, aubstitutability of or by other equipments, assertption of	l the
design change, etc., which would aid to the designment of non		
	•	
		,
	•	
This & Paleshone Estension)	26. SIGNATURE	
JOHN DOE Project Engr X-5432	SS. SIGNATURE /s/ JOHN DOE	<del></del>
JOHN DOE Project Engr X-5432	/s/ JOHN DOE	
JOHN DOE Project Engr X-5432		
JOHN DOE Project Engr X-5432  FOR USE BY NOMENO  AUTHORIZED NOMENCLATURE	/s/ JOHN DOE	
JOHN DOE Project Engr X-5432  FOR USE BY HOMEN	/s/ JOHN DOE	
JOHN DOE Project Engr X-5432  FOR USE BY NOMENO  AUTHORIZED NOMENCLATURE	/s/ JOHN DOE	
JOHN DOE Project Engr X-5432  FOR USE BY HOMEN  AUTHORIZED HOMENCLATURE  AUTHORIZED BY (Name, Title & Telephone Extension) ,>	/s/ JOHN DOE	
JOHN DOE Project Engr X-5432  FOR USE BY HOMEN  AUTHORIZED HOMENCLATURE  . AUTHORIZED BY (Name, Title & Tolophine Extension) >  (cont'd)	/S/ JOHN DOE	
JOHN DOE Project Engr X-5432  FOR USE BY HOMEN  AUTHORIZED HOMENCLATURE  AUTHORIZED BY (Name, Title & Telephone Extension) ,>	/S/ JOHN DOE	
JOHN DOE Project Engr X-5432  FOR USE BY HOMEN  AUTHORIZED HOMENCLATURE  . AUTHORIZED BY (Name, Title & Tolophine Extension) >  (cont'd)	/s/ JOHN DOE  ICLATURE CONTROL POINT ONLY  39. SIGNATURE  gn Activity Data)	
JOHN DOE Project Engr X-5432  FOR USE BY HOMENO  AUTHORIZED HOMENCLATURE  (cont'd) 10. Manufacturer's Data (same as Design  11. Contractor's Data (Same as Design	/s/ JOHN DOE  ICLATURE CONTROL POINT ONLY  39. SIGNATURE  gn Activity Data)	
JOHN DOE Project Engr X-5432  FOR USE BY HOMENO  AUTHORIZED HOMENCLATURE  (cont'd)  10. Manufacturer's Data (same as Design	/s/ JOHN DOE  ICLATURE CONTROL POINT ONLY  39. SIGNATURE  gn Activity Data)	
JOHN DOE Project Engr X-5432  FOR USE BY HOMENO  AUTHORIZED HOMENCLATURE  (cont'd) 10. Manufacturer's Data (same as Design  11. Contractor's Data (Same as Design	/s/ JOHN DOE  ICLATURE CONTROL POINT ONLY  39. SIGNATURE  gn Activity Data)	
JOHN DOE Project Engr X-5432  FOR USE BY HOMENO  AUTHORIZED HOMENCLATURE  (cont'd) 10. Manufacturer's Data (same as Design  11. Contractor's Data (Same as Design	/s/ JOHN DOE  ICLATURE CONTROL POINT ONLY  39. SIGNATURE  gn Activity Data)	
JOHN DOE Project Engr X-5432  FOR USE BY HOMENO  AUTHORIZED HOMENCLATURE  (cont'd) 10. Manufacturer's Data (same as Design  11. Contractor's Data (Same as Design	/s/ JOHN DOE  ICLATURE CONTROL POINT ONLY  39. SIGNATURE  gn Activity Data)	
JOHN DOE Project Engr X-5432  FOR USE BY HOMENO  AUTHORIZED HOMENCLATURE  (cont'd) 10. Manufacturer's Data (same as Design  11. Contractor's Data (Same as Design	/s/ JOHN DOE  ICLATURE CONTROL POINT ONLY  39. SIGNATURE  gn Activity Data)	
JOHN DOE Project Engr X-5432  FOR USE BY HOMENO  AUTHORIZED HOMENCLATURE  (cont'd) 10. Manufacturer's Data (same as Design  11. Contractor's Data (Same as Design	/s/ JOHN DOE  ICLATURE CONTROL POINT ONLY  39. SIGNATURE  gn Activity Data)	
JOHN DOE Project Engr X-5432  FOR USE BY HOMENO  AUTHORIZED HOMENCLATURE  (cont'd) 10. Manufacturer's Data (same as Design  11. Contractor's Data (Same as Design	/s/ JOHN DOE  ICLATURE CONTROL POINT ONLY  39. SIGNATURE  gn Activity Data)	
JOHN DOE Project Engr X-5432  FOR USE BY HOMENO  AUTHORIZED HOMENCLATURE  (cont'd) 10. Manufacturer's Data (same as Design  11. Contractor's Data (Same as Design	/s/ JOHN DOE  ICLATURE CONTROL POINT ONLY  39. SIGNATURE  gn Activity Data)	
JOHN DOE Project Engr X-5432  FOR USE BY HOMENO  AUTHORIZED HOMENCLATURE  (cont'd) 10. Manufacturer's Data (same as Design  11. Contractor's Data (Same as Design	/s/ JOHN DOE  ICLATURE CONTROL POINT ONLY  39. SIGNATURE  gn Activity Data)	

STA	NDARDIZATION DOCUMEN \(\) (See Instructions		MENT PROPOSAL	. '	
1. DOCUMENT NUMBER	2. DOCUMENT TITLE				
MIL-STD-196D	Joint Electronics Ty	pe Designat	ion System	, ,	
3a. NAME OF SUBMITTING ORGA	NAME OF SUBMITTING ORGANIZATION 4. TYPE OF		4. TYPE OF ORGANIZ	OF ORGANIZATION (Mark one)	
A ADDRESS (Phys.) City City City City		USER			
b. ADDRESS (Street, City, State, ZIP Code)		MANUFACTURER  OTHER (Specify):			
5. PROBLEM AREAS					
a. Paragraph Number and Wording	:				
		٠			
b. Recommended Wording:					
c. Resson/Rationals for Recomme	ndstion:				
				·	
, REMARKS					
	,	-			
				•	
. NAME OF SUBMITTER (Last, Fire		,	b. WORK TELEPHONE Code) Optional	NUMBER (Include Area	
MAILING ADDRESS (Street, City, State, ZIP Code) - Optional		8. DATE OF SUBMISSIO	N (YYMMDD)		



INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge (DO NOT STAPLE), and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 12062 WASH.

WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander

US Army Communications-Electronics Command

ATTN: AMSEL-MMC-D

Fort Monmouth, NJ 07703-5016

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

Production of the last of the

Year of the Parish

Contract of the second of the second

A Property of the same of the same of the

Service Street Service

The second second

The second second