

221

Copy
RM L53L28a

~~CONFIDENTIAL~~

NACA RM L53L28a

59 36 75



RESEARCH MEMORANDUM

LTS 17

PRESSURES AND ASSOCIATED AERODYNAMIC AND LOAD
CHARACTERISTICS FOR TWO BODIES OF
REVOLUTION AT TRANSONIC SPEEDS

By Harold L. Robinson

Langley Aeronautical Laboratory

Langley Field, Va.

*Langley Tech Rep Announced 2/11/51
(CHANGE)*

By

28 Jan 51

JFK

GRADE OF OFFICER WRITING (CHANGE)

4 Apr 61

This material contains neither recommendations nor conclusions of the National Aeronautics and Space Administration. It does not necessarily reflect any opinion of the National Aeronautics and Space Administration on the matter or questions involved. Its distribution outside the United States is controlled by law.

NATIONAL ADVISORY COMMITTEE
FOR AERONAUTICS

WASHINGTON

March 11, 1954

~~CONFIDENTIAL~~



0144270

1Y

NACA RM 153L28a

~~CONFIDENTIAL~~

NATIONAL ADVISORY COMMITTEE FOR AERONAUTICS

RESEARCH MEMORANDUM

PRESSURES AND ASSOCIATED AERODYNAMIC AND LOAD
CHARACTERISTICS FOR TWO BODIES OF
REVOLUTION AT TRANSONIC SPEEDS

By Harold L. Robinson

SUMMARY

Analysis of the results obtained from a transonic wind-tunnel investigation of two bodies of revolution having the same nose shape, one incorporating a cylindrical afterbody and the other incorporating a curved afterbody, indicated that the pressures over the forward portions of the bodies were the same, whereas, the induced velocities over the rearward portions of the curved body were greater than those over the cylindrical body. However, the cross-section normal loads were greater over the rearward portions of the cylindrical body. Variation of the aerodynamic characteristics with Mach number was rather small for both bodies. The cylindrical body exhibits better stability characteristics than the curved body. The theory of NACA Rep. 1048 regarding the aerodynamic characteristics of the bodies is in fair agreement with the results of this paper.

INTRODUCTION

A detailed study of the pressures and resulting forces for a body of revolution, designated "curved body" in this report, at transonic speeds has been presented in reference 1.

The present tests were undertaken in order to provide aerodynamic load data for a body of revolution having an ogive nose and cylindrical afterbody and to compare the aerodynamic characteristics of this body with the body of reference 1 at transonic speeds. The body used in the present test is designated "cylindrical body" herein. A comparison of various theoretical aerodynamic parameters with experimental values is included.

The tests reported herein were made for a Mach number range from 0.6 to 1.13 and an angle-of-attack range from 0° to 20° . The Reynolds number

~~CONFIDENTIAL~~

[Handwritten signature]

range corresponding to the Mach number range varied from 3.3×10^6 to 3.9×10^6 per foot of length.

SYMBOLS

A_p	plan-form area of body
C_{M_F}	pitching-moment coefficient around the nose, based on maximum body cross-sectional area and body length
C_{N_F}	normal-force coefficient, based on maximum body cross-sectional area
c_{d_C}	section drag coefficient of an infinite cylinder
c_n	transverse section normal-force coefficient, $\frac{N_t}{qD d(x)}$
c_{nn}	meridian load coefficient, $\frac{N_n}{qLR_{max} d(\theta)}$
D	diameter of body at any station
L	length of body
M	Mach number
N_n	elemental force on meridian body section of width $R d(\theta)$ (force vector is normal to body axis and makes an angle θ with vertical plane of symmetry)
N_t	elemental force on transverse body section of length $d(x)$ (force vector is normal to horizontal plane of symmetry)
P	pressure coefficient
Q	volume of body
q	dynamic pressure
R	radius of body at any station
S_b	base area of body

NACA RM L53L28a

~~CONFIDENTIAL~~

3

x distance from nose of model, positive rearward
x_m moment center
x_p centroid of body plan-form area
x_{cp} center-of-pressure location
y distance from vertical plane of symmetry
α angle of attack
η ratio of the drag coefficient of a finite cylinder to the
section drag coefficient of an infinite cylinder at
α = 90°
θ meridian station, 0° at top

Subscripts:

max maximum value
L lower surface
U upper surface

APPARATUS AND METHODS

Tunnel

All the data discussed herein were obtained from tests conducted in the Langley 8-foot transonic tunnel. At present, this tunnel has a dodecagonal slotted test section and is capable of continuously variable operation through the speed range up to a Mach number of 1.14. A test section used previously in this tunnel did not incorporate slots, but had a closed throat. All the data for the cylindrical body and most of the data for the curved body were obtained from tests in the slotted test section. A small portion of the data for the curved body was obtained from tests in the closed-throat test section.

Tunnel-wall-interference corrections were not applied to the data obtained from tests in the slotted test section because choking and blockage effects are negligible, especially for the small ratio of model to tunnel size of the present tests. Effects of wall-reflected disturbances have been reduced by offsetting the model from the tunnel center line.

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

NACA RM L53L28a

Bodies

A drawing of the two bodies is presented in figure 1. The cylindrical body has the same dimensions as body D of reference 2. The curved body is the same body as that used in references 1 and 3 and is similar to, but slightly longer than, body A of reference 2. Both the curved and cylindrical bodies have the same dimensions forward of the 20-inch body station.

Each of the models was instrumented with six rows of orifices spaced along meridians of the body. Each row contained 20 or more orifices. The relative size of the stings employed to support the model in the tunnel is indicated in figure 1.

Measurements

Pressure.-- The pressures existing on the surface of the cylindrical body were measured by connecting the orifices to a multitubed manometer. In order to determine the forces on the model, these pressures were integrated as discussed in the section of this report entitled "Presentation of Results." The pressure data and associated aerodynamic parameters for the curved body were obtained from references 1 and 3.

The repeatability of the pressure data presented herein as affected by the pressure measurements, angle of attack, orifice size and location, and other factors may be judged from figure 2. The largest errors occur near the nose where they are as large as $\Delta P = \pm 0.015$. The accuracy is much better over the remainder of the body. The average error, as determined from the data presented in figure 2, is $\Delta P = \pm 0.005$.

Angle of attack.-- The angle of attack for the cylindrical body was measured by an electrical strain-gage pendulum device mounted internally near the base of the support sting. Sting and model deflections occurring ahead of this point, due to forces and moments acting on the model, were determined from static tests. These corrections were applied to the angles of attack, although the maximum deflections occurring during the investigation were approximately 0.1° . The angles of attack were also corrected for the approximately 0.1° upflow existing in the Langley 8-foot transonic tunnel. The absolute accuracy of the angle-of-attack measurements is estimated to be within 0.1° .

~~CONFIDENTIAL~~

PRESENTATION OF RESULTS

Pressure Coefficients

All the pressures measured for the cylindrical body are presented in table 1. The longitudinal distribution of pressure coefficients for the cylindrical body at 0° angle of attack is presented in figure 3. Also shown in this figure is the pressure distribution for the curved body from references 1 and 3. The longitudinal distribution of pressure coefficient at the other angles of attack are presented in figure 4 at three Mach numbers (approximately 0.8, 1.00, and 1.13).

Normal Force and Pitching Moment

A comparison of the normal-force and pitching-moment coefficients for the two bodies is presented in figures 5 and 6, respectively. All the data for the curved body were obtained from reference 1. In order to compare the pitching-moment characteristics of the two bodies, the moment coefficients were taken about the nose of the bodies.

The integral equation used to compute the normal-force coefficients for the cylindrical body was

$$C_{N_F} = - \frac{8L}{D_{max}} \int_0^{0.5} \cos \theta \left[\int_0^1 P \frac{D}{D_{max}} d\left(\frac{x}{L}\right) d\left(\frac{\theta}{2\pi}\right) \right]$$

and that used to compute the pitching-moment coefficient was

$$C_{M_F} = \frac{8L}{D_{max}} \int_0^{0.5} \cos \theta \left[\int_0^1 P \frac{D}{D_{max}} \left(\frac{x}{L} \right) d\left(\frac{x}{L}\right) d\left(\frac{\theta}{2\pi}\right) \right]$$

The coefficients presented at $\alpha = 20^\circ$ could have been lowered as much as 25 percent of the value shown by changing the fairings of the graphical integrations. However, the data presented for the cylindrical body agree with the strain-gage data presented in reference 2. The fairing choice does not exist at $\alpha \leq 8^\circ$ but this margin increases with angle of attack as the angle is increased from 8°.

The theoretical values of normal-force and pitching-moment coefficient shown in figures 5 and 6 were computed by the method described in reference 4. The equations for these coefficients may be written as follows:

$$C_{NF} = \frac{8S_b}{\pi D_{max}^2} \alpha + 4\eta c_d c \frac{A_p}{\pi D_{max}^2} \alpha^2$$

$$C_{MF} = \frac{8}{\pi D_{max}^2} \left(\frac{Q}{L} - S_b \right) \alpha - 4\eta c_d c \frac{A_p}{\pi D_{max}^2} \left(\frac{x_p}{L} \right) \alpha^2$$

The values of η and $c_d c$ used in the calculations for the cylindrical body were 0.7 and 1.2 and were chosen from reference 5 and references 6 and 7, respectively. The plan-form area A_p , the body volume Q , and the location of the centroid of the body plan-form area x_p were determined from graphical integrations of suitable geometric parameters.

Center of Pressure

A comparison of the center-of-pressure locations for the two bodies is presented in figure 7. The data for the cylindrical body were computed from the normal-force and pitching-moment coefficients of figures 5 and 6. The center-of-pressure data for the curved body were obtained from reference 1.

Detailed Aerodynamic Loads

The meridian normal-load distribution is presented for three Mach numbers (0.80, 1.00, and 1.13) through the angle-of-attack range in figure 8. This coefficient c_{nn} is defined in such a manner that the load perpendicular to the fuselage center line on a stringer section $Rd(\theta)$ wide is $c_{nn}qLR_{max} d(\theta)$. Accordingly, c_{nn} is computed from the graphical integration along a body meridian as follows:

$$c_{nn} = - \int_0^1 \frac{D}{D_{max}} P d\left(\frac{x}{L}\right)$$

The longitudinal distribution of body cross-section normal loads at $M = 1.00$ is presented in figure 9. The pressure data were computed by a graphical integration

$$c_n = \int_0^1 (P_L - P_U) d\left(\frac{y}{R}\right)$$

NACA RM L53L28a

~~CONFIDENTIAL~~

7

The theoretical values of $c_n \frac{D}{D_{max}}$ were computed by the method of reference 4. The equation for a body of revolution may be written as follows:

$$c_n = \pi \left(\frac{dD}{dx} \right) \alpha + \eta c_d c_a^2$$

DISCUSSION OF RESULTS

Pressure Distribution

The pressures over the nose of both bodies, forward of the 20-inch station, are very similar to each other through the range investigated (figs. 3 and 4). Some of the differences observed near the tip of the nose are due to slight differences in the body shape at the apex. In general, the pressures over the rearward portions of the curved body are lower than those over the rearward portions of the cylindrical body. The typically characteristic rearward movement of the shock location with Mach number increases may be observed in figure 3. At $M = 0.99$ the shock is located at approximately the 20-inch body station of the cylindrical body, whereas at $M = 1.03$ the shock has moved to the 37-inch body station.

The compressions shown for the cylindrical body in figure 3 at $M = 1.08$ and 1.10 at approximately the 30- and 34-inch stations, respectively, are probably due to the bow wave reflected from the tunnel wall and would not be evidenced in free flight. The expansions seen at the rear of the cylindrical body are caused by the air turning around the corner.

Normal-Force Characteristics

As shown in figure 5, the cylindrical body develops greater normal force at a given angle of attack and Mach number than the curved body. The change in normal-force coefficient with Mach number is insignificant at the lower angles of attack, but there is a small increase in normal-force coefficient with Mach number at the higher angles of attack.

The prediction of the normal-force coefficients by the method of reference 4 is rather accurate at the lower angles of attack. In general, the measured values fall well below the theoretical values at the higher angles of attack. As mentioned previously, alternative fairings permissible for the integrations would result in even lower values for the measured data. The cross-flow Mach number is less than 0.4 at the highest

~~CONFIDENTIAL~~

stream Mach number and at an angle of attack of 20°. Accordingly, the values of c_{d_c} are constant. Therefore, the theory does not predict the variation of normal force with Mach number shown by the measurements.

Pitching-Moment and Center-of-Pressure Characteristics

Examination of the pitching-moment data (fig. 6) indicates that the curved body exhibits either neutral or slightly unstable characteristics for the center of gravity at the nose or unstable characteristics for more rearward locations of the center of gravity. The cylindrical body exhibited more stable characteristics inasmuch as the center of pressure is located behind the 12-inch station for all conditions. It is also noted that the variation of the center-of-pressure location with Mach number is irregular and small (fig. 7).

The agreement of the measured pitching-moment coefficient with the theory is similar to that found for the normal-force coefficients. In general, when the normal-force coefficients are overpredicted, the negative pitching-moment coefficients are also overpredicted. Examination of the equations for C_{N_F} and C_{M_F} , given in the section entitled "Presentation of Results," indicates that the probable cause for the disagreement noted between the measured and predicted coefficients is associated with the values selected for η and c_{d_c} . Had lower values of c_{d_c} and η been used the agreement would have been better.

Detailed Load Characteristics

The maximum meridian load is developed at approximately the 105° meridian (fig. 8). It is observed that the loads do not vary appreciably with Mach number.

Examination of figure 9 indicates that although the cross-section normal loads over the forward portions of both bodies are similar, the loads over the rear portion of the cylindrical body are greater than those for the curved body. This is the reason that the pitching-moment characteristics of the cylindrical body are more stable than those for the curved body. The differences observed between the normal-force and pitching-moment characteristics for the two bodies are not caused by the added length of the cylindrical body.

Comparisons of the measured and theoretical values of cross-section normal-load coefficient indicate that the theory is in fair agreement with the measured values at angles of attack below 12°. The theoretical values show the same agreement at the forward and rearward portions of the cylindrical body. It is concluded that the errors between theory

and measurement for the cylindrical body at the higher angles of attack are due to the inadequacy of available data for selecting η and c_{d_c} . The disagreement between the theory and the measurements at the rearward end of the curved body may be due to sting interference. It should be noted that, at angles of attack above 12° , integration of the curves of figure 9 does not give as large a value for C_{N_F} as those plotted in figure 5. The data presented for the cylindrical body in figure 9 have been faired consistently with the data of reference 1, whereas the data of figure 5 agree with the strain-gage data of reference 2.

CONCLUSIONS

Analysis of the results obtained from a transonic wind-tunnel investigation of two bodies of revolution, one incorporating a cylindrical afterbody, the other incorporating a curved afterbody, indicates:

1. The pressures over the nose of both bodies are very similar although higher induced velocities exist over the rearward portions of the curved body; however, the cross-section normal-force coefficient is greater over the rearward portions of the cylindrical body.
2. At a given Mach number and angle of attack, the normal-force coefficient for the cylindrical body is greater than that for the curved body.
3. The center-of-pressure location was more rearward for the cylindrical body than for the curved body. Consequently, the cylindrical body exhibited more desirable stability characteristics.
4. The variation of normal-force and pitching-moment coefficients with Mach number is rather small, especially at the lower angles of attack.
5. The maximum meridian load for the cylindrical body occurs at approximately the 105° meridian.
6. The theoretical normal-force and pitching-moment characteristics of both bodies are in fair agreement with the results of this investigation.

Langley Aeronomical Laboratory,
National Advisory Committee for Aeronautics,
Langley Field, Va., December 9, 1953.

~~CONFIDENTIAL~~

NACA RM L53L28a

REFERENCES

1. Estabrooks, Bruce B.: An Analysis of the Pressure Distribution Measured on a Body of Revolution at Transonic Speeds in the Slotted Test Section of the Langley 8-Foot Transonic Tunnel. NACA RM L52D21a, 1952.
2. Loving, Donald L., and Wornom, Dewey E.: Transonic Wind-Tunnel Investigation of the Interference Between a 45° Sweptback Wing and a Systematic Series of Four Bodies. NACA RM L52J01, 1952.
3. Loving, Donald L., and Williams, Claude V.: Basic Pressure Measurements on a Fuselage and a 45° Sweptback Wing-Fuselage Combination at Transonic Speeds in the Slotted Test Section of the Langley 8-Foot High-Speed Tunnel. NACA RM L51F05, 1951.
4. Allen, H. Julian, and Perkins, Edward W.: A Study of Effects of Viscosity on Flow Over Slender Inclined Bodies of Revolution. NACA Rep. 1048, 1951. (Supersedes NACA TN 2044.)
5. Fluid Motion Panel of the Aeronautical Research Committee and Others: Modern Developments in Fluid Dynamics. Vol. I, S. Goldstein, ed., The Clarendon Press (Oxford), 1938, pp. 425, 439.
6. Lindsey, W. F.: Drag of Cylinders of Simple Shapes. NACA Rep. 619, 1938.
7. Stack, John: Compressibility Effects in Aeronautical Engineering. NACA ACR, Aug. 1941.

~~CONFIDENTIAL~~

TABLE I
 PRESSURE DATA, CYLINDRICAL BODY

(a) $K = 0.60$

x, in.	Pressure coefficients at row -																	
	$\alpha = 20^\circ$						$\alpha = 15^\circ$						$\alpha = 12^\circ$					
	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$
0.50	-0.053						-0.002						0.027					
1.50	-0.052	-0.269	-0.304	-0.221	0.078	0.126	-0.053	-0.158	-0.187	-0.100	0.109	0.300	-0.051	-0.059	-0.054	-0.063	0.113	0.235
2.50	-0.057	-0.263	-0.304	-0.221	0.078	0.126	-0.051	-0.158	-0.187	-0.100	0.109	0.300	-0.056	-0.057	-0.057	-0.071	0.054	
3.50	-0.070	-0.161	-0.342	-0.268	.009		-0.058	-0.141	-0.218	-0.141	.041		-0.046	-0.077	-0.127	-0.071		
4.50	-0.074						-0.050						-0.031					
5.50	-0.055	-0.155	-0.334	-0.298	-0.059	.159	-0.055	-0.141	-0.228	-0.179	-0.007	.173	-0.059	-0.106	-0.140	-0.105	.012	.121
6.50																		
8.50	-0.058	-0.142	-0.326	-0.300	-0.053	.156	-0.049	-0.126	-0.230	-0.190	-0.052	.145	-0.043	-0.105	-0.146	-0.110	-0.005	.092
10.50	-0.058	-0.138	-0.308	-0.304	-0.053	.151	-0.040	-0.112	-0.224	-0.203	-0.051	.121	-0.042	-0.095	-0.147	-0.121	-0.022	.086
12.50	-0.058	-0.150	-0.288	-0.305	-0.053	.146	-0.056	-0.105	-0.209	-0.202	-0.056	.105	-0.054	-0.080	-0.139	-0.121	-0.052	.089
14.50	-0.046	-0.124	-0.292	-0.308	-0.056	.124	-0.059	-0.096	-0.198	-0.211	-0.079	.079	-0.028	-0.075	-0.140	-0.151	-0.045	.094
15.50	-0.047	-0.118	-0.236	-0.303	-0.113	.125	-0.056	-0.087	-0.176	-0.211	-0.066	.077	-0.020	-0.065	-0.129	-0.150	-0.049	.094
17.17	-0.059						-0.027						-0.017					
18.17	-0.058	-0.103	-0.191	-0.294	-0.115	.127	-0.057	-0.077	-0.156	-0.205	-0.088	.070	-0.016	-0.056	-0.118	-0.124	-0.050	.099
19.17	-0.046						-0.027						-0.005					
20.17	-0.058	-0.099	-0.167	-0.283	-0.106	.132	-0.056	-0.072	-0.156	-0.194	-0.082	.076	-0.011	-0.044	-0.104	-0.114	-0.044	.088
21.17	-0.056	-0.110	-0.172	-0.282	-0.100	.132	-0.052	-0.074	-0.141	-0.189	-0.075	.072	-0.006	-0.041	-0.111	-0.110	-0.052	
22.17	-0.050	-0.094	-0.184	-0.286	-0.097	.156	-0.058	-0.065	-0.152	-0.161	-0.073	.080	-0.006	-0.038	-0.096	-0.102	-0.056	.093
23.17	-0.045	-0.119	-0.260	-0.296	-0.096	.156	-0.054	-0.067	-0.117	-0.174	-0.068	.084	-0.004	-0.035	-0.095	-0.101	-0.052	
24.17	-0.027	-0.091		-0.203	-0.092	.159	-0.022	-0.057		-0.188	-0.055	.080	-0.005	-0.034		-0.099	-0.048	.094
25.17	-0.059				-0.055	.155	-0.059			-0.168	-0.067		-0.008		-0.079	-0.100	-0.058	
26.17	-0.088						-0.053			-0.160			-0.078		-0.051		-0.053	.052
27.17	-0.025	-0.119	-0.254				-0.019		-0.103	-0.157	-0.053		-0.009		-0.058		-0.040	
28.17	-0.026	-0.087	-0.107	-0.263			-0.018	-0.051	-0.078	-0.167			-0.078	-0.011	-0.032		-0.056	.054
29.17	-0.054				-0.251		-0.081			-0.162			-0.012		-0.058			
30.17	-0.053	-0.078		-0.24	-0.081	.140	-0.018	-0.065		-0.158	-0.058	.082	-0.010	-0.048	-0.059	-0.045	.055	
31.17	-0.056				-0.102	.141	-0.059			-0.168	-0.059		-0.007		-0.053		-0.043	
32.17	-0.043	-0.077	-0.101	-0.261	-0.095	.158	-0.039	-0.044	-0.050	-0.149	-0.060	.060	-0.012	-0.029	-0.055	-0.046	.056	
33.17	-0.045						-0.039			-0.140			-0.010		-0.046			
34.17	-0.047	-0.073	-0.096	-0.239	-0.092	.146	-0.018	-0.036	-0.060	-0.143	-0.061	.082	-0.007	-0.027	-0.055	-0.041	-0.046	.058
35.17	-0.055						-0.018			-0.148			-0.007		-0.048	-0.057	-0.059	.061
36.17	-0.060	-0.072	-0.095	-0.259	-0.092	.158	-0.015	-0.037	-0.056	-0.141	-0.052	.086	-0.005	-0.028	-0.057	-0.055	-0.044	
37.17	-0.067						-0.024			-0.147			-0.007		-0.047			
38.17	-0.075	-0.077	-0.097	-0.243	-0.107	.166	-0.030	-0.040	-0.057	-0.147	-0.055	.058	-0.010	-0.034	-0.065	-0.104	-0.057	.058
38.69	-0.093						-0.046						-0.023					
38.90	-0.118						-0.065						-0.041					
39.15	-0.181	-0.123	-0.128	-0.268	-0.210	-0.014	-0.131	-0.063	-0.086	-0.187	-0.160	-0.056	-0.102	-0.072	-0.101	-0.162	-0.138	-0.072
x, in.	$\alpha = 5^\circ$						$\alpha = 4^\circ$						$\alpha = 0^\circ$					
	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$
	0.50	0.075					0.115						0.175					
1.50	.011						.040						.087					
2.50	-.004	-0.029	-0.031	0.054	0.105	0.176	.021	0.023	0.042	0.059	0.091	0.114	.049					
3.50	-.010						.007						.033					
4.50	-.003	-0.011	-0.019	-0.012	.032		.012	-0.011	-0.005	-0.014	.041	.053	.015					
5.50	-.029						.022						.001					
6.50	-.039	-0.058	-0.067	-0.043	.013	.076	.036	-0.089	-0.033	.004	.031	.031	.016					
8.50	-.054	-0.057	-0.073	-0.052	.005	.096	.059	-0.043	-0.059	-0.024	.005	.012	.016					
10.50	-.053	-0.058	-0.073	-0.052	.013	.094	.059	-0.046	-0.053	-0.020	.012	.005	.027					
12.50	-.065	-0.045	-0.072	-0.058	.019	.094	.058	-0.042	-0.051	-0.019	.012	.018	.029					
14.50	-.064	-0.067	-0.074	-0.070	.028	.080	.059	-0.045	-0.067	-0.024	.016	.017	.034					
15.50	-.034	-0.057	-0.061	-0.068	.022	.081	.051	-0.049	-0.051	-0.018	.026	.007	.028					
17.17	-.005						.021						.022					
18.17	-.005	-0.057	-0.062	-0.027	.019	.046	.026	-0.032	-0.037	-0.034	.022	.010	.023					
19.17	.005						.004						.006					
20.17	.001	-0.018	-0.045	-0.033	.022	.087	.015	-0.020	-0.026	-0.027	.016	.001	.016					
21.17	.010	-0.048	-0.049	-0.015	.011		.011	-0.051	-0.021	-0.005	.008	.012	.014					
22.17	.019	-0.009	-0.028	-0.040	.009	.058	.007	-0.014	-0.019	-0.013	.006	.006	.007					
23.17	.018	-0.053	-0.039	-0.007	.004	.059	.004	-0.019	-0.013	-0.004	.004	.010	.004					
24.17	.021	-0.003	-0.026	-0.036	.003	.059	.003	-0.007	-0.018	-0.011	.003	.010	.003					
25.17	.019	-0.026	-0.037	-0.003		.003	.003				.011	.001	.003					
26.17	.023	-0.001					.005						.010					
27.17	.023	.001					.004						.008					
28.17	.024						.003						.009					
29.17	.023						.003						.009					
30.17	.024						.006						.008					
31.17	.026						.006						.006					
32.17	.025		</															

~~CONFIDENTIAL~~

NACA RM L53L28a

TABLE I. - Continued
 PRESSURE DATA, CYLINDRICAL BODY

(b) $M = 0.80$

x, in.	Pressure coefficients of rev																	
	$\alpha = 20^\circ$						$\alpha = 15^\circ$						$\alpha = 12^\circ$					
	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$
0.50	-0.002						0.024						0.053					
1.50	-.058	-0.298	-0.298	-0.205	0.101	0.394	-.020						-.011					
2.50	-.059	-0.297	-0.339	-0.262	.028		-.044						-.026					
4.50	-.059	-0.257	-0.339	-0.262	.028		-.056	-0.128	-0.218	-0.156	.054		-.048	-0.087	-.116	-.065	.060	
5.50	-.073	-0.166	-0.343	-0.291	-.053	.252	-.066	-.132	-.231	-.181	-.005	.186	-.059	-.105	-.143	-.092	.018	
8.50	-.057	-.149	-.330	-.305	-.063	.212	-.049	-.120	-.290	-.198	-.053	.151	-.048	-.100	-.148	-.113	-.009	
10.50	-.053	-.148	-.306	-.312	-.085	.188	-.042	-.113	-.225	-.209	-.023	.127	-.042	-.093	-.150	-.122	.028	
12.50	-.047	-.139	-.267	-.313	-.094	.166	-.038	-.099	-.205	-.210	-.066	.112	-.033	-.080	-.143	-.126	.034	
14.50	-.060	-.133	-.258	-.317	-.109	.139	-.043	-.088	-.191	-.218	-.083	.081	-.031	-.076	-.143	-.137	-.050	
16.50	-.056	-.184	-.198	-.308	-.117	.134	-.026	-.089	-.165	-.215	-.088	.083	-.020	-.066	-.129	-.134	-.053	
17.17	-.059	-.111	-.171	-.299	-.120	.123	-.038	-.078	-.181	-.207	-.092	.074	-.017	-.080	-.117	-.128	-.055	
18.17	-.059	-.111	-.171	-.299	-.120	.123	-.039	-.073	-.181	-.207	-.092	.074	-.017	-.055	-.117	-.128	-.055	
19.17	-.046						-.026						-.004					
20.17	-.053	-.102	-.144	-.281	-.109	.132	-.038	-.065	-.113	-.190	-.080	.065	-.012	-.042	-.100	-.117	-.043	
21.17	-.044	-.153	-.270	-.098			-.028		-.121	-.185	-.071		-.003		-.107	-.110	-.037	
22.17	-.056	-.097	-.142	-.265	-.096	.137	-.025	-.062	-.110	-.171	-.070	.089	-.004	-.058	-.095	-.100	-.055	
23.17	-.051	-.182	-.189	-.257	-.094		-.022		-.099	-.167	-.067		-.004		-.087	-.099	-.032	
24.17	-.029	-.090	-.233	-.085	.158	-.020	-.053		-.161	-.099	.092	-.002	-.051		-.093	-.026	.057	
25.17	-.027						-.024			-.165	-.080		-.006		-.073	-.096	-.027	
26.17							-.052		-.153			-.089		-.050		-.090		
27.17	-.022	-.110	-.269	-.076			-.026		-.082	-.157	-.051		-.006		-.092	-.019		
28.17	-.034	-.089	-.096	.243			-.020	-.047	-.064			-.091		-.008	-.089			
29.17	-.029						-.019		-.077			-.013		-.013		-.094		
30.17	-.029	-.032					-.019		-.045			-.014		-.006	-.046	-.091	-.024	
31.17	-.028						-.018		-.045			-.014		-.005	-.046	-.088	-.021	
32.17	-.034	-.081	-.093	-.237	-.089	.158	-.018	-.041	-.049	-.145	-.054	.093	-.011	-.025	-.059	-.026	.059	
33.17	-.053						-.016		-.036	-.045	-.140	-.054		-.008				
34.17	-.053	-.077	-.091	-.236	-.094	.139	-.018	-.036	-.045	-.140	-.054	.095	-.003	-.021	-.089	-.028		
35.17	-.061	-.077	-.092	-.236	-.086	.143	-.016	-.036	-.045	-.141	-.047	.097	-.003	-.027	-.084	-.090	-.024	
36.17	-.044	-.077	-.092	-.236	-.086	.142	-.016	-.036	-.045	-.141	-.047	.094	-.003	-.026	-.084	-.090	-.024	
37.17	-.049	-.087	-.084	-.093			-.021		-.057	-.045	-.141	-.047		-.007		-.027	-.084	
38.15	-.057	-.084	-.093	-.245	-.104	.115	-.020	-.042	-.051	-.146	-.065	.071	-.007	-.033	-.079	-.105	-.040	
38.65	-.073						-.021						-.020					
38.90	-.100						-.041						-.059					
39.15	-.175	-.133	-.187	-.268	-.217	-.027	-.130	-.090	-.088	-.191	-.171	-.057	-.104	-.080	-.104	-.173	-.156	
	$\alpha = 80^\circ$						$\alpha = 40^\circ$						$\alpha = 0^\circ$					
0.50	0.094						0.142						0.198					
1.50	-.018						-.026						-.104					
2.50	-.003	-.018	-.010	0.059	0.116	0.184	-.027	0.056	0.053	0.068	0.099	0.185	-.062					
3.50	-.010						-.015						-.041					
4.50	-.028	-.059	-.044	-.010	.055		-.003	-.002	-.005	-.020	.044	-.058		-.021				
5.50	-.056						-.019		-.034	-.027	-.010	.009	-.051	-.012				
8.50	-.046	-.066	-.085	-.058	-.003	.053	-.056	-.041	-.059	-.027	-.008	.009	-.016					
10.50	-.045	-.065	-.085	-.068	-.018	.058	-.040	-.046	-.045	-.055	-.018	.002	-.026					
12.50	-.037	-.055	-.079	-.071	-.004	.050	-.038	-.041	-.048	-.056	-.020	-.004	-.026					
14.50	-.035	-.055	-.083	-.080	-.036	.056	-.009	-.041	-.046	-.048	-.031	-.021	-.035					
16.50	-.026	-.015	-.072	-.072	-.056	.012	-.030	-.059	-.042	-.042	-.029	-.015	-.030					
17.17	-.022						-.019		-.050			-.028		-.028				
18.17	-.016	-.053	-.065	-.071	-.054	.011	-.026	-.030	-.035	-.058	-.028	-.015	-.027					
19.17							-.015		-.025			-.028		-.020		-.013		
20.17	-.004	-.019	-.050	-.058	-.025	.004	-.014	-.018	-.025	-.028	-.020	-.002	-.002	-.013				
21.17	-.003						-.009		-.021			-.021		-.012		-.009		
22.17	-.008	-.015	-.061	-.044	-.014	.054	-.005	-.013	-.018	-.015	-.010	-.008	-.008	-.005				
23.17	-.012						-.006		-.015			-.011		-.005		-.001		
24.17	-.004	-.007					-.001		-.006			-.010		-.004		-.010		
25.17	.013						-.001		-.004			-.009		-.001		-.001		
26.17	-.001						-.005		-.000			-.006		-.000		-.013		
27.17	-.022						-.004		-.004			-.012		-.004		-.002		
28.17	-.019						-.004		-.004			-.010		-.004		-.002		
29.17	-.016						-.004		-.003			-.009		-.001		-.002		
30.17	-.018						-.004		-.003			-.008		-.001		-.001		
31.17	-.019						-.004		-.003			-.008		-.002		-.003		
32.17	.015						-.004		-.001			-.007		-.002		-.012		
33.17	-.037						-.005		-.000			-.006		-.000		-.013		
34.17	-.020						-.004		-.000			-.006		-.000		-.005		
35.17	-.022						-.004		-.000			-.006		-.000		-.005		
36.17	-.024						-.004		-.000			-.007		-.008		-.005		
37.17	-.020						-.004		-.000			-.007		-.008		-.005		
38.17	-.016						-.004		-.000			-.007		-.007		-.007		
38.65	.013						-.004		-.001			-.008		-.002		-.004		
38.90	.006						-.004		-.001			-.008		-.002		-.004		
39.15	-.009						-.004		-.001			-.008		-.001		-.004		
38.65	-.007						-.004		-.001			-.008		-.001		-.004		
38.90	-.009						-.004		-.001			-.008		-.001		-.004		
39.15	-.007						-.004		-.001			-.008		-.001		-.004		

~~CONFIDENTIAL~~

NACA RM L53L28a

~~CONFIDENTIAL~~

13

TABLE L - Continued
 PRESSURE DATA, CYLINDRICAL BODY

(c) $\kappa = 0.85$

x, in.	Pressure coefficients of row -																		
	$\epsilon = 20^\circ$				$\alpha = 15^\circ$				$\epsilon = 12^\circ$										
	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	
$\epsilon = 20^\circ$																			
0.50	0.005	—	—	—	—	—	0.053	—	—	—	—	—	0.052	—	—	—	—	—	
1.50	-0.01	—	—	—	—	—	0.01	—	—	—	—	—	-0.006	—	—	—	—	—	
2.50	-0.05	-0.229	-0.295	-0.199	0.109	0.402	-0.052	-0.125	-0.171	-0.079	0.133	0.328	-0.017	-0.071	-0.034	-0.010	0.125	0.252	
3.50	0.060	—	—	—	—	—	0.041	—	—	—	—	—	-0.023	—	—	—	—	—	
4.50	-0.07	—	—	—	—	—	-0.05	-0.128	-0.212	-0.132	-0.07	—	-0.023	-0.068	-0.116	-0.062	0.053	—	
5.50	-0.078	-0.158	-0.241	-0.260	0.027	—	-0.058	-0.133	-0.254	-0.180	0.000	0.188	-0.050	-0.108	-0.147	-0.097	0.016	0.124	
6.50	-0.089	-0.160	-0.249	-0.292	-0.031	0.292	-0.067	-0.133	-0.254	-0.180	0.000	0.188	-0.061	-0.108	-0.147	-0.097	0.016	0.124	
8.50	-0.066	-0.156	-0.237	-0.311	-0.062	0.213	-0.070	-0.123	-0.233	-0.199	-0.035	0.150	-0.049	-0.103	-0.152	-0.117	-0.013	0.096	
10.50	-0.054	-0.155	-0.233	-0.317	-0.064	0.208	-0.045	-0.115	-0.226	-0.209	-0.033	0.129	-0.045	-0.096	-0.137	-0.129	-0.029	0.079	
12.50	-0.054	-0.145	-0.208	-0.318	-0.098	0.166	-0.050	-0.105	-0.206	-0.212	-0.039	0.110	-0.054	-0.092	-0.147	-0.132	-0.040	0.061	
14.50	-0.059	-0.141	-0.235	-0.324	-0.115	0.152	-0.044	-0.102	-0.199	-0.222	-0.036	0.086	-0.058	-0.082	-0.148	-0.142	-0.035	0.056	
16.50	-0.067	-0.129	-0.196	-0.312	-0.119	0.129	-0.049	-0.091	-0.165	-0.217	-0.090	0.079	-0.022	-0.065	-0.132	-0.158	-0.033	0.051	
17.17	0.070	—	—	—	—	—	0.041	—	—	—	—	—	-0.083	—	—	—	—	—	
18.17	0.070	-0.116	-0.169	-0.303	-0.124	0.121	-0.042	-0.079	-0.144	-0.209	-0.094	0.072	-0.021	-0.058	-0.120	-0.155	-0.061	0.032	
19.17	-0.022	—	—	—	—	—	0.026	—	—	—	—	—	-0.006	—	—	—	—	—	
20.17	-0.065	-0.107	-0.141	-0.286	-0.110	0.150	-0.058	-0.066	-0.113	-0.191	-0.085	0.085	-0.013	-0.043	-0.093	-0.122	-0.048	0.044	
21.17	-0.021	—	-0.151	-0.271	-0.101	0.151	-0.050	—	-0.122	-0.179	-0.072	-0.066	-0.040	-0.040	-0.094	-0.104	-0.077	0.052	
22.17	-0.044	-0.101	-0.159	-0.266	-0.108	0.156	-0.065	-0.060	-0.110	-0.170	-0.089	0.091	-0.009	-0.040	-0.087	-0.100	-0.055	0.052	
23.17	-0.039	-0.092	-0.128	-0.259	-0.097	0.154	-0.054	-0.054	-0.104	-0.168	-0.086	0.086	-0.004	-0.035	-0.086	-0.098	-0.048	0.052	
24.17	-0.032	-0.099	—	—	-0.087	0.157	-0.019	-0.054	-0.084	-0.164	-0.099	0.091	-0.004	-0.035	-0.073	-0.099	-0.050	—	
25.17	-0.033	—	—	—	-0.084	0.150	-0.022	—	-0.163	-0.160	-0.060	-0.067	—	-0.073	-0.099	-0.050	—	—	
26.17	—	—	—	—	-0.081	0.145	-0.026	-0.052	-0.085	-0.154	-0.060	-0.060	-0.055	—	-0.092	—	—	0.055	
27.17	-0.028	—	-0.111	-0.250	-0.082	0.137	-0.017	-0.045	-0.085	-0.155	-0.051	-0.051	-0.007	-0.055	-0.082	-0.063	—	—	
28.17	-0.029	-0.091	-0.129	-0.249	—	0.138	-0.020	-0.048	-0.085	-0.155	-0.051	-0.051	-0.009	-0.058	-0.097	—	—	0.052	
29.17	-0.035	—	-0.121	—	—	0.139	-0.019	-0.048	-0.085	-0.157	-0.051	-0.051	-0.012	-0.056	-0.096	—	—	0.057	
30.17	-0.033	-0.086	—	-0.243	-0.085	0.142	-0.017	-0.044	-0.085	-0.152	-0.058	-0.058	-0.006	-0.049	-0.094	-0.048	—	0.057	
31.17	-0.031	—	-0.099	-0.239	-0.082	0.140	-0.013	-0.042	-0.086	-0.147	-0.058	-0.058	-0.006	-0.042	-0.082	-0.046	—	0.057	
32.17	-0.039	-0.086	-0.093	-0.241	-0.082	0.140	-0.018	-0.042	-0.090	-0.156	-0.053	-0.053	-0.011	-0.048	-0.082	-0.042	-0.027	0.057	
33.17	-0.039	—	—	—	—	—	-0.017	—	—	—	—	—	-0.009	—	—	—	—	—	
34.17	-0.040	-0.082	-0.095	-0.238	-0.095	0.140	-0.013	-0.038	-0.067	-0.142	-0.056	0.052	-0.006	-0.027	-0.051	-0.092	-0.052	0.056	
35.17	-0.042	—	-0.094	-0.249	—	0.138	-0.015	-0.038	-0.068	-0.141	-0.058	0.051	-0.007	-0.028	-0.051	-0.094	-0.053	0.056	
36.17	-0.043	-0.085	-0.092	-0.240	-0.087	0.148	-0.015	-0.039	-0.068	-0.141	-0.058	0.051	-0.005	-0.026	-0.051	-0.092	-0.052	0.061	
37.17	-0.041	—	-0.091	—	—	0.140	-0.020	-0.038	-0.067	-0.140	-0.058	0.051	-0.007	-0.028	-0.051	-0.093	-0.054	0.057	
38.17	-0.057	-0.090	-0.086	-0.232	-0.107	0.116	-0.028	-0.047	-0.077	-0.130	-0.058	0.058	-0.011	-0.041	-0.069	-0.109	-0.045	0.054	
38.40	-0.063	—	—	—	—	—	-0.027	—	—	—	—	—	-0.013	—	—	—	—	—	
38.65	-0.073	—	—	—	—	—	-0.059	—	—	—	—	—	-0.022	—	—	—	—	—	
38.90	-0.066	—	—	—	—	—	-0.059	—	—	—	—	—	-0.011	—	—	—	—	—	
39.15	-0.173	-0.139	-0.131	-0.273	-0.231	-0.055	-0.130	-0.095	-0.092	-0.200	-0.182	-0.077	-0.109	-0.005	-0.108	-0.180	-0.167	-0.106	—
$\epsilon = 15^\circ$																			
0.50	0.105	—	—	—	—	—	0.153	—	—	—	—	—	0.209	—	—	—	—	—	
1.50	0.004	-0.014	-0.006	0.044	0.120	0.187	0.056	0.041	0.056	0.073	0.105	0.130	0.112	—	—	—	—	—	
3.50	-0.007	—	—	—	—	—	0.000	—	—	—	—	—	0.059	—	—	—	—	—	
4.50	-0.025	-0.058	-0.042	-0.009	—	—	0.000	—	—	—	—	—	0.047	—	—	—	—	—	
5.50	-0.037	—	—	—	—	—	-0.015	—	—	—	—	—	0.023	—	—	—	—	—	
6.50	-0.049	-0.066	-0.075	-0.042	-0.010	0.072	-0.033	-0.055	-0.027	-0.007	0.013	0.051	-0.010	—	—	—	—	—	
8.50	-0.047	-0.069	-0.083	-0.061	-0.005	0.063	-0.056	-0.042	-0.059	-0.025	-0.009	0.010	-0.015	—	—	—	—	—	
10.50	-0.046	-0.068	-0.088	-0.070	-0.020	0.055	-0.051	-0.046	-0.055	-0.017	0.001	-0.023	—	—	—	—	—	—	
12.50	-0.054	-0.060	-0.087	-0.073	-0.027	0.058	-0.056	-0.042	-0.053	-0.017	0.003	-0.026	—	—	—	—	—	—	
14.50	-0.058	-0.059	-0.085	-0.075	-0.021	0.060	-0.051	-0.047	-0.050	-0.015	0.003	-0.025	—	—	—	—	—	—	
16.50	-0.064	-0.063	-0.085	-0.079	-0.021	0.069	-0.052	-0.040	-0.043	-0.012	0.008	-0.020	—	—	—	—	—	—	
17.17	-0.022	—	—	—	—	—	0.050	—	—	—	—	—	-0.025	—	—	—	—	—	
18.17	-0.017	-0.066	-0.076	-0.059	0.009	-0.025	-0.013	-0.023	-0.026	-0.018	-0.003	0.011	-0.013	—	—	—	—	—	
20.17	-0.005	-0.022	-0.049	-0.060	-0.028	0.025	-0.013	-0.018	-0.026	-0.017	-0.009	0.018	-0.008	-0.008	-0.008	-0.008	-0.008	—	
21.17	-0.005	-0.015	-0.041	-0.045	-0.015	0.023	-0.010	-0.016	-0.022	-0.016	-0.006	0.010	-0.002	-0.002	-0.002	-0.002	-0.002	—	
22.17	-0.017	-0.015	-0.039	-0.043	-0.011	0.025	-0.008	-0.013	-0.020	-0.016	-0.002	0.012	-0.001	-0.001	-0.001	-0.001	-0.001	—	
23.17	-0.015	-0.015	-0.039	-0.047	-0.007	0.024	-0.006	-0.013	-0.018	-0.013	-0.006	0.012	-0.001	-0.001	-0.001	-0.001	-0.001	—	
24.17	-0.015	-0.009	-0.031	-0.037	-0.007	0.024	-0.003	-0.013	-0.016	-0.012	-0.006	0.012	-0.001	-0.001	-0.001	-0.001	-0.001	—	
25.17	-0.013	—	-0.030	-0.040	-0.006	0.025	-0.003	-0.013	-0.016	-0.012	-0.006	0.012	-0.001						

TABLE I.- Continued
PRESSURE DATA, CYLINDRICAL BODY

(g) $K = 0.98$

x, in.	Pressure coefficients of row -											
	8 = 0°	8 = 45°	8 = 75°	8 = 105°	8 = 135°	8 = 180°	8 = 0°	8 = 45°	8 = 75°	8 = 105°	8 = 135°	8 = 180°
	$\alpha = 20^\circ$						$\alpha = 16^\circ$					
0.50	0.010						0.047					
1.50	-0.094						-0.007					
2.50	-0.051	-0.218	-0.288	-0.186	0.120	0.407	-0.028	-0.115	-0.165	-0.068	0.141	0.354
3.50	-0.058						-0.039					
4.50	-0.074	-0.156	-0.340	-0.255	.036		-0.055	-0.126	-0.210	-0.189	.061	
5.50	-0.081						-0.060					
6.50	-0.091	-0.164	-0.355	-0.294	-0.030	0.255	-0.070	-0.136	-0.236	-0.182	-0.008	.187
8.50	-0.069	-0.162	-0.342	-0.216	-0.064	0.214	-0.055	-0.126	-0.239	-0.204	-0.024	.150
10.50	-0.079	-0.162	-0.318	-0.282	-0.086	0.185	-0.049	-0.120	-0.250	-0.213	-0.059	.122
12.50	-0.060	-0.153	-0.264	-0.327	-0.103	0.164	-0.042	-0.108	-0.211	-0.219	-0.073	.105
14.50	-0.074	-0.149	-0.256	-0.369	-0.121	0.127	-0.049	-0.107	-0.198	-0.250	-0.091	.072
16.50	-0.071	-0.136	-0.195	-0.318	-0.129	0.123	-0.043	-0.096	-0.169	-0.223	-0.097	.073
17.17	-0.073						-0.045					
18.17	-0.073	-0.123	-0.169	-0.310	-0.134	0.116	-0.044	-0.085	-0.144	-0.214	-0.100	.066
19.17	-0.059						-0.048					
21.17	-0.057	-0.110	-0.136	-0.286	-0.116	0.129	-0.042	-0.068	-0.111	-0.196	-0.055	.080
22.17	-0.055	-0.145	-0.264	-0.099			-0.034	-0.180	-0.183	-0.076		
23.17	-0.047	-0.103	-0.134	-0.252	-0.099	0.133	-0.037	-0.062	-0.107	-0.172	-0.073	.087
25.17	-0.040	-0.129	-0.250	-0.097			-0.036	-0.094	-0.168	-0.070		
26.17	-0.033	-0.093	-0.255	-0.086	0.138		-0.022	-0.066	-0.163	-0.061	.089	
28.17	-0.033	-0.233	-0.088				-0.024		-0.154	-0.063		
26.17	-0.095						-0.023		-0.159			
27.17	-0.065	-0.110	-0.157	-0.082			-0.019		-0.158	-0.054		
28.17	-0.050	-0.093	-0.159	-0.242			-0.021	-0.050	-0.055		.090	
29.17	-0.033						-0.021		-0.159			
30.17	-0.050	-0.088	-0.182	-0.084			-0.018	-0.047	-0.153	-0.058	.093	
31.17	-0.058	-0.097	-0.254	-0.079			-0.013		-0.147	-0.051		
32.17	-0.058	-0.088	-0.092	-0.238	-0.088	0.140	-0.019	-0.046	-0.053	-0.148	-0.056	.092
33.17	-0.059						-0.019		-0.159			
34.17	-0.054	-0.085	-0.093	-0.240	-0.095	0.138	-0.016	-0.040	-0.049	-0.145	-0.058	.090
35.17	-0.043						-0.015		-0.159			
36.17	-0.045	-0.086	-0.095	-0.242	-0.088	0.146	-0.014	-0.042	-0.050	-0.145	-0.052	.093
37.17	-0.049						-0.014		-0.151			
38.17	-0.053	-0.097	-0.106	-0.253	-0.189	0.116	-0.014	-0.040	-0.056	-0.137	-0.067	.093
38.45	-0.058						-0.029		-0.050	-0.060		
38.65	-0.069						-0.058					
38.90	-0.090						-0.053					
39.15	-0.162	-0.145	-0.136	-0.286	-0.266	0.040	-0.126	-0.102	-0.097	-0.213	-0.200	.083
	$\alpha = 8^\circ$						$\alpha = 4^\circ$					
0.50	0.115						0.166					
1.50	-0.092						-0.073					
2.50	-0.004	-0.006	0.001	0.050	0.126	0.194	0.040	0.048	0.064	0.079	0.109	0.136
3.50	-0.004						0.048					
4.50	-0.023	-0.053	-0.059	-0.003	.062		0.000	-0.004	0.010	-0.027	-0.051	.076
5.50	-0.036						-0.016					
6.50	-0.032	-0.068	-0.076	-0.040	0.011	0.072	-0.056	-0.035	-0.028	-0.032	-0.012	
8.50	-0.050	-0.069	-0.087	-0.059	-0.005	0.058	-0.059	-0.048	-0.040	-0.030	-0.010	.007
10.50	-0.049	-0.071	-0.090	-0.070	-0.026	0.053	-0.048	-0.048	-0.047	-0.028	-0.002	.008
12.50	-0.041	-0.060	-0.084	-0.074	-0.029	0.025	-0.040	-0.043	-0.048	-0.028	-0.006	.008
14.50	-0.043	-0.061	-0.091	-0.087	-0.043	0.029	-0.046	-0.049	-0.048	-0.031	-0.006	.008
16.50	-0.051	-0.051	-0.079	-0.081	-0.042	0.007	-0.035	-0.041	-0.045	-0.035	-0.016	.008
17.17	-0.026						-0.035					
18.17	-0.021	-0.038	-0.069	-0.077	-0.041	0.005	-0.026	-0.032	-0.037	-0.040	-0.016	.009
19.17	-0.006						-0.015					
20.17	-0.009	-0.021	-0.051	-0.062	-0.029	0.020	-0.013	-0.015	-0.017	-0.019	-0.002	.013
21.17	.000						-0.015					
22.17	-0.006	-0.017	-0.043	-0.046	-0.017	0.050	-0.008	-0.011	-0.015	-0.013	.011	
23.17	-0.010						-0.013					
24.17	-0.012	-0.012	-0.040	-0.043	-0.015	0.035	-0.004	-0.013	-0.010	-0.004	.016	
25.17	-0.011						-0.006					
26.17	-0.008						-0.002		-0.006		.010	
27.17	-0.013	-0.056	-0.002				-0.005	-0.004	-0.008	.003		.005
28.17	-0.007	-0.057					-0.003	-0.001	-0.007		.013	.004
29.17	-0.012	-0.058					-0.002		-0.008			.005
30.17	-0.015	-0.004	-0.004	-0.005	.040	0.005	-0.002		-0.007	.001	.016	.007
31.17	-0.015	-0.032	-0.032	-0.000			-0.003		-0.005	.004		.004
32.17	-0.011	-0.002	-0.031	-0.003	0.041	0.006	-0.001		-0.004	.003	.024	.003
33.17	.013						.003					
34.17	.015	.002	-.013	-.029	-.003	.041	.003	.001	-.005	-.006	.015	.006
35.17	.013						.003					
36.17	.017	.000	-.014	-.029	.002	.047	.003	-.003	-.007	-.009	.003	.017
37.17	.012						.001					
38.15	.007	-.010	-.025	-.043	-.012	.025	-.010	-.018	-.021	-.026	-.014	-.013
38.40	.005						-.015					-.021
38.65	-.002						-.021					-.023
38.90	-.019						-.033					-.049
39.15	-.078	-.050	-.076	-.187	-.152	-.109	-.062	-.057	-.082	-.112	-.122	-.079

TABLE I. - Continued
 PRESSURE DATA, CYLINDRICAL BODY

(e) $M = 0.95$

x, in.	Pressure coefficients of row -											
	$\alpha = 20^\circ$						$\alpha = 16^\circ$				$\alpha = 12^\circ$	
	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$
$\epsilon = 20^\circ$												
0.50	0.061	—	—	—	—	—	0.062	—	—	—	0.054	—
1.50	-0.021	—	—	—	—	—	0.000	—	—	—	0.015	—
2.50	-0.040	-0.200	-0.278	-0.170	0.134	0.421	-0.022	-0.107	-0.155	-0.057	0.131	0.342
3.50	-0.024	—	—	—	—	—	0.058	—	—	—	0.012	—
4.50	-0.059	-0.155	-0.331	-0.244	0.065	—	-0.056	-0.123	-0.207	-0.119	0.067	—
5.50	-0.080	—	—	—	—	—	0.055	—	—	—	0.052	—
6.50	-0.097	-0.170	-0.359	-0.294	-0.024	0.297	-0.079	-0.140	-0.240	-0.184	0.000	0.187
8.50	-0.079	-0.169	-0.350	-0.316	-0.055	0.213	-0.065	-0.134	-0.245	-0.208	-0.057	0.148
10.50	-0.066	-0.168	-0.317	-0.341	-0.056	0.180	-0.061	-0.127	-0.255	-0.226	-0.055	0.117
12.50	-0.052	-0.160	-0.266	-0.345	-0.108	0.197	-0.053	-0.116	-0.215	-0.226	-0.060	0.117
14.50	-0.052	-0.156	-0.258	-0.357	-0.126	0.122	-0.052	-0.117	-0.206	-0.242	-0.102	0.066
16.50	-0.072	-0.142	-0.194	-0.342	-0.134	0.119	-0.053	-0.108	-0.173	-0.233	-0.106	0.065
17.17	-0.078	—	—	—	—	—	0.055	—	—	—	0.050	—
18.17	-0.076	-0.127	-0.166	-0.386	-0.139	0.108	-0.052	-0.088	-0.187	-0.223	-0.108	0.058
19.17	-0.061	—	—	—	—	—	0.055	—	—	—	0.010	—
20.17	-0.053	-0.113	-0.134	-0.289	—	—	-0.053	-0.071	-0.111	-0.201	-0.090	0.075
21.17	-0.058	—	—	—	—	—	0.051	—	—	—	0.010	—
22.17	-0.046	-0.107	-0.156	-0.263	-0.104	0.130	-0.053	-0.064	-0.104	-0.169	-0.078	0.085
25.17	-0.042	—	—	—	—	—	0.052	—	—	—	0.005	—
26.17	-0.058	-0.098	—	—	—	—	-0.058	-0.077	—	—	0.004	—
25.17	-0.057	—	—	—	—	—	-0.051	—	—	—	0.009	—
26.17	-0.056	—	—	—	—	—	-0.055	—	—	—	0.070	—
27.17	-0.069	—	—	—	—	—	-0.055	—	—	—	0.059	—
28.17	-0.051	-0.096	-0.105	-0.259	—	—	-0.053	-0.053	-0.067	—	0.010	—
29.17	-0.055	—	—	—	—	—	-0.059	—	—	—	0.005	—
30.17	-0.053	-0.091	—	—	—	—	-0.056	-0.050	—	—	0.005	—
31.17	-0.051	—	—	—	—	—	-0.051	—	—	—	0.001	—
32.17	-0.058	-0.092	-0.101	-0.246	-0.084	0.124	-0.028	-0.050	-0.077	-0.131	-0.050	0.058
33.17	-0.040	—	—	—	—	—	-0.025	—	—	—	0.034	—
34.17	-0.058	-0.090	-0.099	-0.246	-0.100	0.137	-0.029	-0.043	-0.055	-0.147	-0.061	0.051
35.17	-0.044	—	—	—	—	—	-0.017	—	—	—	0.010	—
36.17	-0.045	-0.092	-0.102	-0.252	-0.093	0.142	-0.015	-0.047	-0.058	-0.148	-0.061	0.055
37.17	-0.051	—	—	—	—	—	-0.025	—	—	—	0.007	—
38.15	-0.057	-0.104	-0.118	-0.267	-0.112	0.112	-0.027	-0.058	-0.072	-0.163	-0.069	0.062
38.40	-0.059	—	—	—	—	—	-0.028	—	—	—	0.022	—
38.69	-0.054	—	—	—	—	—	-0.035	—	—	—	0.050	—
38.90	-0.050	—	—	—	—	—	-0.048	—	—	—	0.045	—
39.15	-0.159	-0.159	-0.146	-0.562	-0.201	-0.069	-0.102	-0.115	-0.114	-0.267	-0.202	-0.065
	$\alpha = 8^\circ$						$\alpha = 4^\circ$				$\alpha = 0^\circ$	
0.50	0.131	—	—	—	—	—	0.180	—	—	—	0.255	—
1.50	0.042	—	—	—	—	—	0.061	—	—	—	0.151	—
2.50	-0.011	0.000	0.008	0.056	0.135	0.201	0.048	0.099	0.071	0.086	0.117	0.142
3.50	-0.002	—	—	—	—	—	0.025	—	—	—	0.002	—
4.50	-0.021	-0.032	-0.056	-0.001	0.067	—	0.001	-0.006	-0.011	-0.050	-0.075	0.077
5.50	-0.058	—	—	—	—	—	0.018	—	—	—	0.009	—
6.50	-0.078	-0.072	-0.079	-0.044	0.010	0.071	-0.041	-0.057	-0.032	-0.014	-0.011	-0.013
8.50	-0.056	-0.077	-0.092	-0.063	-0.010	0.048	-0.045	-0.048	-0.047	-0.053	-0.014	0.006
10.50	-0.059	-0.080	-0.098	-0.068	-0.029	0.027	-0.048	-0.057	-0.055	-0.065	-0.026	-0.019
12.50	-0.050	-0.069	-0.092	-0.080	-0.054	0.019	-0.047	-0.057	-0.050	-0.051	-0.044	-0.034
14.50	-0.053	-0.074	-0.101	-0.096	-0.056	0.009	-0.056	-0.061	-0.054	-0.059	-0.049	-0.047
16.50	-0.059	-0.061	-0.090	-0.090	-0.052	0.002	-0.046	-0.050	-0.053	-0.052	-0.042	-0.039
17.17	-0.035	—	—	—	—	—	0.044	—	—	—	0.016	—
18.17	-0.029	-0.047	-0.079	-0.053	-0.051	-0.004	-0.048	-0.058	-0.046	-0.047	-0.028	-0.034
19.17	-0.011	—	—	—	—	—	0.002	—	—	—	0.020	—
20.17	-0.013	-0.028	-0.057	-0.056	-0.054	0.013	-0.018	-0.017	-0.026	-0.029	-0.023	-0.015
21.17	-0.005	—	—	—	—	—	0.018	—	—	—	0.013	—
22.17	-0.005	-0.020	-0.048	-0.048	-0.048	0.027	-0.006	-0.012	-0.016	-0.006	0.007	-0.005
23.17	-0.007	—	—	—	—	—	0.001	—	—	—	0.004	—
24.17	-0.009	-0.016	—	—	—	—	0.001	-0.004	-0.013	-0.011	-0.002	0.002
25.17	-0.007	—	—	—	—	—	0.001	—	—	—	0.002	—
26.17	-0.015	—	—	—	—	—	0.004	—	—	—	0.006	—
27.17	-0.008	—	—	—	—	—	0.001	—	—	—	0.001	—
28.17	-0.008	-0.014	—	—	—	—	0.003	—	—	—	0.002	—
29.17	-0.006	—	—	—	—	—	0.002	—	—	—	0.002	—
30.17	-0.011	-0.010	—	—	—	—	0.008	—	—	—	0.003	—
31.17	-0.009	—	—	—	—	—	0.001	—	—	—	0.004	—
32.17	-0.003	-0.010	—	—	—	—	0.001	-0.004	—	—	0.002	—
33.17	-0.005	—	—	—	—	—	0.000	—	—	—	0.002	—
34.17	-0.010	-0.008	-0.019	-0.055	-0.007	0.038	-0.002	-0.005	-0.007	-0.008	0.001	0.004
35.17	-0.005	—	—	—	—	—	0.002	—	—	—	0.001	—
36.17	-0.006	-0.010	-0.022	-0.036	-0.004	0.043	-0.001	-0.006	-0.010	-0.012	0.002	0.001
37.17	-0.001	—	—	—	—	—	0.006	—	—	—	0.006	—
38.15	-0.005	-0.008	-0.037	-0.052	-0.017	0.022	-0.017	-0.026	-0.031	-0.030	-0.016	-0.006
38.40	-0.007	—	—	—	—	—	0.002	—	—	—	0.002	—
38.69	-0.016	—	—	—	—	—	0.030	—	—	—	0.040	—
38.90	-0.009	-0.006	-0.009	-0.161	-0.150	-0.105	-0.071	-0.068	-0.102	-0.134	-0.141	-0.093
39.15	-0.090	—	—	—	—	—	-0.048	—	—	—	0.061	—

~~CONFIDENTIAL~~

NACA RM L53L28a

TABLE I. - Continued
PRESSURE DATA, CYLINDRICAL BODY

(r) $M = 0.98$

x, in.	Pressure coefficients of row -											
	$\alpha = 20^\circ$				$\alpha = 16^\circ$				$\alpha = 12^\circ$			
	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$
$\alpha = 20^\circ$												
0.50	0.060	—	—	—	—	—	0.086	—	—	—	—	—
1.50	-.009	—	—	—	—	—	.020	—	—	—	—	—
2.50	-.050	-.185	-.265	-.154	0.150	0.433	-.003	-.095	-.180	-.059	0.167	0.356
3.50	-.044	—	—	—	—	—	-.023	—	—	—	—	—
4.50	-.062	—	-.141	-.339	-.296	.058	—	-.043	-.117	-.197	-.111	.079
5.50	-.078	—	—	—	—	—	—	-.033	—	—	—	—
6.50	-.099	—	-.169	-.348	-.296	-.017	.261	-.079	-.147	-.298	-.177	.006
8.50	-.080	—	-.168	-.355	-.329	-.062	.214	-.050	-.153	-.341	-.209	-.057
10.50	-.082	—	-.184	-.339	-.342	-.093	.180	-.074	-.146	-.259	-.248	-.071
12.50	-.060	—	-.158	-.285	-.364	-.123	.149	-.042	-.120	-.236	-.247	-.093
14.50	-.103	—	-.172	-.240	-.356	-.137	.113	-.080	-.158	-.221	-.242	-.106
16.50	-.092	—	-.162	-.217	-.359	-.139	.112	-.097	-.120	-.195	-.262	-.130
17.17	-.092	—	—	—	—	—	—	—	—	—	—	—
18.17	-.079	—	-.183	-.165	-.348	-.163	.091	-.048	-.090	-.130	-.226	-.127
19.17	-.060	—	—	—	—	—	—	—	—	—	—	—
20.17	-.054	—	-.121	-.182	-.288	-.112	.184	-.061	-.072	-.098	-.200	-.105
21.17	-.056	—	-.136	-.303	-.111	—	.040	—	-.119	-.186	-.071	—
22.17	-.055	—	-.107	-.132	-.246	-.108	.129	-.026	-.069	-.094	-.165	-.075
23.17	-.041	—	—	-.121	-.283	-.091	—	—	—	—	—	—
24.17	-.046	—	-.098	—	-.250	-.093	.136	-.022	-.056	-.173	-.060	-.093
25.17	-.048	—	—	—	-.266	-.090	—	—	—	—	—	—
26.17	—	—	—	—	—	—	—	—	—	—	—	—
27.17	-.059	—	-.117	-.265	-.083	—	.152	—	-.024	—	-.161	—
28.17	-.054	—	-.097	-.105	-.262	—	.134	—	-.024	—	-.182	—
29.17	-.040	—	—	—	-.261	—	—	—	—	—	—	—
30.17	-.059	—	—	—	-.252	-.091	.137	—	-.019	—	-.159	—
31.17	-.052	—	—	—	-.105	-.248	-.086	—	—	—	-.058	—
32.17	-.056	—	-.095	-.104	-.251	-.094	.135	—	-.018	—	-.151	-.060
33.17	-.057	—	—	—	—	—	—	—	—	—	—	—
34.17	-.059	—	-.102	-.246	-.100	.135	—	-.024	—	-.148	-.059	.089
35.17	-.051	—	-.095	—	-.246	—	—	—	—	—	—	—
36.17	-.052	—	-.096	-.105	-.275	-.092	.142	—	-.020	—	-.050	—
37.17	-.059	—	—	—	—	—	—	—	—	—	—	—
38.17	-.066	—	-.114	-.125	-.267	-.111	.117	—	-.041	—	-.161	-.064
38.40	-.067	—	—	—	—	—	—	—	—	—	—	—
38.65	-.074	—	—	—	—	—	—	—	—	—	—	—
38.90	-.065	—	—	—	—	—	—	—	—	—	—	—
39.15	-.126	—	-.181	-.190	-.372	-.232	-.005	—	-.095	-.240	-.155	-.274
$\alpha = 8^\circ$												
0.50	0.149	—	—	—	—	—	0.199	—	—	—	—	—
1.50	.054	—	—	—	—	—	.009	—	—	—	—	—
2.50	.020	0.012	0.021	0.069	0.144	0.210	.062	0.063	0.081	0.096	0.126	0.153
3.50	.010	—	—	—	—	—	.039	—	—	—	—	—
4.50	-.014	—	-.022	-.027	.007	-.073	—	.012	—	-.018	—	.087
5.50	-.033	—	—	—	—	—	—	.009	—	—	—	—
6.50	-.059	—	-.072	-.078	-.038	-.010	.073	—	-.056	—	-.050	—
8.50	-.060	—	-.078	-.094	-.070	-.009	.048	—	-.049	—	-.048	—
10.50	-.061	—	-.084	-.105	-.090	-.037	.021	—	-.060	—	-.059	—
12.50	-.052	—	-.069	-.091	-.087	-.043	.012	—	-.059	—	-.058	—
14.50	-.059	—	-.087	-.117	-.115	-.071	—	—	—	—	—	—
16.50	-.049	—	-.070	-.097	-.102	-.063	.022	—	-.073	—	-.079	—
17.17	-.051	—	—	—	—	—	—	—	—	—	—	—
18.17	-.059	—	—	—	—	—	—	—	—	—	—	—
19.17	-.015	—	—	—	—	—	—	—	—	—	—	—
20.17	-.015	—	-.026	-.056	-.070	-.057	—	.014	—	-.018	—	.030
21.17	-.007	—	—	-.067	-.058	-.024	—	—	-.008	—	-.022	—
22.17	.009	—	-.020	-.044	-.020	-.020	—	.006	—	-.011	—	.012
23.17	.007	—	—	-.042	-.048	-.018	—	—	—	—	—	.008
24.17	.009	—	-.016	—	-.047	-.015	.009	—	-.004	—	-.003	—
25.17	.008	—	—	-.034	-.046	-.014	—	—	—	—	—	.003
26.17	—	—	—	—	—	—	—	—	—	—	—	—
27.17	.006	—	—	-.038	-.008	—	—	.004	—	-.016	—	.008
28.17	.005	—	—	—	-.014	—	—	.001	—	-.009	—	.005
29.18	.005	—	—	—	—	—	—	.001	—	—	—	.002
30.17	.008	—	—	—	—	—	—	—	—	—	—	.002
31.17	.004	—	—	—	—	—	—	—	—	—	—	.001
32.17	.000	—	-.013	—	-.040	-.011	.051	—	-.002	—	-.007	—
33.17	.001	—	—	—	—	—	—	—	—	—	—	.003
34.17	.003	—	-.012	-.003	-.041	-.032	.051	—	-.003	—	-.006	—
35.17	.000	—	—	-.028	-.043	-.010	—	—	—	—	—	.001
36.17	.000	—	-.016	-.028	-.043	-.010	.057	—	-.009	—	-.012	—
37.17	.008	—	—	—	—	—	—	—	—	—	—	.007
38.15	-.022	—	-.037	-.047	-.058	-.021	.017	—	-.024	—	-.032	—
38.40	-.005	—	—	—	—	—	—	—	—	—	—	.035
38.65	-.035	—	—	—	—	—	—	—	—	—	—	.047
38.90	-.020	—	—	—	—	—	—	—	—	—	—	.074
39.15	-.103	—	-.095	-.140	-.279	-.145	.093	—	-.085	—	-.125	-.138

~~CONFIDENTIAL~~

NACA RM L53L28a

17

TABLE I. - Continued
 PRESSURE DATA, CYLINDRICAL BODY

(g) $M = 1.00$

x, in.	Pressure coefficients of row -																$\alpha = 8^\circ$				$\alpha = 4^\circ$				$\alpha = 0^\circ$			
	$\alpha = 20^\circ$				$\alpha = 16^\circ$				$\alpha = 12^\circ$				$\alpha = 8^\circ$				$\alpha = 4^\circ$				$\alpha = 0^\circ$							
	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$				
0.50	0.078						0.105						0.129															
1.50	.007						.037						.040															
2.50	-.018	-0.125	-0.259	-0.138	0.154	0.442	.011	-0.078	-0.127	-0.026	0.180	0.369	.015	-0.050	-0.041	0.034	0.170	0.289										
3.50	-.054						.009						.012															
4.50	-.066	-0.131	-0.314	-0.219	0.073		.026	-0.057	-0.174	-0.100	0.093		-.018	-0.059	-0.088	-0.028	0.093											
5.50	-.067						.047						-.053															
6.50	-.091	-0.165	-0.352	-0.279	-0.005	0.270	-.066	-0.132	-0.227	-0.168	0.015	0.205	-.065	-0.107	-0.141	-0.080	0.026	0.138										
8.50	-.078	-0.168	-0.353	-0.317	-0.092	0.219	-.059	-0.151	-0.241	-0.205	0.050	0.156	-.056	-0.107	-0.158	-0.119	0.011	0.097										
10.50	-.082	-0.181	-0.358	-0.350	-0.093	0.183	-.070	-0.142	-0.235	-0.233	0.059	0.119	-.070	-0.117	-0.177	-0.146	0.043	0.069										
12.50	-.080						.068	-0.117	0.150	0.066	-0.136	-0.239	0.029	0.095	0.071	0.061	-0.173	-0.158	0.069	0.043								
14.50	-.115	-0.187	-0.295	-0.378	-0.16	0.105	-.099	-0.149	-0.241	-0.272	-0.123	0.050	0.075	-0.118	-0.183	-0.182	-0.088	0.007										
16.50	-.112						.078	-0.120	0.112	0.021	-0.121	-0.273	0.038	0.040	0.084	-0.115	-0.176	-0.154	0.097	0.003								
17.17	-.122						.096						-.067															
18.17	-.115	-0.170	-0.205	-0.370	-0.158	0.083	-.091	-0.136	-0.194	-0.273	-0.152	0.084	0.065	-0.108	-0.169	-0.189	-0.109	0.012										
19.17	-.105						.067						-.042															
20.17	-.086	-0.138	-0.16	-0.247	-0.159	0.088	-.032	-0.111	-0.147	-0.210	-0.158	0.058	-.037	-0.072	-0.134	-0.169	-0.096	0.000										
21.17	-.027						.140	-0.163	-0.149	0.103	0.070	0.158	-.182	-0.220	-0.123	0.001	-0.116	-0.153	-0.079									
22.17	-.006	-0.076	-0.081	-0.275	-0.158	0.103	-.023	-0.075	-0.110	-0.199	-0.105	0.054	0.020	-0.021	-0.059	-0.081	-0.059	0.046										
23.17	-.028						.086	-0.157	-0.172	0.001	0.001	0.146	-.052	-0.179	-0.092	0.019	-0.056	-0.089	-0.011									
24.17	-.057						.086	-0.256	-0.265	0.161	0.007	0.054	-0.117	-0.040	0.099	0.016	-0.074	-0.007	0.077									
25.17	-.048						.086	-0.218	-0.270	0.001	0.001	0.126	-.056	-0.156	-0.052	0.007	-0.050	-0.077	-0.014									
26.17	-.086						.086	-0.233	-0.291	0.148	0.006	0.058	-0.128	-0.051	0.115	0.004	-0.026	-0.076	0.014									
27.17	-.056						.086	-0.103	-0.211	0.072	0.010	0.047	-0.157	-0.072	0.107	0.008	-0.030	-0.100	0.014									
28.17	-.028						.086	-0.096	-0.244	0.140	0.018	0.048	-0.156	-0.075	0.102	0.012	-0.028	-0.096	0.011									
29.17	-.058						.086	-0.236		0.016	0.018	0.044	-0.151	-0.053	0.097	0.008	-0.028	-0.096	0.011									
30.17	-.053						.079	-0.259	-0.087	0.137	0.016	0.045	-0.157	-0.050	0.097	0.008	-0.028	-0.096	0.011									
31.17	-.052						.086	-0.255	-0.078	0.136	0.018	0.042	-0.152	-0.051	0.098	0.007	-0.027	-0.097	0.011									
32.17	-.044						.086	-0.232	-0.067	0.136	0.009	0.048	-0.154	-0.058	0.099	0.007	-0.027	-0.097	0.011									
33.17	-.022						.086	-0.226	-0.059	0.148	0.006	0.058	-0.128	-0.051	0.115	0.004	-0.026	-0.076	0.014									
34.17	-.048						.086	-0.103	-0.226	0.072	0.010	0.047	-0.157	-0.072	0.107	0.008	-0.030	-0.100	0.014									
35.17	-.053						.086	-0.096	-0.244	0.140	0.018	0.048	-0.156	-0.075	0.102	0.012	-0.028	-0.096	0.011									
36.17	-.053						.086	-0.236	-0.087	0.137	0.016	0.045	-0.151	-0.053	0.097	0.008	-0.027	-0.097	0.011									
37.17	-.053						.086	-0.255	-0.078	0.136	0.018	0.042	-0.157	-0.050	0.098	0.007	-0.027	-0.097	0.011									
38.17	-.053						.086	-0.232	-0.067	0.136	0.009	0.048	-0.154	-0.058	0.099	0.007	-0.027	-0.097	0.011									
39.17	-.053						.086	-0.213	-0.220	0.347	-0.201	0.018	-0.119	-0.185	-0.195	-0.260	-0.156	-0.009	-0.119	-0.171	-0.201	-0.214	-0.135	-0.042				

~~CONFIDENTIAL~~

CONFIDENTIAL

NACA RM L53L28a

TABLE I. - Continued
 PRESSURE DATA, CYLINDRICAL BODY

(b) $M = 1.05$

x, in.	Pressure coefficients of row																	
	$\alpha = 20^\circ$				$\alpha = 15^\circ$				$\alpha = 10^\circ$				$\alpha = 5^\circ$					
	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$
$\alpha = 20^\circ$																		
0.50	0.110	—	—	—	—	—	0.127	—	—	—	—	—	0.158	—	—	—	—	—
1.50	.041	—	—	—	—	—	.058	—	—	—	—	—	.072	—	—	—	—	—
2.50	.017	-.050	-.218	-.103	0.197	0.467	.060	-.057	-.105	0.000	0.200	0.388	.046	0.001	-.009	0.065	0.197	0.316
3.50	.009	—	—	—	—	—	.021	—	—	—	—	—	.015	—	—	—	—	—
4.50	-.012	-.095	-.274	-.179	.110	—	.011	-.065	-.142	-.065	.119	—	.015	-.025	-.058	.005	.122	—
5.50	-.028	—	—	—	—	—	.008	—	—	—	—	—	.007	—	—	—	—	—
6.50	-.053	-.124	-.305	-.296	.036	.302	-.029	-.094	-.186	-.127	.072	.237	-.027	-.070	-.104	-.049	.055	.166
8.50	-.051	-.135	-.316	-.275	.014	.251	-.022	-.093	-.199	-.162	.008	.188	-.089	-.077	-.127	-.087	.021	.184
10.50	-.027	-.155	-.306	-.314	.057	.214	-.046	-.107	-.214	-.194	-.051	.151	-.045	-.082	-.150	-.115	-.014	.095
12.50	-.065	-.160	-.273	-.335	.089	.176	-.046	-.112	-.213	-.219	-.069	.118	-.046	-.089	-.155	-.138	-.040	.064
14.50	.101	-.176	-.254	-.357	-.121	.127	-.083	-.155	-.225	-.250	-.101	.070	-.065	-.107	-.175	-.167	-.074	.023
16.50	-.121	-.175	-.226	-.365	-.144	.113	-.082	-.137	-.209	-.268	-.124	.055	-.059	-.108	-.171	-.176	-.090	.015
17.17	-.182	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18.17	-.125	-.176	-.217	-.371	-.162	.066	-.095	-.139	-.197	-.272	-.182	.050	-.070	-.110	-.171	-.186	-.105	.007
19.17	-.125	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20.17	-.116	-.192	-.371	-.166	.086	.084	-.129	-.173	-.267	-.146	.050	.075	-.096	—	—	—	—	—
21.17	-.107	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22.17	-.105	-.359	-.179	-.352	-.162	.085	-.073	-.119	-.156	-.242	-.155	.035	-.045	-.091	-.144	-.154	-.088	.009
23.17	-.094	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24.17	-.085	-.145	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25.17	-.073	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26.17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27.17	-.064	-.135	-.291	-.113	—	—	.060	—	—	—	—	—	—	—	—	—	—	.014
28.17	-.064	-.124	-.125	-.278	—	—	.106	-.054	-.091	-.099	.203	—	—	—	—	—	—	—
29.17	-.068	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30.17	-.068	-.112	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31.17	-.064	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32.17	-.061	-.102	-.107	-.282	-.110	.112	-.058	-.075	-.081	-.178	-.087	.060	-.021	-.043	—	—	—	—
33.17	-.053	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34.17	-.053	-.090	-.095	-.259	-.107	.118	-.041	—	—	—	—	—	—	—	—	—	—	—
35.17	-.054	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36.17	-.045	-.076	-.078	-.222	-.085	.198	—	—	—	—	—	—	—	—	—	—	—	—
37.17	-.050	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38.17	-.057	-.068	-.073	-.208	-.073	.194	-.011	-.041	-.046	-.131	-.044	.091	-.018	-.008	-.038	-.050	-.014	-.055
38.60	-.033	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38.90	-.050	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.15	-.056	-.135	-.126	-.287	-.159	.052	-.057	-.121	-.189	-.219	-.128	.082	-.052	-.113	-.140	-.161	-.085	.005
$\alpha = 15^\circ$																		
0.50	0.186	—	—	—	—	—	0.236	—	—	—	—	—	0.288	—	—	—	—	—
1.50	.091	—	—	—	—	—	.155	—	—	—	—	—	.180	—	—	—	—	—
2.50	.058	0.050	0.058	0.105	0.179	0.242	.101	0.103	0.118	0.133	0.162	0.186	.131	—	—	—	—	—
3.50	.052	—	—	—	—	—	.078	—	—	—	—	—	.104	—	—	—	—	—
4.50	.053	.029	.019	-.052	-.115	—	.057	.056	.060	.079	.102	.128	.085	—	—	—	—	—
5.50	.015	—	—	—	—	—	.036	—	—	—	—	—	.039	—	—	—	—	—
6.50	-.014	-.028	-.053	.001	.054	.112	.008	—	—	—	—	—	.031	—	—	—	—	—
8.50	-.018	-.057	-.052	-.027	.029	.083	—	—	—	—	—	—	.067	—	—	—	—	—
10.50	-.044	-.065	-.053	-.052	-.012	.046	-.033	-.039	-.048	-.025	—	.007	.016	—	—	—	—	—
12.50	-.052	—	—	—	—	—	.037	—	—	—	—	—	.063	—	—	—	—	—
14.50	-.070	-.090	-.118	-.114	-.067	—	.021	-.043	-.048	-.050	—	.016	—	—	—	—	—	—
16.50	-.070	-.091	-.117	-.119	-.073	—	.026	—	—	—	—	—	.076	—	—	—	—	—
17.17	-.073	—	—	—	—	—	.059	—	—	—	—	—	.075	—	—	—	—	—
18.17	-.072	-.090	-.120	-.127	-.089	—	.040	—	—	—	—	—	.071	—	—	—	—	—
19.17	-.060	—	—	—	—	—	.061	—	—	—	—	—	.076	—	—	—	—	—
20.17	-.063	-.074	-.108	-.119	-.086	—	.054	—	—	—	—	—	.050	—	—	—	—	—
21.17	-.057	—	—	—	—	—	.059	—	—	—	—	—	.082	—	—	—	—	—
22.17	-.044	—	—	—	—	—	.072	—	—	—	—	—	.080	—	—	—	—	—
23.17	-.040	—	—	—	—	—	.068	—	—	—	—	—	.064	—	—	—	—	—
24.17	-.033	—	—	—	—	—	.068	—	—	—	—	—	.059	—	—	—	—	—
25.17	-.051	—	—	—	—	—	.053	—	—	—	—	—	.051	—	—	—	—	—
26.17	—	—	—	—	—	—	.051	—	—	—	—	—	.056	—	—	—	—	—
27.17	-.022	—	—	—	—	—	.051	—	—	—	—	—	.050	—	—	—	—	—
28.17	-.020	—	—	—	—	—	.003	—	—	—	—	—	.028	—	—	—	—	—
29.17	-.023	—	—	—	—	—	.076	—	—	—	—	—	.040	—	—	—	—	—
30.17	-.015	—	—	—	—	—	.076	—	—	—	—	—	.042	—	—	—	—	—
31.17	-.015	—	—	—	—	—	.072	—	—	—	—	—	.014	—	—	—	—	—
32.17	-.013	—	—	—	—	—	.062	—	—	—	—	—	.017	—	—	—	—	—
33.17	-.028	—	—	—	—	—	.038	—	—	—	—	—	.011	—	—	—	—	—
34.17	-.002	—	—	—	—	—	.004	—	—	—	—	—	.006	—	—	—	—	—
35.17	-.050	—	—	—	—	—	.017	—	—	—	—	—	.017	—	—	—	—	—
36.17	-.040	—	—	—	—	—	.073	—	—	—	—	—	.021	—	—	—	—	—
37.17	-.058	—	—	—	—	—	.026	—	—	—	—	—	.016	—	—	—	—	—
38.17	-.022	—	—	—	—	—	.017	—</										

NACA RM L53L28a

~~CONFIDENTIAL~~

19

TABLE I - Continued
 PRESSURE DATA, CYLINDRICAL BODY

(1) $M = 1.06$

x, in.	Pressure coefficients of row -												$\alpha = 12^\circ$					
	$\alpha = 20^\circ$						$\alpha = 16^\circ$						$\alpha = 12^\circ$					
	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$
0.50	0.112						0.122						0.146					
1.50	.055						.046						.053					
2.50	.001	-0.097	-0.238	-0.099	0.203	0.471	.020	-0.069	-0.104	0.000	0.202	0.504	.057	-0.004	-0.023	0.062	0.197	0.317
3.50	-.003						.006	-0.065	-0.144				.049					
4.50	-.019		-.105	-.260	-.174	.113							.026	-0.017	-0.046	.009	.128	
5.50	-.023						.035						.000					
6.50	-.039		-.114	-.303	-.257	.039	.303	-.053	-.097	-.136	-.124	.056	.234	-.023	-.062	-.096	-.043	.060
8.50	-.098		-.139	-.316	-.269	-.010	.253	-.034	-.107	-.225	-.177	.001	.184	-.051	-.076	-.126	-.098	.027
10.50	-.089		-.175	-.326	-.318	-.093	.214	-.077	-.114	-.222	-.210	-.048	.137	-.058	-.085	-.132	-.117	-.009
12.50	-.071		-.157	-.270	-.354	-.092	.172	-.048	-.108	-.202	-.205	-.035	.127	-.045	-.087	-.150	-.141	-.047
14.50	-.065		-.156	-.207	-.365	-.114	.158	-.054	-.111	-.219	-.248	-.059	.077	-.115	-.178	-.184	-.088	.021
16.50	-.072		-.150	-.170	-.322	-.129	.123	-.044	-.102	-.160	-.248	-.111	.073	-.032	-.083	-.131	-.165	-.022
17.17	-.072																	
18.17	-.055		-.139	-.162	-.329	-.130	.117	-.051	-.100	-.146	-.229	-.113	.047	-.053	-.077	-.132	-.147	-.080
19.17	-.087																	
20.17	-.072		-.122	-.143	-.308	-.120	.123	-.044	-.089	-.119	-.220	-.108	.062	-.017	-.023	-.106	-.144	-.075
21.17	-.067		-.144	-.291														
22.17	-.041		-.101	-.126	-.305	-.111	.124	-.040	-.085	-.111	-.192	-.094	.059	-.007	-.043	-.085	-.105	-.050
23.17	-.039		-.109	-.266	-.311													
24.17	-.029		-.233		-.096	.120	.058	-.075										
25.17	-.065						.249	-.096										
26.17	-.104																	
27.17	-.060		-.110	-.249	-.079													
28.17	-.066		-.100	-.098	-.242													
29.17	-.049																	
30.17	-.010		-.061															
31.17	-.019																	
32.17	-.058		-.066	-.071	-.207	-.017												
33.17	-.043																	
34.17	-.058		-.087	-.100	-.258	-.099	.145	-.055	-.080	-.094	-.188	-.098	.054	-.011	-.052	-.064	-.114	-.045
35.17	-.055																	
36.17	-.070																	
37.17	-.042		-.109	-.114	-.274	-.111	.128	-.059	-.086	-.097	-.193	-.093	.063	-.032	-.052	-.050	-.126	-.060
38.17	-.103																	
38.40	-.099																	
38.60	-.103																	
38.90	-.111																	
39.15	-.124		-.226	-.232	-.314	-.171	.060	-.098	-.204	-.209	-.285	-.143	.007	-.088	-.184	-.189	-.115	-.023
	$\alpha = 8^\circ$						$\alpha = 4^\circ$						$\alpha = 0^\circ$					
0.50	0.132						0.206						0.246					
1.50	.052						.057						.169					
2.50	.048	0.059	0.046	0.095	0.173	0.241	.082	0.068	0.100	0.114	0.149	0.177	.111					
3.50	.051						.061						.090					
4.50	.051						.058	0.056	0.060	.077	.099	.124	.074					
5.50	.004						.035						.051					
6.50	-.017		-.050	-.059	-.009	-.050	.108	.007	.006	.013	.050	.050	.067	.026				
8.50	-.025		-.043	-.059	-.056	-.018	.074	-.009	-.015	-.015	.001	.016	.032	.012				
10.50	-.040		-.059	-.073	-.037	-.006	.067	-.028	-.034	-.034	-.021	-.006	.009	-.009				
12.50	-.053		-.079	-.106	-.094	-.058	.024	-.041	-.050	-.050	-.059	-.018	.005	-.018				
14.50	-.065		-.080	-.107	-.110	-.072	.020	-.054	-.060	-.069	-.072	-.062	.045					
16.50	-.056		-.073	-.094	-.091	-.047	.004	-.066	-.070	-.069	-.055	-.056	.039					
17.17	-.058																	
18.17	-.042		-.065	-.107	-.106	-.061	-.004	-.056	-.068	-.068	-.077	-.056	-.036	-.057				
19.17	-.028																	
20.17	-.026		-.056	-.070	-.091	-.065	-.009	-.021	-.026	-.040	-.050	-.053	-.051					
21.17	-.017																	
22.17	-.004		-.051	-.059	-.067	-.057	.004	-.011	-.020	-.024	-.019	-.011	-.004	-.008				
23.17	-.004																	
24.17	-.003																	
25.17	-.010																	
26.17	-.007																	
27.17	-.033																	
28.17	-.044																	
29.17	-.058																	
30.17	-.051		-.009															
31.17	-.011																	
32.17	-.011		-.023															
33.17	-.063																	
34.17	-.059		-.054	-.076	-.047	-.003												
35.17	-.052																	
36.17	-.049		-.063	-.083	-.050	-.000												
37.17	-.061																	
38.17	-.048		-.062	-.072	-.089	-.054	-.017											
38.40	-.045																	
38.60	-.057																	
38.90	-.073																	
39.15	-.105		-.172	-.176	-.152	-.109	-.058	-.146	-.166	-.156	-.134	-.111	-.091	-.115	-.023			

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

NACA RM L53L28a

TABLE I. - Continued.
 PRESSURE DATA, CYLINDRICAL BODY

(J) $M = 1.10$

x, in.	Pressure coefficients of row -																	
	$\alpha = 20^\circ$				$\alpha = 16^\circ$				$\alpha = 12^\circ$									
	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$
0.50	0.097	—	—	—	—	—	0.119	—	—	—	—	—	0.117	—	—	—	—	—
1.50	.058	—	—	—	—	—	.021	—	—	—	—	—	.045	—	—	—	—	—
2.50	.006	-0.092	-0.227	-0.069	0.215	0.476	.020	-0.056	-0.098	0.001	0.205	0.390	.010	-0.023	-0.051	0.063	0.175	0.290
3.50	.008	—	—	—	—	—	.004	—	—	—	—	—	.041	—	—	—	—	—
4.50	-.010	-.097	-.261	-.161	.125	—	.008	-.052	-.142	-.056	.125	—	.029	-.017	-.045	.006	.125	—
5.50	-.018	—	—	—	—	—	.014	—	—	—	—	—	.002	—	—	—	—	—
6.50	-.038	-.131	-.510	-.227	.051	.311	-.051	-.095	-.187	-.127	.075	.294	-.017	-.057	-.093	-.041	.056	.177
8.50	-.042	-.131	-.307	-.271	.002	.260	-.029	-.094	-.201	-.161	.011	.187	-.025	-.069	-.118	-.079	.087	.129
10.50	-.074	-.160	-.307	-.207	.048	.218	-.015	-.119	-.233	-.198	-.022	.157	-.048	-.089	-.146	-.112	-.010	.096
12.50	-.050	-.172	-.289	-.352	-.075	.181	-.023	-.118	-.217	-.246	-.077	.110	-.027	-.078	-.155	-.131	-.028	.074
14.50	-.092	-.167	-.248	-.370	-.117	.133	-.029	-.140	-.221	-.245	-.110	.082	-.058	-.056	-.158	-.139	-.071	.053
16.50	-.093	-.160	-.185	-.374	-.159	.119	-.055	-.122	-.193	-.253	-.097	.055	-.059	-.111	-.170	-.168	-.077	.021
17.17	-.090	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18.17	-.090	-.155	-.165	-.314	-.153	.096	-.056	-.104	-.166	-.256	-.110	.086	-.049	-.092	-.165	-.186	-.102	.000
19.17	-.090	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20.17	-.071	-.158	-.145	-.315	-.118	.112	-.045	-.090	-.125	-.235	-.129	.091	-.024	-.070	-.171	-.159	-.105	.001
21.17	-.089	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22.17	-.079	-.123	-.158	-.313	-.118	.119	-.048	-.083	-.105	-.200	-.094	.059	-.022	-.063	-.104	-.160	-.065	.015
23.17	-.087	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24.17	-.069	-.110	-.127	-.267	-.116	.125	-.053	—	—	—	—	—	—	—	—	—	—	—
25.17	-.044	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26.17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27.17	-.089	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28.17	-.027	-.073	-.082	-.256	—	.127	-.039	-.071	-.083	-.173	—	.080	-.034	-.024	—	—	—	—
29.17	-.034	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30.17	-.047	-.077	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31.17	-.042	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32.17	-.032	-.083	-.071	-.177	-.059	.125	-.035	-.016	-.003	-.133	-.068	.074	-.011	-.019	—	—	—	—
33.17	-.066	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34.17	-.061	-.065	-.056	-.215	-.059	.161	-.034	-.005	-.004	-.056	-.060	.202	-.039	-.050	-.043	-.083	-.016	.080
35.17	-.028	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36.17	-.013	-.057	-.052	-.179	—	.224	-.036	-.059	-.044	-.156	-.046	.159	-.023	-.046	-.042	-.074	-.004	.087
37.17	-.026	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38.17	-.059	-.065	-.080	-.258	-.063	.164	-.057	-.065	-.077	-.174	-.075	.070	-.009	-.028	-.050	-.087	-.007	.088
39.17	-.075	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38.60	-.064	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38.90	-.073	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.19	-.091	-.181	-.200	-.290	-.132	.099	-.079	-.174	-.188	-.220	-.182	.088	-.057	-.149	-.161	-.156	-.074	.086
	$\alpha = 80^\circ$				$\alpha = 40^\circ$				$\alpha = 0^\circ$									
	0.50	0.154	—	—	—	—	0.199	—	—	—	—	—	0.255	—	—	—	—	—
1.50	.066	—	—	—	—	—	.112	—	—	—	—	—	.156	—	—	—	—	—
2.50	.013	0.010	0.024	0.078	0.158	0.226	.049	0.065	0.081	0.099	0.152	0.161	.092	—	—	—	—	—
3.50	.045	—	—	—	—	—	.045	—	—	—	—	—	.114	—	—	—	—	—
4.50	.038	-.027	.017	.054	.114	—	.061	-.052	.053	.072	.098	.131	.083	—	—	—	—	—
5.50	.012	—	—	—	—	—	.058	—	—	—	—	—	.046	—	—	—	—	—
6.50	-.007	-.022	-.053	-.001	-.059	.113	.013	-.015	.020	-.037	-.057	.075	.022	—	—	—	—	—
8.50	-.022	-.040	-.057	-.055	-.020	.077	—	—	—	—	—	—	—	—	—	—	—	—
10.50	-.040	-.059	-.078	-.058	-.009	.046	-.029	-.034	-.053	-.024	-.010	.009	-.024	—	—	—	—	—
12.50	-.036	-.051	-.073	-.059	-.025	.089	-.033	-.058	-.058	-.053	-.020	-.002	—	—	—	—	—	—
14.50	-.063	-.086	-.114	-.101	-.043	.033	-.049	-.060	-.063	-.054	-.031	-.015	—	—	—	—	—	—
16.50	-.053	-.073	-.102	-.113	-.076	.020	-.056	-.066	-.074	-.074	-.061	-.040	—	—	—	—	—	—
17.17	-.067	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18.17	-.067	-.082	-.111	-.115	-.089	.056	-.068	-.071	-.072	-.074	-.067	-.055	—	—	—	—	—	—
19.17	-.057	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20.17	-.060	-.067	-.104	-.105	-.065	.017	.059	-.063	-.070	-.063	-.058	-.039	-.046	—	—	—	—	—
21.17	-.029	-.059	-.089	-.056	—	.037	—	—	—	—	—	—	—	—	—	—	—	—
22.17	-.012	-.041	-.059	-.082	-.048	.002	—	—	—	—	—	—	—	—	—	—	—	—
23.17	-.001	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24.17	.003	-.027	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25.17	.001	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26.17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27.17	.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28.17	.005	-.017	—	—	—	—	.053	-.006	-.009	—	—	—	.008	—	.008	—	—	—
29.17	-.001	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30.17	-.005	-.024	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31.17	-.002	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32.17	.004	-.003	—	—	—	—	.019	—	—	—	—	—	.046	—	—	—	—	—
33.17	.059	—	—	—	—	—	.045	—	—	—	—	—	.045	—	—	—	—	—
34.17	.067	.042	.059	.042	.047	.068	.052	.025	.026	.032	.045	.063	.070	—	—	—	—	—
35.17	.049	—	—	—	—	—	.025	—	—	—	—	—	.048	—	.063	—	—	—
36.17	.032	.016	.006	.000	.012	.103	.021	.018	.021									

NACA RM L53L28a

21

TABLE I. - Concluded
 PRESSURE DATA, CYLINDRICAL BODY

(k) $M = 1.15$

x, in.	Pressure coefficients of row -																	
	$\alpha = 20^\circ$						$\alpha = 15^\circ$						$\alpha = 12^\circ$					
	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$	$\theta = 0^\circ$	$\theta = 45^\circ$	$\theta = 75^\circ$	$\theta = 105^\circ$	$\theta = 135^\circ$	$\theta = 180^\circ$
0.50	0.079	—	—	—	—	—	0.078	—	—	—	—	—	0.116	—	—	—	—	—
1.50	.025	—	—	—	—	—	.053	—	—	—	—	—	.057	—	—	—	—	—
2.50	.006	-0.096	-0.225	-0.060	0.239	0.473	.006	-0.061	-0.104	0.002	0.209	0.583	.019	-0.018	-0.065	0.050	0.182	0.300
3.50	.012	—	—	—	—	—	.089	—	—	—	—	—	.029	—	—	—	—	—
4.50	.009	-0.09	-0.230	-0.147	.136	—	.013	-0.056	-0.133	-0.033	.158	—	.013	-0.018	-0.040	.005	.121	—
5.50	-0.016	—	—	—	—	—	.004	—	—	—	—	—	.002	—	—	—	—	—
6.50	-.041	-.111	-.280	-.205	.069	.384	-.019	-.093	-.174	-.109	.077	.251	-.011	-.053	-.092	-.040	.069	.180
8.50	-.073	-.134	-.308	-.244	.081	.274	-.018	-.065	-.194	-.147	.090	.200	-.015	-.058	-.109	-.073	.083	.138
10.50	-.036	-.135	-.289	-.294	-.024	.251	-.054	-.097	-.208	-.182	-.012	.160	-.087	-.058	-.126	-.099	.002	.109
12.50	-.070	-.154	-.288	-.332	-.061	.196	-.059	-.097	-.188	-.196	-.040	.129	-.057	-.073	-.132	-.112	-.017	.087
14.50	-.099	-.170	-.298	-.356	-.106	.185	-.058	-.122	-.232	-.232	-.055	.105	-.052	-.078	-.150	-.131	-.043	.051
16.50	-.087	-.156	-.211	-.349	-.117	.129	-.072	-.117	-.179	-.265	-.109	.058	-.035	-.080	-.146	-.158	-.058	.046
17.17	-.092	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18.17	-.094	-.146	-.173	-.368	-.136	.109	-.089	-.122	-.169	-.251	-.132	.041	-.035	-.095	-.147	-.154	-.089	.012
19.17	-.09%	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20.17	-.09%	-.150	-.150	-.344	-.147	.109	-.065	-.115	-.161	-.228	-.106	.050	-.026	-.077	-.145	-.175	-.090	.009
21.17	-.093	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22.17	-.093	-.145	-.139	-.320	-.144	.087	-.066	-.102	-.142	-.250	-.107	.055	-.027	-.069	-.112	-.145	-.076	.013
23.17	-.089	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24.17	-.061	-.117	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25.17	-.071	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26.17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27.17	-.065	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28.17	-.098	-.102	-.148	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29.17	-.098	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30.17	-.083	-.090	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31.17	-.090	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32.17	-.093	-.085	-.093	-.259	-.080	.139	-.046	-.097	-.072	-.157	-.056	.094	-.017	-.047	-.109	-.042	.051	—
33.17	-.043	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34.17	-.043	-.074	-.081	-.243	-.100	.126	-.046	-.066	-.082	-.178	-.071	.076	-.018	-.035	-.060	-.118	-.041	.052
35.17	-.043	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36.17	-.048	-.057	-.058	-.213	-.091	.127	-.051	-.062	-.082	-.180	-.081	.075	-.015	-.032	-.053	-.095	-.057	.059
37.17	-.034	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38.15	-.036	-.061	-.044	-.175	-.062	.121	-.055	-.069	-.069	-.161	-.082	.062	-.012	-.015	-.020	-.038	-.038	.034
38.40	-.036	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38.65	-.057	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38.90	-.061	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.15	-.073	-.160	-.149	-.195	-.096	.102	-.037	-.154	-.160	-.188	-.102	.037	-.046	-.125	-.127	-.114	-.058	.013
	$\alpha = 8^\circ$						$\alpha = 4^\circ$						$\alpha = 0^\circ$					
0.50	0.149	—	—	—	—	—	0.205	—	—	—	—	—	0.201	—	—	—	—	—
1.50	.036	—	—	—	—	—	.122	—	—	—	—	—	.184	—	—	—	—	—
2.50	.038	0.052	0.045	0.094	0.170	0.240	.079	0.088	0.105	0.115	0.145	0.172	.106	—	—	—	—	—
3.50	.034	—	—	—	—	—	.059	—	—	—	—	—	.068	—	—	—	—	—
4.50	.032	—	—	—	—	—	.042	—	—	—	—	—	.057	—	—	—	—	—
5.50	.035	—	—	—	—	—	.034	—	—	—	—	—	.065	—	—	—	—	—
6.50	-.003	-.016	-.052	-.002	.039	.119	.016	.007	.008	.024	.044	.076	.046	—	—	—	—	—
8.50	-.033	-.031	-.049	-.022	.052	.088	.033	-.001	-.014	.031	.070	.090	.015	—	—	—	—	—
10.50	-.030	-.046	-.067	-.045	.002	.059	.016	-.022	-.009	.009	.091	.091	.000	—	—	—	—	—
12.50	-.030	-.048	-.073	-.065	-.019	.054	.020	-.020	-.029	-.029	.035	.035	.015	—	—	—	—	—
14.50	-.039	-.023	-.062	-.078	-.056	.009	.034	-.040	-.043	-.040	.027	.017	.087	—	—	—	—	—
16.50	-.043	-.074	-.059	-.088	-.056	.010	.027	-.047	-.047	-.057	.020	.017	.017	—	—	—	—	—
17.17	-.086	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18.17	-.032	-.069	-.113	-.117	-.071	-.015	-.046	-.062	-.077	-.073	-.031	-.020	-.044	—	—	—	—	—
19.17	-.036	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20.17	-.049	-.097	-.090	-.108	-.081	-.051	-.046	-.045	-.031	-.056	-.055	-.046	-.051	—	—	—	—	—
21.17	-.041	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22.17	-.042	-.067	-.091	-.077	-.043	-.008	-.045	-.057	-.033	-.041	-.028	-.026	-.026	—	—	—	—	—
23.17	-.082	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24.17	-.016	-.043	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25.17	-.015	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26.17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27.17	-.006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28.17	-.001	-.026	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29.17	-.002	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30.17	-.001	-.024	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31.17	-.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32.17	-.012	-.026	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33.17	-.017	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34.17	-.019	-.050	-.040	-.047	-.012	.034	-.013	-.024	-.027	-.022	-.004	.015	—	—	—	—	—	—
35.17	-.009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36.17	-.014	-.023	-.043	-.065	-.													




Figure 1.- Body details. (Linear dimensions in inches.)

NACA RM L53L28a

~~CONFIDENTIAL~~

23




Figure 2.- Accuracy of pressure measurements. $\alpha = 0^\circ$.

~~CONFIDENTIAL~~






Figure 3.- Longitudinal pressure distribution at zero angle of attack.




(a) $\alpha = 4^\circ$.

Figure 4.-- Longitudinal pressure distribution at six radial stations.




(b) $\alpha = 8^\circ$.

Figure 4--Continued.




(c) $\alpha = 12^\circ$.

Figure 4.- Continued.



(d) $\alpha = 16^\circ$.

Figure 4.- Continued.



(e) $\alpha = 20^\circ$.

Figure 4.- Concluded.







Figure 5.- Comparison of normal-force coefficients. (Flagged symbols represent data from closed-throat tunnel; unflagged symbols represent data from slotted-throat tunnel.)


NACA RM L53L28a

~~CONFIDENTIAL~~

31



(a) Cylindrical body.



(b) Curved body.

Figure 6.- Comparison of pitching-moment coefficients. (Flagged symbols represent data from closed-throat tunnel; unflagged symbols represent data from slotted-throat tunnel.)

~~CONFIDENTIAL~~




Figure 7.- Comparison of center-of-pressure locations.

5Y

NACA RM L53L28a

~~CONFIDENTIAL~~

33




Figure 8.- Meridian load coefficient. Cylindrical body.

~~CONFIDENTIAL~~




Figure 9.- Comparison of cross-section normal loads. $M = 1.00$.